

PRODUCT AND SERVICE GUIDE

EFFECTIVE MARCH 2024

Supersedes October 2020

ERSKINE PARK

Sales 02 9834 0909
Admin 02 9834 0900

CANBERRA

Ph 02 6298 2500

COFFS HARBOUR

Ph 02 6656 3800

NEWCASTLE

Ph 02 4041 3400

ORANGE

Ph 02 6360 9200

CONTACT US

How can we help you?

Customer Service, Sales and all General Enquiries

To place an order, request a quote, or receive tailored customer support, please contact your local branch.


Check the locations page opposite for the phone number and address of your nearest Stramit branch.

For general enquiries, email contactus@stramit.com.au

For order enquiries, email orders@stramit.com.au

Technical Services

For specification and technical support, email techsupport@stramit.com.au



SERVICE LOCATIONS

The Stramit web page can be found at **stramit.com.au**.

Details of many Stramit® products can also be seen on the AIA site

'Product Selector' **selector.com.au** or **SteelSelect.com.au**.

			ORDER CUT-OFF TIMES ²		
REGION	LOCATION	CONTACT DETAILS	STANDARD DELIVERY	SHED BUNDLE LEAD TIME ³	PICK-UP HOURS ⁴
NSW & ACT	SYDNEY 33-83 Quarry Rd, Erskine Park NSW 2759	Ph 02 9834 0909	4pm	21 Days	7am - 4pm
	CANBERRA 4 Bass St, Queanbeyan NSW 2620	Ph 02 6298 2500	4pm	21 Days	7am - 4pm
	COFFS HARBOUR 6 Mansbridge Dr, Coffs Harbour NSW 2450	Ph 02 6656 3800	4pm	21 Days	7am - 4pm
	NEWCASTLE TBA	Ph 02 4041 3400	4pm	21 Days	N/A
	ORANGE 51 Leewood Dr, Orange NSW 2800	Ph 02 6360 9200	4pm	21 Days	7am - 4pm
VIC	MELBOURNE 3/1464 Ferntree Gully Rd, Knoxfield VIC 3180	Ph 03 9237 6300	4pm	12.30pm	7am - 4pm
	ALBURY 18 Ariel Dr, Albury NSW 2640	Ph 02 6092 3700	4pm	21 Days	7am - 4pm
	BENDIGO Lot 7-9 Ramsay Court, Kangaroo Flat VIC 3555	Ph 03 5448 6400	4pm	21 Days	7am - 4pm
TAS	HOBART 57 Crooked Billett Dr, Brighton TAS 7030	Ph 03 6262 8788	4pm	21 Days	7am - 4pm
SA	ADELAIDE 11 Stock Rd, Cavan SA 5094	Ph 08 8219 20001	4pm	21 Days	7am - 4pm
South QLD	BRISBANE 57-71 Platinum St, Crestmead QLD 4132	Ph 07 3803 9999	4pm	12.30pm	7am - 4pm
	MARYBOROUGH 10 Activity St, Maryborough QLD 4650	Ph 07 4123 9500	4pm	21 Days	7am - 4pm
	ROCKHAMPTON 41 Johnson St, Parkhurst QLD 4702	Ph 07 4921 5600	4pm	21 Days	7am - 4pm
North QLD	CAIRNS 53 Vickers St, Edmonton QLD 4869	Ph 07 4034 6555	4pm	21 Days	7am - 4pm
	TOWNSVILLE 402-408 Bayswater Rd, Garbutt QLD 4814	Ph 07 4412 3900	4pm	21 Days	7am - 4pm
WA	PERTH 605-615 Bickley Rd, Maddington WA 6109	Ph 08 9493 8800	4pm	12.30pm	7am - 4pm

¹ Business days only (excludes weekend and public holidays).

² Days only (excludes weekend and public holidays). Standard 48hr Delivery refers to order cut-off times for standard lead-time products as defined in our Product and Services Guide. Please be aware that some products have minimum lead times that may exceed these lead times. Please check the product listing in our Product and Services Guide or check with your local branch when placing order.

Additional charges may apply. Check with your local branch for capacity when ordering.

Our service proposition is based around available manufacturing capacity on any given day. Demand can fluctuate and impact lead times. Please check with your local branch when placing your order.

This Service Offer excludes large orders related to Commercial projects or Consolidated Shed orders.


* Registered trademarks of Stramit Corporation Pty Limited. ABN 57 005 010 195 trading as Stramit Building Products. A member of the Fletcher Building Group. TRUECORE®, COLORBOND®, ZINCALUME® and * colour names are registered trade marks of BlueScope Steel Limited.™ colour names are trade marks of BlueScope Steel Limited. ABN 16 000 011 058. © Stramit Corporation Pty Limited. This information is accurate at March 2024.

This document replaces all previous issues. Please destroy, or clearly mark as superseded, all previous issues. STR067_MAR24.

CUSTOMER PORTAL

Keeping up to date with your order, made simple.

Our secure Customer Portal gives you access to the status of your orders whenever, and wherever, you need an update. The portal lets you track your orders live, from the time our Customer Service team enters it, through processing and manufacturing, while it's being picked and packed and when it's out for delivery to you.



As an account customer, our portal allows you to:

- Track your order in real time
- Search current and historical orders to see related information
- Download your order confirmations
- See order details in granular detail
- Download Proof of Delivery (PODs)
- View Estimated Time of Arrivals (ET As) for your deliveries
- See when an order is Ready to Pick Up
- Share the order tracking with another party, e.g. an installer or end customer

Designed to make doing business easier with Stramit, the Customer Portal is available on any internet connected device and only requires registration - no downloads needed.

Register your interest today at:

<https://www.stramit.com.au/resources/design-software/stramit-customer-portal/>

ORDERING

For Trade and Account Customers seeking takeoffs and quotes, please send drawings and information to: takeoffs@stramit.com.au

Please contact and email all your orders through to your local branch.

For Purl in Orders, please also send through your drawings and NC Files to your local branch to aid in order accuracy.

For Flashings Orders, we require drawings to ensure accurate manufacturing of your products. Please email your drawings through when placing your order. You can find our Flashing Order Form on our website under **Resources**.

All products manufactured or purchased specifically to your requirements cannot be returned. Stock items may be returned for credit, although restocking fees will apply.

For Order Pickups, please refer to our Loading Requirements Guide on our website under **Resources**.

INDEX

GENERAL INFORMATION

Index	1	Customer Order Form – Bridging	9
Production Days – Erskine Park	2	Customer Order Form – Accessories	10
Pricing General Information	3	Customer Order Form – Purlins & Girt	11
Product Availability – Roofing (Erskine Park)	4-5	Customer Order Form – Fascia Purlins	12
Product Availability – Rainwater (Erskine Park)	4-5	Customer Sales Order Form	13
Min/Max Product Length Details	6	Customer Order Form – Flashing Details Sheet	14
Selecting Your Product	7	Care & Maintenance	15
Ordering Codes – Standards for Use	8	Quick Roof Estimate – Hipped Roof Take-Off	16

ROOFING / CLADDING / INSULATION

Stramit® Corrugated & Accessories	17-18	Stramit Sunset®, Double Sided Roofing	30
Stramit® Curving Quality	19-20	Stramit Patio Roof Decking	31-33
Stramit Monoclad®	21-22	Stramit Triline™ Stiffened Back Gutter & Accessories	34
Stramit CapacityPLUS 660 & Acoustic Products	23	General Accessories, P.A. Doors	35
Stramit Longspan®	24	Roof Ventilation / Vented Ridge / Fixed Metal Louvers	36
Stramit Speed Deck Ultra®	25	Gripspan Walkway System / Stramit Uniguard™	37
Stramit Sharpline®	26	Foil, Insulation Batts	38
Stramit K-Panel®, Stramit Minirib®, Stramit Mini Corry®	27	Building Blanket, Wire	39
Stramit Monopanel® / BoxGutter	28		

RAINWATER

Stramit® Standard Flashings	40	Stramit Triline™ Stiffened & Hook Back Gutter & Accessories	49
Vermin Seal, Builders Strap	40	Stramit® 150 Half Round & Flat Back Half Rnd Gutter & Accessories	50
Stramit® Custom Flashings – Ordering Procedure	41	Stramit® Half Round Gutter & Accessories	51
Stramit® Custom Flashings	42-43	Stramit® Ogee Heritage Gutter & Accessories	52
Stramit® Fascia, Stramit® Fascia Cover & Accessories	44	Stramit® Downpipe – Rectangular & Accessories	53
Stramit® Hi Front Quad 115 Gutter & Accessories	45	Stramit® Downpipe – Round & Accessories	54
Stramit® Quad 115 Gutter, Accessories, Conventional Angles	46	Flue and Sewer Accessories	55
Stramit® Quad 125 Gutter NSW Pattern & Accessories	47	Rainwater Heads, Sumps	56
Stramit® Quad 125 Conventional Angles, Leaf Guard	47	Non Standard Rainwater Head Guide	57
Stramit® M&S Pattern Gutter, Stramit® Fascia Capping	48		

PREMIUM PRODUCTS

Important Notice – Ordering Premium Products	58	Stramit® Half Round COLORBOND® steel Matt	65
Premium Products – Availability	59	Stramit® Quad 115 Copper Gutter	66
COLORBOND® steel	60	Stramit® Half Round Copper Gutter	67
Stramit® Roofing, Cladding & Accessories	61-62	Stramit® Half Round Unpainted Stainless Steel Gutter	68
Stramit® Rainwater, Valleys & Ridges	63	Stramit® Ogee Copper & Unpainted Stainless Steel Gutter	69
Stramit® Hi Front Quad 115 Gutter & Accessories	64	Stramit® Custom Flashings	70-71
Stramit® Fascia & Accessories	64	Stramit® MagnaFlow® – Roofing, Cladding, Rainwater	72

STRUCTURAL

ZAM® High Durability Purlins	74-75	Stramit® Flooring Joists & Bearers, Brackets Angle & Web	83
Stramit® Purlin Dimensions	77	Stramit® Flooring & Accessories	84-85
Stramit® C & Z Purlins, Stramit® Fascia Purlins	78	Stramit® Stud Sections, Stramit® Top Hats,	
Stramit® C & Z Downturn Lip Purlins	79	Battens, Eave Purlins	86
Stramit® Bridging System & Accessories	80-81	Stramit Condeck HP® & Accessories	87
Speedy Spacer Bridging System, Redback® Beam	82		

ROLLER DOORS AND ACCESSORIES

Residential & Light Industrial Roller Doors	88	Novataur Residential, Commercial Roller Doors	
Residential Roller Doors	89	& Personal Access (PA) Doors	92
Residential Sectional Doors	90	Roller Door Accessories	93
Residential Sectional Door Installation	91	Roller Door Product Warranty	94

SERVICE AND DISTRIBUTION SCHEDULES

Sydney – Standard Delivery Charges	96	Orange – Delivery & Service Details	101
Distribution Schedule Erskine Park	97	Sydney – Delivery Information	102
Coffs Harbour – Delivery & Service Details	98	Site Delivery – Instruction Form	103
Newcastle – Delivery & Service Details	99	CPU Loads – Loading Requirements	104-105
Queanbeyan – Delivery & Service Details	100		

TERMS AND CONDITIONS OF SALE 106-109

Technical details displayed in this book are a guide only. For further information please consult the relevant Stramit Technical Manual.

Customers – Please note that for your security telephone conversations made to and from Stramit may be recorded.

PRODUCTION DAYS ERSKINE PARK

TO ORDER

Refer to the schedule below and order before 4.00pm Monday to Friday prior to nominated production day.

*Allow 3 additional days for curving.

NOTE: These are Production Days – delivery would normally be carried out on the next scheduled day.

Sheeting	Mon	Tues	Wed	Thurs	Fri
Stramit Speed Deck Ultra®	•	•	•	•	•
Stramit® Corrugated	•	•	•	•	•
Stramit SharpLine®	•	•	•	•	•
Stramit Monoclad®	•	•	•	•	•
Stramit Monoclad® Reverse Roll	•	•	•	•	•
Stramit® CapacityPLUS 660	•	•	•	•	•
Stramit Longspan®	•	•	•	•	
Stramit Minirib®	•				•
Stramit K-Panel®		•	•	•	
Stramit Sunset®	•	•	•	•	•
Stramit® MiniCorry®	•	•	•	•	•

Stramit® Premium Product Range – Check lead time when ordering.

Rainwater	Mon	Tues	Wed	Thurs	Fri
Stramit® Fascia	•	•	•	•	•
Stramit Triline® SB & HB	•	•	•	•	•
Stramit® Fascia Capping	•	•	•	•	•
Stramit® Quad 115 Gutter	•	•	•	•	•
Stramit® Quad 125 Gutter	•	•	•	•	•
Stramit® High Front Quad Gutter	•	•	•	•	•
Stramit® Barge Gutter	•	•	•	•	•
Stramit® Half Round Gutter 150mm	•	•	•	•	•
Stramit® Half Round Flat Back Gutter	•	•	•	•	•

Other

Stramit® Custom Flashings	•	•	•	•	•
Stramit® Valley	•	•	•	•	•
Stramit® Roll Top Ridge	•	•	•	•	•
Stramit® Top Hats	•	•	•	•	•
Stramit Condeck HP® composite decking	•	•	•	•	
Stramit® Purlins – Refer to pages 72 - 77					

Stramit® Stainless Steel & Copper Products – Check lead time when ordering.

ZAM® - Orders less than 1000lm rolled on Thursday. Orders over 1000lm rolled as per normal Purlin production.

Customers – Please note that for your security telephone conversations made to and from Stramit may be recorded.

GENERAL INFORMATION

PRICES – 1. All prices shown are ex Sydney, Newcastle, Queanbeyan, Coffs Harbour and Orange Stramit Branches and are subject to a delivery charge.
2. All prices for Manufacture and Delivery of products outside NSW & ACT are strictly POA.

DELIVERY CHARGE – Refer ‘Basic Charge Schedule’ P94. Delivery and load details, RTA restrictions please see P100-103.

ALL ORDERS TO STORE ATTRACT A \$25.00 MINIMUM DELIVERY FEE.

MINIMUM ORDER CHARGE. All orders with a value less than \$100 will attract a \$25 minimum order charge.

Any Customer who has exceeded their credit limit or whose payments are overdue may experience delays in the manufacture and delivery of goods ordered.

RETURN OF STOCK ITEMS – Stock line items may be returned for Credit, subject to the following charges:-

- Where goods are returned by Customer a re-stocking fee of 20% (\$20 minimum) is applicable.
- Where goods are picked up by Stramit for return, Standard Delivery charges plus a re-stocking fee of 20% (\$20 minimum) are applicable.


NOTE: Non stock items, such as cut-to-length or specifically purchased products are not returnable to Stramit for credit.
Refer to Terms and Condition of Sale inside back cover.

Owner Pick Up - OPU's not picked up within 2 weeks of ordering will be delivered to Account Customers store delivery address, at customers standard store delivery cost.

WARRANTY – Refer to Terms & Conditions of Sale inside back cover.

STANDARD STRAMIT SAFEGUARDS

Some pre-painted steel products are supplied with a removable plastic coating to minimise damage from scuffing and scratching. **Do not leave products exposed to sunlight for extended periods as the coating can deteriorate and become difficult to remove.** Extra packing sheets can be supplied on request, at an additional cost. Price on application. Refer all queries to your Stramit Account Manager.



HANDLING AND STORAGE OF STRAMIT STEEL

Always wear gloves when handling steel sheeting. Ensure gloves are clean to prevent marking. Keep products dry before installation. If packs of sheeting become wet, separate the sheets and dry immediately.



ERSKINE PARK
Sales (02) 9834 0909
Fax (02) 9834 0955

COFFS HARBOUR
(02) 6656 3800
Fax (02) 6656 3808

NEWCASTLE
(02) 4041 3400
Fax (02) 4041 3423

CANBERRA
(02) 6298 2500
Fax (02) 6298 2533

ORANGE
(02) 6360 9200
Fax (02) 6360 9211

ERSKINE PARK STANDARD PRODUCT OFFER

PRODUCT – Roofing/Cladding	GAUGE	Galvanised	ZINCALUME® steel	Basalt®	Classic Cream™	Cove®	Cottage Green®	Deep Ocean®	Dune®	Evening Haze®	Gully®	Ironstone®
Stramit® Corrugated	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Corrugated	0.48		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Corrugated – Curving Quality	0.60	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Speed Deck Ultra®	0.42		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Speed Deck Ultra®	0.48		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Monoclad® (Wall Cladding)	0.35		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Monoclad®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Monoclad®	0.48		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® CapacityPLUS 660	0.42		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® CapacityPLUS 660	0.48		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Longspan®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Longspan®	0.48		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Minirib®	0.35		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Minirib®/Stramit Mini Corry®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Sharpline® Direct Fix	0.55	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Sharpline® Clip Fix	0.55	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit K-Panel®	0.35		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit K-Panel®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Monopanel®	0.48			✓	✓			✓	✓			✓
Stramit® Sunset	0.42			✓	✓			✓	✓			✓

RAINWATER PRODUCTS

PRODUCT –	GAUGE	Galvanised	ZINCALUME® steel	Basalt®	Classic Cream™	Cove®	Cottage Green®	Deep Ocean®	Dune®	Evening Haze®	Gully®	Ironstone®	Jasper®
Stramit® Roll Top Ridge		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Valley Plain & Ribbed		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Flashings		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Quad 115 NSW		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Hi Front Quad 115			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Quad 125		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® O Gee Gutter 125		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® M Pattern Gutter			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® S Pattern Gutter			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Half Round Gutter			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Flat Back Half Round Gutter			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Fascia Board/Cover			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Barge Gutter			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Fascia Capping			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Downpipes		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Triline® HB & SB			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

✓ = AVAILABLE

Other non standard colours may be available subject to minimum order quantities. Please refer to our nearest sales office.



PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

ERSKINE PARK STANDARD PRODUCT OFFER

													80% GLOSS			
Jasper®	Mangrove®	Manor Red®	Monument®	Night Sky®	Pale Eucalypt®	Paperbark®	Shale Grey™	Surfmist®	Terrain®	Woodland Grey®	Wallaby®	Windspray®	Classic Cream™ /80GL Classic Cream™	Surfmist®/80GL Dover White	Paperbark® /80GL Paperbark®	Woodland Grey® /80GL Classic Cream™
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	
✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓				
			✓		✓	✓	✓	✓				✓				
													✓	✓	✓	✓

RAINWATER PRODUCTS

												80% GLOSS			
Mangrove®	Manor Red®	Monument®	Night Sky®	Pale Eucalypt®	Paperbark®	Shale Grey™	Surfmist®	Terrain®	Woodland Grey®	Wallaby®	Windspray®	Classic Cream™	Hammersley Brown	Hunter Red	Thredbo White®
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	SB ONLY	SB ONLY	SB ONLY	SB ONLY

✓ = AVAILABLE














Product exists in several extra gloss colours for rainwater goods. Please refer to our nearest sales office.

MIN/MAX PRODUCT LENGTH DETAILS BY BRANCH

	ERSKINE PARK		NEWCASTLE		CANBERRA		ORANGE		COFFS HARBOUR	
PRODUCT	MIN LENGTH	MAX LENGTH	MIN LENGTH	MAX LENGTH	MIN LENGTH	MAX LENGTH	MIN LENGTH	MAX LENGTH	MIN LENGTH	MAX LENGTH
Sheeting										
Stramit® Speed Deck	1m	39m								
Stramit® Corrugated	0.5m	30m	0.5m	29.2m	0.5m	18m	0.5m	19m	0.5m	24m
Stramit® Curving Quality							0.5m	17m		
Stramit Monoclad®	0.5m	30m	0.5m	29.2m	0.5m	18m	0.5m	19.5m	0.5m	27m
Stramit CapacityPlus 660	0.6m	30m								
Stramit Longspan®	0.5m	39m								
Stramit SharpLine®	1m	9m								
Stramit Minirib®	0.6m	8m								
Stramit K-Panel®	0.6m	8m	0.5m	8m						
Stramit Monopanel®	0.6m	8m								
Stramit® Sunset Decking	1.2m	9m								
Stramit® Mini Corry	0.6m	8m								
Rainwater										
Stramit® Fascia	0.5m	9m	0.5m	9m	0.5m	9m	0.5m	9m	0.5m	9m
Stramit® M&S Pattern Gutter									0.5m M ONLY	9m M ONLY
Stramit® Fascia Capping	0.5m	9m							0.5m	9m
Stramit® Quad 115 Gutter	0.5m	9m								
Stramit® Quad 125 Gutter			0.5m	9m						
Stramit® High Front Gutter	0.5m	9m	0.5m	9m	0.5m	9m	0.5m	9m	0.5m	9m
Stramit® Barge Gutter	0.5m	9m								
Stramit® Flashings	0.5m	8m	1m	8m	0.5m	8m	0.5m	8m	1m	8m
Stramit® Half Round Gutter	0.5m	9m								
Stramit® Flat Back Half Round Gutter	0.5m	9m								
Other										
Stramit® Valley Ribbed	1.5m	9m	0.5m	8m						
Stramit® Valley Folded	0.5m	8m	0.5m	8m	0.5m	8m	0.5m	8m	0.5m	8m
Stramit® Roll Top Ridge	0.5m	9m	0.5m	9m	1.4m	9m			0.6m	9m
Stramit® Condeck HP	0.6m	16m								
Stramit® Purlins	1.7m	18m								
Stramit® Top Hat 64, 96	1.7m	7.5m								
Stramit® Top Hat 120	1.5m	9m								
Stramit® Stud	0.8m	7.5m								
Stramit® 40mm Roof Batten	6.1m	7.5m	6.1m	7.5m	6.1m	7.5m	6.1m	7.5m	6.1m	7.5m

Customers – Please note that for your security telephone conversations made to and from Stramit may be recorded.

SELECTING YOUR PRODUCT

Roofing/Cladding	Page	BMT mm	TCT mm	Cover Width	Weight kg/m ²	Minimum Pitch	Roof Span*		Wall Span*	
							Int Span mm	End Span mm	Int Span mm	End Span mm
Stramit® Corrugated 	17	0.42 0.48	0.47 0.53	762 762	4.35 4.93	5 Degrees (1 in 12)	1200 1600	1000 1300	2600 2850	2150 2350
Guide Only – Fixing Screws required per metre square = 5							For Premium Finishes refer page 59			
Stramit® Curving Quality 	22	0.60	0.65	762	6.09	-	1200	1000	2700	2250
Guide Only – Fixing Screws required per metre square = 5							For Premium Finishes refer page 59			
Stramit Monoclad® 	21	0.35† 0.42 0.48	0.40 0.47 0.53	762 762 762	3.59 4.35 4.93	- 2 Degrees (1 in 27)	- 1700 2300	- 1400 1900	3000 3000 3000	2500 2500 2500
Guide Only – Fixing Screws required per metre square = 5										
Stramit Longspan® 	24	0.42 0.48	0.47 0.53	700 700	4.73 5.37	3 Degrees (1 in 20)	2100 2700	1750 2250	3000 3000	2500 2500
2 degree minimum pitch residential only. Guide Only – Fixing Screws required per metre square = 5							For Premium Finishes refer page 59			
Stramit CapacityPLUS™ 660 	23	0.42 0.48	0.47 0.53	660	4.97 5.64	1 Degrees (1 in 60)	3400 4000	2700 3200	4500 4500	3600 3600
Stramit Speed Deck Ultra® 	25	0.42 0.48	0.47 0.53	700 700	4.73 5.37	1 Degree (1 in 60)	2100 2700	1750 2250	3000 3000	2500 2500
Guide Only – Fixing Clips required per metre square = 1.5							For Premium Finishes refer page 59			
Stramit SharpLine® Direct Fix - 25mm 	26	0.55 0.55 0.55	0.60 0.60 0.60	290 490 265 465	6.14 5.45 6.72 5.74	3 Degree 3 Degree 3 Degree 3 Degree	900 450 900 450	600 350 600 350	1200 600 1200 600	950 450 950 450
- 38mm Fixing screws required = 1/sheet/batten							(1 in 20)			
Stramit SharpLine® Clip Fix - 25mm 	26	0.55 0.55 0.55	0.60 0.60 0.60	320 520 285 485	5.56 5.13 6.25 5.50	3 Degree 3 Degree 3 Degree 3 Degree	900 450 900 450	600 350 600 350	1200 600 1200 600	950 450 950 450
- 38mm Fixing screws required = 2 per clip for both metal & timber							(1 in 20)			
Stramit K-Panel® 	26	0.35† 0.42†	0.40 0.47	864 864	3.17 3.84	- -	- -	- -	1500 1700	1250 1400
(Vertical garage cladding) Guide Only – Fixing Screws required per metre square = 5										
Stramit Minirib® 	26	0.35† 0.42†	0.40 0.47	900 900	3.05 3.68	- -	- -	- -	1000 1500	750 1250
Guide Only – Fixing Screws required per metre square = 5							For Premium Finishes refer page 59			
Stramit Mini Corry® 	26	0.42† 0.48†	0.47 0.53	825 825	4.01 4.56	- -	- -	- -	1200 1300	1000 1050
Guide Only – Fixing Screws required per metre square = 5										
Stramit Monopanel® 	27	0.48†	0.53	250	4.68	-	-	-	3000	2500
Stramit Sunset® (Patio Decking) 	28	0.42	0.47	290	5.53	-	-	-		

**Non trafficable spans up to 4m

TCT = Total Coated Thickness. This is a nominal dimension. It should not be used in specifications due to variances in Coating and paint finish.
BMT = Base Metal Thickness. This is thickness of steel only and together with minimum yield strength and rolled profile provides the basis for calculation of the structural needs of a system. It should be referred to in specifications followed by the letters BMT.

† NOT suitable for roofing or cyclonic conditions.

* For N1 wind conditions and normal duty foot traffic.

* Masses are for COLORBOND® steel.

ORDERING CODES – STANDARDS FOR USE

Ordering Codes are used in this Product and Service Guide and should be used when ordering products from your local branch.

Ordering Codes for Cut to Length Product ONLY the Order Code comprises three (3) separate categories.

MC 42 X/T/U/ZM8/SS ***

COLOUR CODES

EXAMPLES

SUR Surfmist®
ZA ZINCALUME® steel

PRODUCT BASE METAL THICKNESS

EXAMPLES

42 0.42mm BMT
60 0.60mm BMT

Paint Finish

X = COLORBOND® steel (XRW)
T = COLORBOND® steel Matt
U = COLORBOND® Ultra steel
ZM8 = MAGNAFLOW
SS = COLORBOND® Stainless steel

PRODUCT DESCRIPTION


EXAMPLES

MC Stramit Monoclad® sheeting
Alpha Codes

Therefore the Ordering Code for
Stramit Monoclad® sheeting
0.42mm BMT XRW Surfmist®

MC42XSUR

CODE COLORBOND® Steel		CODE COLORBOND® steel		CODE COLORBOND® Ultra Steel		CODE SPECIAL MATERIAL	
BAS	Basalt®	PPB	Paperbark®	DUN	Dune®	SS	Stainless Steel
CLC	Classic Cream™	SHG	Shale Grey™	MON	Monument®	CU	Copper
COV	Cove®	SUR	Surfmist®	SUR	Surfmist®	CODE COLOURS (Magnaflow)	
CTG	Cottage Green®	TRN	Terrain®	WDG	Woodland Grey®		
DOC	Deep Ocean®	WDG	Woodland Grey®	WLB	Wallaby®	AGY	Armour Grey
DUN	Dune®	WLB	Wallaby®	WSP	Windspray®	BCH	Birch
EVH	Evening Haze®	WSP	Windspray®	CODE GLOSS DOUBLE SIDED		MLH	Monolith
GLY	Gully®	CODE GLOSS COLOURS				DL05	Dover White / Surfmist®
IST	Ironstone®			Please check colour availability at time of order.		DL09	Classic Cream™/ Woodland Grey®
JAS	Jasper®	CODE COLORBOND® Metallic Steel				DLCLC	Classic Cream™/ Classic Cream™
MGV	Mangrove®			Please check colour availability at time of order.		DLPPB	Paperbark® / Paperbark®
MNR	Manor Red®	CODE COLORBOND® steel Matt					
MON	Monument®						
NTS	Night Sky®						
PEC	Pale Eucalypt®						








Accessories





Customer _____


Job Address _____

Drafting Office	Order No.	Order Date	Plan No.
Instructions		Delivery Date	Roof Pitch

ASSEMBLY	ASSEMBLY PREFIX	DIAM	QTY	O/ALL LENGTH <small>O/A = PURLIN CENTRE + 80MM</small>	MARK No.
 Tie Rod (Prefix BTR)					

ACCESSORY	CODE	QTY
 General Purpose Brkt	BGPB100GA	
	BGPB150GA	
	BGPB200GA	
	BGPB250GA	
 Angle Connector	BAC 100	
	BAC 150	
	BAC 200	
	BAC 250	
 Clamp Plate	BCP100GA	
	BCP150GA	
	BCP200GA	
	BCP250GA	
 Raking Girt Brkt	BRGB100	
BOLTS	CODE	QTY
M12 x 30 STD Z/P and GALV	PB1230ZP	
	PB1230GA	

ACCESSORY	CODE	QTY
 Starter Clip	BSC 100	
	BSC 150	
	BSC 200	
	BSC 250	
 Lock	BLK 100	
	BLK 150	
	BLK 200	
	BLK 250	
 Locator	BLR 100	
	BLR 150	
	BLR 200	
	BLR 250	
 Tie Rod Angle	BTRA	
BOLTS	CODE	QTY
M12 x 30 FASCIA GALV	PBF	
M16 x 45 STD Z/P	PB1645ZP	
M16 x 45 HS Z/P	PB1645HSZP	




Purlins/Girts

Page _____ Of _____

Job No. _____ Purchase Order No. _____

Customer _____ Project _____			
Delivery Address _____			
Delivery Date	Coating	Cust. Contact	Date



40/60/110/160/210/260
END VIEW

35

QTY. ☐ AS DRN. Mk. No


QTY. ☐ OPP. HAND Mk. No

O.A.L.

Purlin Selection

Standard C/Z ☐

Exacta C/Z ☐



40/60/110/160/210/260
END VIEW

35

QTY. ☐ AS DRN. Mk. No


QTY. ☐ OPP. HAND Mk. No

O.A.L.

Purlin Selection

Standard C/Z ☐

Exacta C/Z ☐



40/60/110/160/210/260
END VIEW

35

QTY. ☐ AS DRN. Mk. No

QTY. ☐ OPP. HAND Mk. No

O.A.L.

Purlin Selection

Standard C/Z ☐

Exacta C/Z ☐

Indicate web, flange holes and dimensions from hole to hole

Standard holes: 18mm x 22mm slots

Maximum hole sets = 30 Maximum length = 18m Minimum length = 1.7m *Contact your local Stramit office about part cut.



Customer _____		Project _____		Roof Pitch _____
Delivery Address _____				
Delivery Date _____	Coating _____	Cust. Contact _____	Date _____	

35

QTY. AS DRN.

QTY. OPP. HAND

O.A.L.

Mk. No

Mk. No

Purlin Section

FP23019

35

QTY. AS DRN.

QTY. OPP. HAND

O.A.L.

Mk. No

Mk. No

Purlin Section

FP23019

35

QTY. AS DRN.

QTY. OPP. HAND

O.A.L.

Mk. No

Mk. No

Purlin Section

FP23019

Indicate web, flange holes and dimensions from hole to hole

Standard holes: 18mm x 22mm slots

Note: Top flange up only, no negative pitch

Maximum length = 12m Minimum length = 1.7m



Customer Account No	CO Number		Order Type	Receipt NO (cash sale)			
	SALES ORDER FORM						
Customer O/N:	Date Ordered	Time	Date Required	Your Ref	Our Ref	Contact Method	Contact No
Customer Name		Delivery to Suburb:		Street Address:		Special (del spec) Instructions:	
AGREEMENT REF NO:		SITE TIME / VEHICLE TYPE:		SITE ACCESS: GOOD/FAIR/BAD		UNLOADING METHOD:	
QUOTE REF NO:		MAP REF:		Ship Via/Route No		R/B	
No.	Whs	Description	Product Code	Qty	Length	Bundle No.	Mark No.
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15	FREIGHT						
16	MIN. ORDER QUANTITY S/CHARGE						
17							TOTAL



Customer Account No		<div><div>Stramit</div><div>CUSTOM FLASHING ORDER DETAIL SHEET</div></div>						Order Type		CO Number					
Customer O/N:		Date Ordered	Time	Date Required	Your Ref	Our Ref	Contact Method	Contact No	Receipt NO (cash sale)						
Customer Name		Delivery to Suburb:		SITE/STORE		Special (del spec) Instructions:									
		Street Address:													
AGREEMENT REF NO:		SITE TIME / VEHICLE TYPE:		Ship Via/Route No		SITE ACCESS: GOOD/FAIR/BAD									
QUOTE REF NO:		MAP REF:				UNLOADING METHOD:									
Product Code		Product Code													
Whs	Line Type	Girth Bends	Qty	Length	Mark No.	Price	%	Value	Girth Bends	Qty	Length	Mark No.	Price	%	Value
Description Colour / Finish		Description Colour / Finish													
FREIGHT															
MIN. ORDER QUANTITY S/CHARGE															



COLORBOND® STEEL - CARE • MAINTENANCE

Hints and tips to achieve maximum life from your COLORBOND® steel product.

- COLORBOND® steel used in areas not washed by rainfall should be cleaned down at regular intervals.
- Brick cleaning acid must not be allowed to contact steel fascia, gutter or roofing.
- Never immerse COLORBOND® steel in sand, soil or concrete.
- Do not use “touch-up” paint systems on COLORBOND® steel.
- Avoid metal debris from cutting and/or drilling.
- Keep material dry when in bundles prior to installation.
- Contact with dissimilar metals and run-off from dissimilar metals such as Copper, lead, etc must be avoided.
- Roofing and guttering need to be free draining and free from the accumulation of dirt or leaves.

QUICK ROOFING ESTIMATE – HIPPED ROOF TAKE-OFF

The table of Roof Slope Factors below allows quick calculations of roof area, sheet length and hip length.

These methods are for quick estimating purposes only. Accurate measurements must be taken from the actual roof frame before ordering roofing and rainwater products.

As an example, take a typical hipped roof where all four roof sections have the same slope (30°) and all hips are of equal length.

ROOF AREA

First determine the area of the roof plan by multiplying the length of the roof by the width. Before making the calculation, add gutter overhangs of 50mm. In this case, there are gutters on all four sides. To find the area of the hipped roof, simply multiply this plan area by the Roof Slope Factor for Roof Area. The same method is used for gable roofs.

$$19.1 \times 8.1 = 154.7 \times 1.155 = 178.7$$

Therefore, roughly 179m² of sheeting will be needed to cover the roof. On complex roof shapes, extra may need to be added to allow for wastage.

SHEET LENGTH

On the roof plan, measure the distance from the line of the ridge to the outside edge of the fascia, which in the example is half the span or 4000mm. Multiply this measurement by the Sheet Length Roof Slope Factor to find the length of the sheet required to span from the ridge to the fascia. Note that all roof sheeting must extend at least 50mm beyond the fascia line to provide gutter overhang.

$$4000 + 50 \times 1.155 = 4678\text{mm}$$

HIP CAPPING

To find the length of ridge capping required to cover one hip, measure the distance from the ridge line to the fascia on the roof plan (here 4000mm) add the gutter overhang and multiply by the Hip Length Roof Slope Factor for 30°. Multiply by 4.


$$4000 + 50 \times 1.528 \times 4 = 24.8\text{m}$$

RIDGE CAPPING

For hipped roofs where all sides have the same slope, the length of the top ridge is equal to the length of the roof plan minus the width, regardless of slope. Add 5% to all capping to allow for laps.

$$19 - 8 = 11 + 5\% = 11.55\text{m}$$

Typical hipped roof (roof slope = 30°)



ROOF SLOPE FACTORS

Roof Slope (degrees)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Roof Area/Sheet Length	1.000	1.001	1.001	1.002	1.004	1.006	1.008	1.010	1.012	1.015	1.019	1.022	1.026	1.031	1.035
Hip Length	1.414	1.415	1.415	1.416	1.417	1.418	1.420	1.421	1.423	1.425	1.428	1.430	1.433	1.436	1.439

Roof Slope (degrees)	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Roof Area/Sheet Length	1.040	1.046	1.051	1.058	1.064	1.071	1.079	1.086	1.095	1.103	1.113	1.122	1.133	1.143	1.155
Hip Length	1.443	1.447	1.451	1.456	1.460	1.465	1.471	1.477	1.483	1.489	1.496	1.503	1.511	1.519	1.528

Roof Slope (degrees)	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
Roof Area/Sheet Length	1.167	1.179	1.192	1.206	1.221	1.236	1.252	1.269	1.287	1.305	1.325	1.346	1.367	1.390	1.414
Hip Length	1.537	1.546	1.556	1.567	1.578	1.590	1.602	1.616	1.630	1.644	1.660	1.677	1.694	1.712	1.732

Roof Slope (degrees)	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
Roof Area/Sheet Length	1.440	1.466	1.494	1.524	1.556	1.589	1.624	1.662	1.701	1.743	1.788	1.836	1.887	1.942	2.000
Hip Length	1.753	1.775	1.798	1.823	1.849	1.877	1.907	1.939	1.973	2.010	2.049	2.091	2.136	2.184	2.236

ROOFING • CLADDING • ACCESSORIES

Product	Details	Ordering Code	Finish	BMT mm	Unit
Roofing/Cladding/Accessories					
Stramit® Corrugated Hi-Tensile 		C42ZA	ZA	0.42	per m ²
		C42GA	GA	0.42	per m ²
		C42X***	COL	0.42	per m ²
		C48ZA	ZA	0.48	per m ²
		C48X***	COL	0.48	per m ²
		CD60ZA	ZA	0.60	per m ²
		CD60GA	GA	0.60	per m ²
		CD60X***	COL	0.60	per m ²
Lengths under 1.2m incur a cutting charge		To convert Price to linear metres multiply by 0.762.			
Minimum 3 sheet order		Please specify if end lapping with Curving Quality material.			
Note: Maximum standard pack weight is 500kg.		Also available in premium finishes. Refer page 61 for details.			
Price quoted is an effective cover per square metre price.		Perforated – Limited stock coil available with 11% perforation in surfmist only.			
	Sheeting Cutback	CUTBACKLTH	(0.5m - 1.2m)		each
	Infill Strips (918mm)	CEFS			each
		CEFSFR	Fire Rated		each
Fibreglass Roof Sheetting 	To suit Stramit® Corrugated profile				
	Clear	TSFGC24CLR	2400gsm Fibreglass		lin metre
	Colour	TSFGC24***	2400gsm Fibreglass		lin metre
		Colours Available: Opal and Haze Green.			
Fasteners for fixing Fibreglass 		TSFG1465WW32	Plain		per box 500
	M6.5 (14g) - 14 x 65mm				
	Hex Washer Face with 32mm Weatherlock Washer				
	Weatherlock Washers	TSFGWW32H			per pack 100
Check delivery charge for lengths over 8.1 metres.					
NOTE: Allow 3 working days for delivery. Fibreglass may be delivered to site separate of other order items.					
Install with weatherlock washers.					

Polycarbonate Roof Sheetting 	To suit Stramit® Corrugated profile				
		TSPCC***18	Polycarbonate Col/Clr	1.800 metre	
		TSPCC***21	Polycarbonate Col/Clr	2.100 metre	
		TSPCC***24	Polycarbonate Col/Clr	2.400 metre	
		TSPCC***27	Polycarbonate Col/Clr	2.700 metre	
		TSPCC***30	Polycarbonate Col/Clr	3.000 metre	
		TSPCC***33	Polycarbonate Col/Clr	3.300 metre	
		TSPCC***36	Polycarbonate Col/Clr	3.600 metre	
		TSPCC***39	Polycarbonate Col/Clr	3.900 metre	
		TSPCC***42	Polycarbonate Col/Clr	4.200 metre	
		TSPCC***48	Polycarbonate Col/Clr	4.800 metre	
		TSPCC***54	Polycarbonate Col/Clr	5.400 metre	
		TSPCC***60	Polycarbonate Col/Clr	6.000 metre	
		TSPCC***72	Polycarbonate Col/Clr	7.200 metre	
		TSPCC***81	Polycarbonate Col/Clr	8.100 metre	
Available in: OPL-Opal, GRY-Grey, LBZ-Light Bronze, DKT-Dark Tint, CLR-Clear, CRM-Smooth Cream					
Fasteners for fixing Polycarbonate 		TSPC1450DW26	Plain		per box 250
	14 x 50mm				
	Hex Washer Face with 26mm EPDM Seal	TSPC0650DW26PK	Plain		per pack 50

Polycarbonate sheet lengths shorter than standard lengths will be invoiced at stock length price.

For example order 3.100m invoiced for 3.300m.

NOTE: For other flashing profiles see Custom Flashings on page 41. All fasteners comply with Australian Standard AS3566.

ROOFING • CLADDING • ACCESSORIES

Product	Details	Ordering Code	Finish	BMT mm	Unit
Roofing/Cladding/Accessories					
Fasteners - Class 3	12 x 35 Hex Head SDS (for crest fixing to steel)	S1235HTH S1235HT S1235HT***H S1235HT***	Plain Plain Colour Colour		per pack 100 per box 1000 per pack 100 per box 1000
	NOTE: Class 4 screws available on request. M6 x 25 Hex Head SDS (for valley fixing to timber and steel)				
		S0625HZIP***4	Colour		per box 500
Fasteners - Class 4	M6 x 50 Hex Head SDS (for crest fixing to timber and steel)	S0650HZIP4H S0650HZIP4 S0650HZIP***4H S0650HZIP***4	Plain Plain Colour Colour		per pack 100 per box 1000 per pack 100 per box 1000
Roof Zip Screws	(up to 1.9mm steel)				
	12 x 50 Hex Head	S1250H174H	Plain		per pack 100
	SDS type 17 (for crest fixing to timber)	S1250H174 S1250H17***4H S1250H17***4	Plain Colour Colour		per box 1000 per pack 100 per box 1000
	10 x 16 Hex Head SDS (for valley fixing to steel)	S1016HT4H S1016HT4 S1016HT***4H S1016HT***4 S1025HDH4	Plain Plain Colour Colour Plain		per pack 100 per box 1000 per pack 100 per box 1000 per box 1000
	10 x 25 Hex Head Designer Head (for Valley fixing to timber and steel)	S1025HDH***4	Colour		per box 1000
Fasteners - Class 5	M6 x 50 Hex Head	S0650HZIP***5	Colour		per box 1000
Roof Zip Screws	SDS Climaseal 5 (for fixing to timber and steel)				
Flashings	Roll Top Ridge (antiscatch edge Erskine Park, Orange, Queanbeyan, Newcastle)	RTRA55ZA RTRA55GA RTRA55X***	ZA GA COL	0.55 0.55 0.55	lin metre lin metre lin metre
	Maximum length roll top ridge manufactured is 9.0m.				
	Valley (Ribbed)	VRIB40ZA VRIB55X***	ZA COL	0.40 0.55	lin metre lin metre
	Valley (Plain) †	VPFL55ZA VPFL55GA VPFL55X***	ZA GA COL	0.55 0.55 0.55	lin metre lin metre lin metre
	Maximum length valley manufactured is 9.0m Ribbed, 8.0m Plain.				
	Barge/Edge Roll 2.4m	ER38ZA24 ER38GA24 ER38X***24	ZA GA COL		each each each
	Spear Point	SPZA SPGA SPX***	ZA GA COL		each each each
	Ridge †	RFCC55ZA RFCC55GA RFCC55X***	ZA GA COL	0.55 0.55 0.55	lin metre lin metre lin metre
	Barge †	BFC55ZA BFC55GA BFC55X***	ZA GA COL	0.55 0.55 0.55	lin metre lin metre lin metre
	Under Flashing †	UFC55ZA UFC55GA UFC55X***	ZA GA COL	0.55 0.55 0.55	lin metre lin metre lin metre

† Note: Cut to length available in all Flashings to a Maximum Length of 8.000m unless noted.

NOTE: For other flashing profiles see Custom Flashings on page 41. All fasteners comply with Australian Standard AS3566.

CURVED ROOFING • TANK IRON • ACCESSORIES









Product	Details	Ordering Code	Finish	BMT mm	Unit
Curved Roofing/Tank Iron/Accessories					
Stramit® Curving Quality		CQ60ZA CQ60GA CQ60X***	ZA GA COL	0.60 0.60 0.60	per m ² per m ² per m ²
	NOTE: Curved product other than standard bullnose roofing may incur additional freight costs depending on size and shape. Price on application. Check before ordering. If also ordering straight sheet to end lap with Curving Quality (see page 20), please specify at point of ordering. Add curving cost to material cost for total price. Price quoted is an effective cover per square metre price.				
	Minimum 3 sheet order				
AQUAPLATE® steel (Tank Iron)	8 corrugations 10 corrugations	CT61060AQGA CT72060AQGA	GA GA	0.60 0.60	per m ² per m ²
Curving Costs	Sheet lengths up to 3.5m Sheet lengths 3.5m & over	CURV0035 CURV3570A			per curve per curve
Bullnosing & Curving	NOTE: Minimum radius for curving is 300mm.				
	Please supply template & all information wherever possible. For curving purposes it is necessary to produce a sheet with a minimum straight section into gutter (A) of 100mm. This section will be charged in the price of the sheet.				
	NOTE: If using a template it is the customers responsibility to supply the total sheet length.				
	NOTE: Dimensions for A,B,C & D must be supplied with every order.				
	NOTE: Dimensions C,F,G & X must be supplied with orders.				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				
	NOTE: Concave & Convex				
	NOTE: Bullnosing				

CURVED ROOFING • TANK IRON • ACCESSORIES

Product	Details	Ordering Code	Finish	Unit
Curved Roofing/Tank Iron/Accessories				
Fibreglass Flashings	To suit Stramit® Curved or Stramit® Corrugated sheeting			
	Fib Curved Apron 300 Radius	CAFIBCA300***	Colour	each
	Fib Curved Apron 300 Radius	CAFIBCA300ZA	Plain	each
	Fib Curved Apron 400 Radius	CAFIBCA400***	Colour	each
	Fib Curved Apron 400 Radius	CAFIBCA400ZA	Plain	each
	Fib Curved Apron 500 Radius	CAFIBCA500***	Colour	each
	Fib Curved Apron 500 Radius	CAFIBCA500ZA	Plain	each
	Fib Curved Apron 600 Radius	CAFIBCA600***	Colour	each
	Fib Curved Apron 600 Radius	CAFIBCA600ZA	Plain	each
	Fib Curved Barge 300 Radius	CAFIBCB300***	Colour	each
	Fib Curved Barge 300 Radius	CAFIBCB300ZA	Plain	each
	Fib Curved Barge 400 Radius	CAFIBCB400***	Colour	each
	Fib Curved Barge 400 Radius	CAFIBCB400ZA	Plain	each
	Fib Curved Barge 500 Radius	CAFIBCB500***	Colour	each
	Fib Curved Barge 500 Radius	CAFIBCB500ZA	Plain	each
	Fib Curved Barge 600 Radius	CAFIBCB600***	Colour	each
	Fib Curved Barge 600 Radius	CAFIBCB600ZA	Plain	each
	Fib Curved Hip 300 Radius 90°	CAFIBCH300***	Colour	each
	Fib Curved Hip 300 Radius 90°	CAFIBCH300ZA	Plain	each
	Fib Curved Hip 400 Radius 90°	CAFIBCH400***	Colour	each
	Fib Curved Hip 400 Radius 90°	CAFIBCH400ZA	Plain	each
	Fib Curved Hip 500 Radius 90°	CAFIBCH500***	Colour	each
	Fib Curved Hip 500 Radius 90°	CAFIBCH500ZA	Plain	each
	Fib Curved Hip 600 Radius 90°	CAFIBCH600***	Colour	each
	Fib Curved Hip 600 Radius 90°	CAFIBCH600ZA	Plain	each
	Fib Curved Hip 300 Radius 45°	CAFIBCH30045***	Colour	each
	Fib Curved Hip 300 Radius 45°	CAFIBCH30045ZA	Plain	each
	Fib Curved Hip 400 Radius 45°	CAFIBCH40045***	Colour	each
	Fib Curved Hip 400 Radius 45°	CAFIBCH40045ZA	Plain	each
	Fib Curved Hip 500 Radius 45°	CAFIBCH50045***	Colour	each
	Fib Curved Hip 500 Radius 45°	CAFIBCH50045ZA	Plain	each
	Fib Curved Hip 600 Radius 45°	CAFIBCH60045***	Colour	each
	Fib Curved Hip 600 Radius 45°	CAFIBCH60045ZA	Plain	each
	Fib Curved Valley 300 Radius 90°	CAFIBCV300***	Colour	each
	Fib Curved Valley 300 Radius 90°	CAFIBCV300ZA	Plain	each
	Fib Curved Valley 400 Radius 90°	CAFIBCV400***	Colour	each
	Fib Curved Valley 400 Radius 90°	CAFIBCV400ZA	Plain	each
	Fib Curved Valley 500 Radius 90°	CAFIBCV500***	Colour	each
	Fib Curved Valley 500 Radius 90°	CAFIBCV500ZA	Plain	each
	Fib Curved Valley 600 Radius 90°	CAFIBCV600***	Colour	each
	Fib Curved Valley 600 Radius 90°	CAFIBCV600ZA	Plain	each
	Metal Straight Apron XRW 2.5M	CAMETSAX***25	COL	each
	Metal Straight Apron ZA 2.5M	CAMETSAZA25	ZA	each
	Metal Straight Ridge XRW 2.5M	CAMETSRX***25	COL	each
	Metal Straight Ridge ZA 2.5M	CAMETSRZA25	ZA	each
	Metal Straight Valley XRW 2.5M	CAMETSVX***25	COL	each
	Metal Straight Valley ZA 2.5M	CAMETSVZA25	ZA	each
	Metal Straight Barge XRW 2.3M	CAMETSBX***23	COL	each
	Metal Straight Barge ZA 2.3M	CAMETSBZA23	ZA	each

NOTE: For other flashing profiles see Custom Flashings on page 41. All fasteners comply with Australian Standard AS3566.

ROOFING • CLADDING • ACCESSORIES

Product	Details	Ordering Code	Finish	BMT mm	Unit
Roofing/Cladding/Accessories					
	Stramit Monoclad®	MC42ZA	ZA	0.42	per m ²
		MC42GA	GA	0.42	per m ²
		MC42X***	COL	0.42	per m ²
		MC42RRX***	Reverse RI	0.42	per m ²
		MC48ZA	ZA	0.48	per m ²
		MC48X***	COL	0.48	per m ²
		MC48RRX***	Reverse RI	0.48	per m ²
	Also available in premium finishes. Refer page 61 for details.				
Minimum 3 sheet order		To convert prices to lin metres multiply by cover of sheet (ie. x 0.762).			
Note: Maximum standard pack weight is 500kg.		Price quoted is an effective cover per square metre price.			
Sheeting Cutback		CUTBACKLTH (0.5m - 1.2m)		each	
	Infill Strips for Stramit Monoclad® sheeting				
	Tops (970mm)	MCEFSTOP	each		
	Bottoms(960mm)	MCEFSBTM	each		
	Monoclad Stop End Tool	MCSETD	each		
	MC MonoLap 73mm 7.62m (10 sheets per roll)			MCMONOLAP76	Roll
	12x68 Hex Tek Cls4 – only suitable for MC Monolap above (40 screws per roll – including plate & washer)	Plain SUR ^	S1268HTMC4 S1268HTMCSUR4		per box 100 per box 100
	MC MonoLap Stop End Tool			MCMONOLAPSETD	each
	^NOTE: Other colours subject to lead time. Please contact your Stramit representative for further information.				
	Wall cladding	0.35 0.35	ZA COL	MC35ZA MC35X***	m ² m ²
	Short Length Surcharge	(Under 1m)		CUTBACKLTH	sheet
	Fibreglass Roof Sheeting	Suit Stramit Monoclad® sheeting	2400gsm 3050gsm	TSFGMC24CLR/OPA TSFGMC30CLR/OPA	lin metre lin meter
			Polycarbonate	TSPCMC**	lin metre
			Sizes: 1.8, 2.1, 2.4, 2.7, 3.0, 3.6, 4.2, 4.8, 5.4, 6.0, 8.1 Available in: CLR-Clear, DKT-Dark Tint, GRY-Grey, LBZ-Light Bronze, OPL-Opal.		
			Cool Lite Wonderglass Wonderglass	TSWGCLMC24WHI TSWGMCM24OPL TSFGWW32H	lin metre lin metre per 100
	Fasteners for fixing Fibreglass	TSPG1465WW32	Plain	per box 500	
	14 x 65mm Hex Washer Face with 32mm Weatherlock Washer				
	Fasteners for fixing Polycarbonate	TSPC1450DW26	Plain	per box 250	
	14 x 50mm Hex Washer Face with 26mm EPDM Seal	TSPC0650DW26PK	Plain	per pack 50	

NOTE: For other flashing profiles see Custom Flashings on page 41. All fasteners comply with Australian Standard AS3566.



ROOFING • CLADDING • ACCESSORIES

Product	Details	Ordering Code	Finish	BMT mm	Unit
Roofing/Cladding/Accessories					
Fasteners for fixing Fibreglass	12 x 68 Hex Head (for fixing to metal)	S1268HT4			per box 1000
	Weatherlock Washers	TSFGWW32H			per pack 100
Fasteners - Class 3	12 x 65 Hex Head SDS type17 (for crest fixing to timber)	S1265H17H S1265H17***H S1265H17***4	Plain Colour Colour		per pack 100 per pack 100 per box 1000
	NOTE: Class 4 screws available on request.				
Fasteners - Class 4 AutoTek	12 x 50 Hex AutoTek (for crest fixing to steel)	S1250HAT4 S1250HAT***4	Plain Colour		per box 1000 per box 1000
Roof Zip Screws	M6 x 65 Hex Head SDS (for crest fixing to timber and steel)	S0665HZIP4H S0665HZIP4 S0665HZIP***4H S0665HZIP***4	Plain Plain Colour Colour		per pack 100 per box 1000 per pack 100 per box 1000
	10 x 16 Hex Head SDS (for valley fixing to steel)	S1016HT4H S1016HT4	Plain Plain		per pack 100 per box 1000
		S1016HT***4H S1016HT***4	Colour Colour		per pack 100 per box 1000
Note: Not all colours kept in stock please check availability at time of order.					
Flashings	Common to Stramit Monoclad®, Stramit Longspan® sheeting.				
	Valley (Ribbed)	VRIB40ZA VRIB55X***	ZA COL	0.40 0.55	lin metre lin metre
	Maximum length ribbed valley manufactured is 9.0m				
(Plain)	Valley (Plain) †	VPFL55ZA VPFL55GA VPFL55X***	ZA GA COL	0.55 0.55 0.55	lin metre lin metre lin metre
	Ridge †	RFMC55ZA RFMC55GA RFMC55X***	ZA GA COL	0.55 0.55 0.55	lin metre lin metre lin metre
	Barge †	BFMC55ZA BFMC55GA BFMC55X***	ZA GA COL	0.55 0.55 0.55	lin metre lin metre lin metre
	Tile Flashing †	TFMC55ZA TFMC55GA TFMC55X***	ZA GA COL	0.55 0.55 0.55	lin metre lin metre lin metre
	Underflashing †	UFMC55ZA UFMC55GA UFMC55X***	ZA GA COL	0.55 0.55 0.55	lin metre lin metre lin metre

† NOTE: Cut to length available in all flashing to a maximum length of 8.0m unless noted.

NOTE: For other flashing profiles see Custom Flashings on page 41. All fasteners comply with Australian Standard AS3566.

ROOFING • ACCESSORIES






Product Roofing/Accessories	Product Details	BMT mm	Finish	Code	Unit
 <p>50 high</p> <p>75 rib</p> <p>660 cover</p> <p>145 pan</p> <p>CTR to CTR 220</p> <p>(Overall sheet width 735mm)</p>	Stramit CapacityPLUS™ 660	0.42	ZA	CP42ZA	per m ²
		0.42	COL	CP42X***	per m ²
		0.48	ZA	CP48ZA	per m ²
		0.48	COL	CP48X***	per m ²
Tolerance +5, -10mm					
Note: Project profile + minimum order quantities apply. Please contact your Stramit representative for further information.					
Fibreglass Sheeting	Suit Stramit® Capacity Plus Sheeting				
 <p>50 high</p> <p>75 rib</p> <p>660 cover</p> <p>145 pan</p> <p>(Overall sheet width 735mm)</p>		2400gsm	TSFGCP24CLR TSFGCP24OPA	lin metre lin metre	
		3050gsm	TSFGCP30CLR TSFGCP30OPA	lin metre lin metre	
	Fasteners	12 x 80 Hex Head Tek's Hi Grip	Plain	S1280HT4	per box 500
	Class 4	(for crest fixing to steel)	Surfmist	S1280HTSUR4	per box 500
(AS3566)					



ACOUSTIC PRODUCTS






Product Perforated Sheeting	Product Details	Code	Finish	BMT mm	Unit
Stramit Monoclad®	Perforated Acoustic Pattern	MC42IOWHP11	COL	0.42	per m²
Stramit® Corrugated	Perforated Acoustic Pattern	C42IOWHP11	COL	0.42	per m²
Stramit Longspan®	Perforated Acoustic Pattern	LS42IOWHP11	COL	0.42	per m²

ROOFING • CLADDING • ACCESSORIES

Product	Details	Ordering Code	Finish	BMT mm	Unit
Roofing/Cladding/Accessories					
	Stramit Longspan®	LS42ZA	ZA	0.42	per m ²
		LS42GA	GA	0.42	per m ²
		LS42X***	COL	0.42	per m ²
		LS48ZA	ZA	0.48	per m ²
		LS48X***	COL	0.48	per m ²
		CUTBACKLTH (0.5m - 1.2m)			each
Minimum 3 sheet order Note: Maximum standard pack weight is 500kg.		Also available in premium finishes. Refer page 61 for details. To convert prices to linear metres multiply by cover of sheet (ie. x 0.700). Price quoted is an effective cover per square metre price.			
	Infill Strips for Stramit Longspan® sheeting				
	Tops	LSEFSTOP (900mm)			each
	Bottoms	LSEFSBTM (910mm)			each
Fibreglass Roof Sheetting	Suit Stramit Longspan® sheeting				
	Clear	TSFGLS24CLR	2400gsm		lin metre
	Colour (Opal)	TSFGLS24***	2400gsm		lin metre
Fasteners for fixing Fibreglass	`NOTE: Allow 3 working days for delivery. Fibreglass may be delivered to site separate of other order items.				
	12 x 68 Hex Head (for fixing to metal)	S1268HT4			per box 1000
	12 x 65 Hex Head type 17 (for fixing to timber)	S1265H17H			per pack 100
	Weatherlock Washers	TSFGWW32H			per pack 100
Fasteners - Class 3 	12 x 65 Hex Head	S1265H17H	Plain		per pack 100
	SDS type17 (for crest fixing to timber)	1265H174	Plain		per box 1000
		S1265H17***H	Colour		per pack 100
		S1265H17***4	Colour		per box 1000
		NOTE: Class 4 screws available on request.			
Fasteners - Class 4 AutoTek 	12 x 50 Hex AutoTek (for crest fixing to steel)	S1250HAT4	Plain		per box 1000
		S1250HAT***4	Colour		per box 1000
	10 x 16 Hex Head SDS (for valley fixing to steel)	S1016HT4H	Plain		per pack 100
		S1016HT4	Plain		per box 1000
		S1016HT***4H	Colour		per pack 100
		S1016HT***4	Colour		per box 1000
Flashings 	Ridge †	RFMC55ZA	ZA	0.55	lin metre
		RFMC55X***	COL	0.55	lin metre
	Barge	BFMC55ZA	ZA	0.55	lin metre
		BFMC55X***	COL	0.55	lin metre
	Tile Flashing †	TFMC55ZA	ZA	0.55	lin metre
		TFMC55X***	COL	0.55	lin metre
	Underflashing †	UFMC55ZA	ZA	0.55	lin metre
		UFMC55X***	COL	0.55	lin metre
† NOTE: Cut to length available in all flashings to a maximum length of 8.0m unless noted					

NOTE: For other flashing profiles see Custom Flashings on page 41. All fasteners comply with Australian Standard AS3566.

ROOFING • ACCESSORIES

Product	Details	Ordering Code	Finish mm	BMT	Unit
Roofing/Accessories					
	Stramit Speed Deck Ultra®	UD42ZA	ZA	0.42	per m ²
		UD42X***	COL	0.42	per m ²
		UD48ZA	ZA	0.48	per m ²
		UD48X***	COL	0.48	per m ²
		CUTBACKLTH (1.0m - 1.2m)			each
		UDEFSTOP (940mm)			each
		UDEFSBTM (940mm)			each
		(for fixing to metal with threads to underside of head)			
		Also available in premium finishes. Refer page 61 for details.			
		To convert Price to linear metres multiply by 0.700.			
Minimum 3 sheet order					
Note: Maximum standard pack weight is 500kg.					
		** Can not be inlapped with Fibreglass sheeting.			
		Price quoted is an effective cover per square metre price.			
Fibreglass Sheeting	Suit Stramit Speed Deck Ultra® decking				
	Clear	TSFGUD24CLR		2400gsm	lin metre
	Clear	TSFGUD30CLR		3050gsm	lin metre
	Colour (Opal)	TSFGUD24***		2400gsm	lin metre
	Colour (Opal)	TSFGUD30***		3050gsm	lin metre
	NOTE: Allow 3 working days for delivery. Fibreglass may be delivered to site separate of other order items.				
Check delivery charge for lengths over 12 metres.					
Fasteners for fixing Fibreglass	12 x 68 Hex Head for fixing to metal	S1268HT4			per box 1000
	Weatherlock Washers	TSFGWW32H			per pack 100
NOTE: Allow 3 working days for delivery.					
Fixing Clips	Fixing Clips	UDFC	GA		each
	Preloaded Fixing Clips	UDFCPL	GA		each
	Available in boxes of 40 (Preloaded for steel fixing only)				
	Farlap Expansion Joint	UDFARLAP			each
	Farlap in Rolls (7m roll)	UDFARLAP70			each
	SkyLap Joint System	UDSKYLAP			each
	85mm Roof Razor Insulation Spacer	RRZISGA	GA		per box 6
	115mm Roof Razor Insulation Spacer	RRZIS115GA	GA		per box 6
	75mm Roof Rack Insulation Spacer	RRISGA	GA		per box 20
	100mm Roof Rack Insulation Spacer	RRIS100GA	GA		per box 20
	SDU only				
Fasteners	12 x 50 Hex Head SDS type 17 (for fixing to timber)	S1250H174H	Plain		per pack 100
		S1250H174	Plain		per box 1000
	12 x 30 Hex Head self drilling, self tapping	S1230HTNNH	Plain		per pack 100
		S1230HTNN	Plain		per box 1000
	These fasteners are suitable for a wide variety of applications with or without insulation, and comply to Aust. Std. AS3566				
Flashings	Ridge†	RFSD55ZA	ZA	0.55	lin metre
		RFSD55X***	COL	0.55	lin metre
	Barge†	BFSD55ZA	ZA	0.55	lin metre
		BFSD55X***	COL	0.55	lin metre
	Underflashing†	UFSD55ZA	ZA	0.55	lin metre
		UFSD55X***	COL	0.55	lin metre
	Tile Flashing†	TFSD55ZA	ZA	0.55	lin metre
		TFSD55X***	COL	0.55	lin metre
	†NOTE: Cut to length available in all flashings to a maximum length of 8.0m.				

NOTE: For other flashing profiles see Custom Flashings on page 41.







NEW PRODUCT - ROOFING • CLADDING • ACCESSORIES

Product	Details	Cover Width mm	Ordering Code	Finish	BMT mm	Unit
Roofing/Cladding/Accessories						
	25mm Rib (short)	290	SLS290D55X***	COL	0.55	per m ²
		490	SLS490D55X***	COL	0.55	per m ²
	38mm Rib (tall)	265	SLT265D55X***	COL	0.55	per m ²
		465	SLT465D55X***	COL	0.55	per m ²
	25mm Rib (short)	320	SLS320C55X***	COL	0.55	per m ²
		520	SLS520C55X***	COL	0.55	per m ²
	38mm Rib (tall)	285	SLT285C55X***	COL	0.55	per m ²
		465	SLT465C55X***	COL	0.55	per m ²
Accessories suit SharpLine® Clip Fix	Clip (short) 25mm		SLSCGA	GA		each
	Clip (tall) 38mm		SLTCGA	GA		each
<p>Available in ultra & matt finishes. Minimum length 1.0m, Maximum length 9.0m NB: Lead time 72 hours.</p> <p>Roof pitches below 7.5° for SharpLine® direct fix and 5.0° for SharpLine® clip fix profiles require sealed side laps. All Roof lengths above 5.0m also require sealed side laps. Refer to Product Technical manual brochure for installation requirements to plywood backing.</p>						

Fasteners

	10 x 16 Flathead Needle Point	S1016FNP	Plain	per box 1000
	10 x 16 Wafer Tek (For fixing to steel)	S1016WT	Plain	per box 1000
	10 x 25 Wafer Type 17 (For fixing to timber)	S1025W17	Plain	per box 1000

ROOFING • CLADDING • ACCESSORIES

Product	Details	Ordering Code	Finish	BMT mm	Unit
Roofing/Cladding/Accessories					
Stramit K-Panel® (Vertical garage cladding) 		KP35ZA	ZA	0.35	per m ²
		KP35X***	COL	0.35	per m ²
		KP42ZA	ZA	0.42	per m ²
		KP42X***	COL	0.42	per m ²
		KP42IOWHP11	Perf	0.42	per m ²
		CUTBACKLTH (0.6m - 1.2m)			each
	Minimum 3 sheet order	To convert prices to linear metres multiply by cover of sheet (ie 0.864).			
	Note: Maximum standard pack weight is 500kg.	Price quoted is an effective cover per square metre price.			
	Stramit Minirib® 		MR35ZA	ZA	0.35
		MR35X***	COL	0.35	per m ²
		MR42ZA	ZA	0.42	per m ²
		MR42GA	GA	0.42	per m ²
		MR42X***	COL	0.42	per m ²
		MR42IOWHP11	Perf	0.42	per m ²
Minimum 3 sheet order		CUTBACKLTH (0.6 - 1.2m) each			
Acoustic Sheeting					
Also available in premium finishes. Refer page 62 for details.					
To convert prices to linear metres multiply by cover of sheet (ie 0.900).					
Price quoted is an effective cover per square metre price.					
Stramit Mini Corry® 		MK42ZA	ZA	0.42	per m ²
		MK42X***	COL	0.42	per m ²
		MK48ZA	ZA	0.48	per m ²
		MK48X***	COL	0.48	per m ²
		CUTBACKLTH (0.6 - 1.2m)			each
	Minimum 3 sheet order				
	Note: Maximum standard pack weight is 500kg.				
	To convert prices to linear metres multiply by cover of sheet (ie 0.825).				
	Packing charges may apply for delivery outside metro Sydney.				
	Price quoted is an effective cover per square metre price.				
Fasteners - Class 4					
	10 x 25 Hex Ripple (for fixing to timber & steel)	S1025HRZIP4H	Plain		per pack 100
		S1025HRZIP4	Plain		per box 1000
		S1025HRZIP***4H	Colour		per bag 100
		S1025HRZIP***4	Colour		per box 1000
Roof Zip Screws					
Fasteners					
	12 x 25 Hex Head Type 17 (for fixing to timber)	S1225H174H	Plain		per pack 100
		S1225H174	Plain		per box 500
		S1225H17***4H	Colour		per pack 100
		S1225H17***4	Colour		per box 500
	NOTE: Class 4 screws available on request. 10 x 16 Hex Head SDS (for fixing to steel)	S1016HT4H	Plain		per pack 100
		S1016HT4	Plain		per box 1000
		S1016HT***4H	Colour		per pack 100
		S1016HT***4	Colour		per box 1000
All fasteners comply with Australian Standard AS3566.					












Super Six Repair Strip .6mm

3 metre Sheet 5 Corrugated Wide for Repair of "SUPER SHEET SIX" Asbestos Roofing Sheet	SSRSGA30	GAL	0.55	each



ERSKINE PARK Sales (02) 9834 0909 Fax (02) 9834 0955	COFFS HARBOUR (02) 6656 3800 Fax (02) 6656 3808	NEWCASTLE (02) 4041 3400 Fax (02) 4041 3423	CANBERRA (02) 6298 2500 Fax (02) 6298 2533	ORANGE (02) 6360 9200 Fax (02) 6360 9211
---	--	--	---	---

CLADDING • ACCESSORIES







Product	Details	Ordering Code	Finish	BMT mm	Unit
Cladding/Accessories					
	Limited Colour Range – Please Check To convert prices to linear metres multiply by cover of sheet (ie 0.250).	MP48X***	COL	0.48	per m ²
		CUTBACKLTH (0.6 - 1.2m)			each
		Price quoted is an effective cover per square metre price. Max. recommended length 6.0m, maximum length 8.0m. Supply Ex Knoxfield VIC – set rolling days, please confirm lead time at our nearest sales office. Maximum Length 8.0m			
	Type17 (for fixing to timber)	S1025W17	Plain		per box 1000
	10 x 16 Wafer Head SDS (for fixing to steel)	S1016WTH S1016WT	Plain Plain		per pack 100 per box 1000
Accessories	Starter Clips (For use with Stramit Monopanel® cladding)	MPSC			each
Flashings NOTE: For other flashing profiles see Custom Flashings on page 39. / Non stock item made to order 48 hours lead time.					
	P2 Foot Mould	FM255X***	COL	0.55	lin metre
	P4 Outside Corner Trim	OCT10855X***	COL	0.55	lin metre
	P5 Inside Corner Trim	ICT10855X***	COL	0.55	lin metre
	P6 “U” Trim	UT55X***	COL	0.55	lin metre
	P7 Parapet Capping	PC55X***	COL	0.55	lin metre
	P8 Fixing Purlin 3.6m	FP55GA36	GA	0.55	each
	Edge Corner	ECT55X***	COL	0.55	lin metre
Box Gutter Board 4.5m & 6.0m only					
	600mm width	LSGBZA4500 LSGBZA6000	ZA ZA	0.42 0.42	each each
Adjustable Box Gutter Brackets					
	250-400 (A)	BGBA1EZA (Box Qty 24)	ZA		each
	401-650 (B)	BGBA2EZA (Box Qty 24)	ZA		each
	651-1000 (C)	BGBA3EZA (Box Qty 18)	ZA		each



PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

NOTES




PATIO ROOFING DECKING

Product	Details	Ordering Code	BMT mm	Unit
Roofing/Cladding/Accessories				
Stramit Sunset®				
	Sunset Decking CLC/80GL Classic Cream® Sunset Decking SUR/80GL Dover White Sunset Decking PPB/80GL Paperbark® Sunset Decking WDG/80GL Classic Cream®	SS42DLCLC SS42DL05 SS42DLPPB SS42DL09		per m ² per m ² per m ² per m ²
	To convert prices to linear metres multiply by cover of sheet (ie 0.290). Supply ex Erskine Park. **Gloss colour is on the bottom. Please confirm at time of order. All Product packaged for maximum protection. Price quoted is an effective cover per square metre price.			
Fibreglass				
	Wonderglass to suit Sunset® (opal only)	TSWGSS240PL		lin metre
Sunset® Foam Insert	Infill strip for Stramit Sunset® sheeting	SSWS3787		each
	(310mm)			
Fibreglass Foam Insert	Infill strip for Stramit Sunset® fibreglass sheeting	SSWS3788		each
	(290mm)			
Stramit® Receiver Channel	Available in 3.000m and 5.000m stock lengths only			
	TO SUIT SUNSET	RCSSHCLC30/50 RCSSHDVW30/50 RCSSXPPB30/50 RCSSZA30/50	each each each each	
	TO SUIT MONOCLAD/ LONGSPAN	RCMCLSHCLC30/50 RCMCLSHDVW30/50 RCMCLSXPPB30/50 RCMCLSZA30/50	each each each each	
Stramit® Receiver Channel Foam Insert	Available in 5.000m stock lengths only	TO SUIT SUNSET TO SUIT Monoclad/Longspan	SSBCFI5000 MCLSBFI5000	each each
Fasteners - Class 4	10 x 16 Hex Head SDS (for fixing to steel) Fasteners comply with AS3566	S1016HT4H S1016HT4 S1016HT***4H S1016HT***4	Plain Plain Colour Colour	per pack 100 per pack 1000 per pack 100 per pack 1000

DOUBLE SIDED ROOFING









Stramit® Corrugated	SUR/Dover White 80GL CLC/Classic Cream™ 80GL PPB/Paperbark® 80GL	C42DL05 C42DLCLC C42DLPPB	0.42 0.42 0.42	m ² m ² m ²
Stramit® Monoclad	SUR/Dover White 80GL CLC/Classic Cream™ 80GL PPB/Paperbark® 80GL	MC42DL05 MC42DLCLC MC42DLPPB	0.42 0.42 0.42	m ² m ² m ²
Stramit® Longspan	SUR/Dover White 80GL CLC/Classic Cream™ 80GL PPB/Paperbark® 80GL Price quoted is an effective cover per square metre price.	LS42DL05 LS42DLCLC LS42DLPPB	0.42 0.42 0.42	m ² m ² m ²

PATIO ROOF DECKING











Details	Ordering Code	Finish	Unit
	Colorbeam 100x50 4.0m Colorbeam 100x50 4.5m Colorbeam 100x50 5.0m Colorbeam 100x50 5.5m Colorbeam 100x50 6.0m Colorbeam 100x50 6.5m Colorbeam 100x50 7.0m Colorbeam 100x50 7.5m Colorbeam 100x50 8.0m	CSB10011GA40 CSB10011GA45 CSB10011GA50 CSB10011GA55 CSB10011GA60 CSB10011GA65 CSB10011GA70 CSB10011GA75 CSB10011GA80	GA GA GA GA GA GA GA GA GA
	Colorbeam 100x50 4.0m Colorbeam 100x50 5.0m Colorbeam 100x50 6.0m Colorbeam 100x50 8.0m Colorbeam 100x50 CTL	•CSB10011****40 CSB10011****50 •CSB10011****60 CSB10011****80 CSB10011L***	LCLC/LWDG/HDVW LCLC/LDVW LCLC/LPPB/LWDG/HDVW LCLC/HDVW Colour
	Colorbeam 150x50 4.0m Colorbeam 150x50 4.5m Colorbeam 150x50 5.0m Colorbeam 150x50 5.5m Colorbeam 150x50 6.0m Colorbeam 150x50 6.5m Colorbeam 150x50 7.0m Colorbeam 150x50 7.5m Colorbeam 150x50 8.0m	CSB15015GA40 CSB15015GA45 CSB15015GA50 CSB15015GA55 CSB15015GA60 CSB15015GA65 CSB15015GA70 CSB15015GA75 CSB15015GA80	GA GA GA GA GA GA GA GA GA
	Colorbeam 150x50 4.0m Colorbeam 150x50 5.0m Colorbeam 150x50 6.0m Colorbeam 150x50 8.0m Colorbeam 150x50 CTL	•CSB15015****40 CSB15015****50 •CSB15015****60 CSB15015****80 CSB15015L***	LCLC/LPPB/LWDG/HDVW LCLC/LDVW LCLC/LPPB/LWDG/HDVW LCLC/HDVW Colour
	Colorbeam 200x50 4.0m Colorbeam 200x50 5.0m Colorbeam 200x50 6.0m Colorbeam 200x50 7.0m Colorbeam 200x50 8.0m Colorbeam 200x50 6.0m Colorbeam 200x50 8.0m Colorbeam 200x50 CTL	CSB20020GA40 CSB20020GA50 CSB20020GA60 CSB20020GA70 CSB20020GA80 CSB20020****60 •CSB20020****80 CSB20020L***	GA GA GA GA GA LCLC/LPPB/LWDG/HDVW LCLC/LPPB/LWDG/HDVW Colour

CTL and other colours available. Check for lead time & colours at time of order.
•Stock item Erskine Park - leadtime Ex Erskine Park 48 hours, other beams listed leadtime 5-11 days.

PATIO ROOF DECKING

	Details	Ordering Code	Finish	Unit
	Colorbeam Framing Bracket 100	CSAFB100GA	GA	each
	Colorbeam Framing Bracket 150	CSAFB150GA	GA	each
	Colorbeam Framing Bracket 200	CSAFB200GA	GA	each
	Colorbeam Framing Bracket 100	CSAFB100****	LCLC/LPPB/LWDG/HDVW	each
	Colorbeam Framing Bracket 150	CSAFB150****	LCLC/LPPB/LWDG/HDVW	each
	Colorbeam Framing Bracket 200	CSAFB200****	LCLC/LPPB/LWDG/HDVW	each
	Colorbeam Frame Bracket 100 15deg	CSAFB10015GA	GA	each
	Colorbeam Frame Bracket 150 15deg	CSAFB15015GA	GA	each
	Colorbeam Frame Bracket 200 15deg	CSAFB20015GA	GA	each
	Colorbeam Frame Bracket 100 15deg	CSAFB10015****	LCLC/LPPB/LWDG/HDVW	each
	Colorbeam Frame Bracket 150 15deg	CSAFB15015****	LCLC/LPPB/LWDG/HDVW	each
	Colorbeam Frame Bracket 200 15deg	CSAFB20015****	L***/HDVW	each
	Colorbeam Frame Bracket 100 22.5deg	CSAFB10022GA	GA	each
	Colorbeam Frame Bracket 150 22.5deg	CSAFB15022GA	GA	each
	Colorbeam Frame Bracket 200 22.5deg	CSAFB20022GA	GA	each
	Colorbeam Frame Bracket 100 22.5deg	CSAFB10022****	LCLC/LPPB/LWDG/HDVW	each
	Colorbeam Frame Bracket 150 22.5deg	CSAFB15022****	LCLC/LPPB/LWDG/HDVW	each
	Colorbeam Frame Bracket 200 22.5deg	CSAFB20022****	L***/HDVW	each
	Colorbeam Apex 100 15deg	CSAB10015GA	GA	each
	Colorbeam Apex 150 15deg	CSAB15015GA	GA	each
	Colorbeam Apex 200 15deg	CSAB20015GA	GA	each
	Colorbeam Apex 100 22.5deg	CSAB10022GA	GA	each
	Colorbeam Apex 150 22.5deg	CSAB15022GA	GA	each
	Colorbeam Apex 200 22.5deg	CSAB20022GA	GA	each
	Colorbeam Apex Plate Cover 100 15deg	CSACP10015GA	GA	each
	Colorbeam Apex Plate Cover 150 15deg	CSACP15015GA	GA	each
	Colorbeam Apex Plate Cover 200 15deg	CSACP20015GA	GA	each
	Colorbeam Apex Plate Cover 100 22.5deg	CSACP10022GA	GA	each
	Colorbeam Apex Plate Cover 150 22.5deg	CSACP15022GA	GA	each
	Colorbeam Apex Plate Cover 200 22.5deg	CSACP20022GA	GA	each
	Colorbeam Suspension Bracket 100	CSSB100GA	GA	each
	Colorbeam Suspension Bracket 150	CSSB150GA	GA	each
	Colorbeam Suspension Bracket 200	CSSB200GA	GA	each
	Colorbeam Suspension Bracket 100	CSSB100****	LCLC/LPPB/LWDG/HDVW	each
	Colorbeam Suspension Bracket 150	CSSB150****	LCLC/LPPB/LWDG/HDVW	each
	Colorbeam Suspension Bracket 200	CSSB200****	LCLC/LPPB/LWDG/HDVW	each
	Colorbeam Corner Bracket 100	CSCB100GA	GA	each
	Colorbeam Corner Bracket 150	CSCB150GA	GA	each
	Colorbeam Corner Bracket 200	CSCB200GA	GA	each
	Brackets available in other colours. Check for lead time & colours at time of order. •Stock item Erskine Park - leadtime Ex Erskine Park 48 hours. Other brackets listed leadtime 5-11 days			




PATIO ROOF DECKING

	Details	Ordering Code	Finish	Unit
	Collar Tie Bracket 15deg	CSCTB10015GA	GA	each
	Collar Tie Bracket 15deg	CSCTB15015GA	GA	each
	Collar Tie Bracket 15deg	CSCTB20015GA	GA	each
	Collar Tie Bracket 22deg	CSCTB10022GA	GA	each
	Collar Tie Bracket 22deg	CSCTB15022GA	GA	each
	Collar Tie Bracket 22deg	CSCTB20022GA	GA	each
	Angle Bracket	CSAB100GA	GA	each
	Angle Bracket	CSAB150GA	GA	each
	Angle Bracket	CSAB200GA	GA	each
	Sunset Support Post 90 x 90 x 3.000	•SSP9020GA3000	GA	each
		SSP9020GA4000	GA	each
		•SSP9020H***3000	CLC/DVW/PPB	each
		SSP9020H***4000	CLC/DVW	each
		SSP9020L***4000	Colour	each
	*Posts stocked at erskine Park – 48 hour leadtime. Other colours available check leadtime at time of order.			
	Free Standing Post Connector 90 x 90	SSPCFS9090GA	GA	each
	Post Connector 90 x 90	SSPC9090GA	GA	each
	Post Skirt 90 x 90	SSPS9090		each
	Sunset Box Gutter Support Bracket	SSBGSB		each
	Patio Rafter Bracket	PRBGA		each
	Sunset Box Bracket	SSRBAL	ALUM	each

•Stock item Erskine Park - leadtime Ex Erskine Park 48 hours.






TRILINE GUTTER

Product	Details	Ordering Code	Finish	Unit
Gutters/Accessories				
	Plain	TGSBPH***	Gloss	lin metre
	Slotted	TGSBSH***	Gloss	lin metre
	Note: Maximum length manufactured is 9.0m. Check Branch for colour and stock availability.			
ECSA 7700mm ²				
Accessories				
 	Gutter Stiffener Overstrap	TGSBZA	ZA	each
	Stop End Plate	TGSELH*** TGSERH***	Gls Gls	each each

Stramit® S Pattern Stiffened Back				
	Plain	FGSPH***	Gloss	lin metre
	Slotted	FGSSH***	Gloss	lin metre



Note: Maximum length manufactured is 9.0m.
Check Branch for colour and stock availability.

ECSA 7900mm²


Accessories				
  	Concealed Bracket (50/box)	FGSCBZA	ZA	each
	Gutter Stiffener Overstrap	FGSSBZA	ZA	each
	Stop End Plate	FGSEH***	Gls	each



GENERAL ACCESSORIES

Product	Details	Ordering Code	Unit
General Accessories			
	Silicone Clear (20 in a box)	SILCLR - Clear	each
		SILGRY - Grey	each
Rivets (3.2 diameter)	Steel with Aluminium Rivet (4.3mm reach)		
	Plain Bags	PR3275	per pack 100
	Coloured Bags	PR3275***	per pack 100
	Plain Boxes	PR3275ALBX	per box 1000
	Coloured Boxes	PR3275***BX	per box 1000
Tools			
 (Not Returnable)	Stop Ending Tool	MCSETD	each
	Stramit Monoclad® sheeting	UDSETD	each
	Stramit Speed Deck Ultra® deck	UDFARLAPSETD	each
	Stramit Farlap		

P.A. DOOR




Product	Size mm	Code	Finish	Unit
P.A. Door				
	2040 x 820 x 40	PAD2040820ZA	ZA	each
	54mm Hole Back Set 60mm	PAD2040820X***	COL	each
	NB: No Jambs, Hinges or Lock assembly provided. Lead Time minimum 9 working days. Price includes packaging.			
Larnec P.A. Door Deluxe	2040 x 820 x 35 Pre-hung ready to fit NB: Lead time minimum 9 days	PADJ2040820X***	COL	each

ROOF VENTILATION

	Details	Ordering Code	Finish	Unit
Roof Ventilation	300mm Domestic Rotary Vent	RV300MF RV300***	Mill Colour	each each
	*Aluminium Powdercoated			
	300mm Domestic Superflow Rotary Vent	RVSF300MF RVSF300***	Mill Colour	each each
	450mm Industrial Rotary Vent	RVI450MF RVI450***	Mill Colour	each each
	600mm Industrial Rotary Vent	RVI600MF RVI600***	Mill Colour	each each
	900mm Industrial Rotary Vent	RVI900MF RVI900***	Mill Colour	each each

Please Note: Other diameters available on request.
Industrial ventilators are available standard in Mill Finish and Powder coated units, 10 day Lead time.


VENTED RIDGE / FIXED METAL LOUVRES

Product	Product Details	Code	Unit
Vented Ridge			
	Dual Flow Vented Ridge		
			
	Quad Flow Vented Ridge		
Quad Ventilated ridge	300mm Throat	VENTRUDZA/X	lin metre
Upflow open top	450mm Throat	VENTRUDZA/X	lin metre
	600mm Throat	VENTRUDZA/X	lin metre
	750mm Throat	VENTRUDZA/X	lin metre
	900mm Throat	VENTRUDZA/X	lin metre
	1200mm Throat	VENTRUDZA/X	lin metre
Dual Ventilated Ridge - Downflow Closed Top	300mm Throat	VENTRADZA/X	lin metre
	450mm Throat	VENTRADZA/X	lin metre
	600mm Throat	VENTRADZA/X	lin metre
Note: Stop ends included in kit			
Under certain circumstances Vented Ridge may mist			
Maximum length 8.0m			
Allow lead time 5 -7 working days.			
Fixed Metal Louvres			
	100mm Single Stage		
	150mm Single Stage		
	Available in Zinc or COLORBOND® steel		

Note: Stop ends included in kit
Under certain circumstances Vented Ridge may mist
Maximum length 8.0m
Allow lead time 5 -7 working days.

GRIPSPAN WALKWAY

Description	Ordering Code	Finish	Unit
600mm Gripspan Roof-Tread Walkway System.	RWS600GA60	GA	each



Labels in diagram: No 14-10 75mm TEK SCREW, ADC (ANCHOR DEVICE CLIP), SUPPORT CHANNEL, Gripspan Grating Ref. No. 6512G/300 Galvanized or Ref. No. 6512HDG/300 Hot Dipped Galvanized, Walkway support channel 25 x 40 x 2 Galvabond or 50 x 25 x 2 RH-S for walkways with handrail, Standard panel length 6000mm supported at 1500mm maximum centres, 600mm wide, Secure plank to support channel. See drawing detail 1.



Gripspan Roof Tread 600™ walkway system consists of:

- 2x Gripspan G51/2G/300 x 6000mm long planks supplied loose
- 5x M8 x 20mm joining bolts
- 5x Galvabond Support Channels - 800mm long
- 10x Neoprene rawnut + stainless steel set screws
- 10x Anchor Device Clips
- 10x 14-10 x 75mm Tek Screws






• Handrails + Accessories available on request
Price on application.
Refer all queries to your Stramit Account Manager.

Gripspan Roof Tread 600™ planking is designed to provide a safe and simple roof walkway system, that can be used with or without handrails. The Gripspan Roof Tread system has a walkway width of 600mm, to comply with AS1657:1992, and is supplied in stock lengths of 6 metres. Gripspan is particularly suited to incline walkways, offering superior traction. Allow up to 10 working days for delivery.




STRAMIT UNIGUARD™ FIRE RESISTING WALL SYSTEM

	<p>Stramit Uniguard™ Fire resisting wall system is a superior fire rated wall cladding product that combines the single layer of specialist fireboard Promina®60 with your choice from Stramit Monoclad®, Stramit Corrugated® and Stramit Longspan® wall cladding products.</p> <p>The Stramit Uniguard™ Fire resisting wall system is suitable for an external wall system for single storey Class 7b and 8 buildings of Type C construction as defined in the Building Code of Australia (BCA96).</p> <p>Note: System must be designed and installed strictly in accordance with Stramit Uniguard™ Fire Resisting Wall System Technical Manual.</p>			
	Product	Size mm	Code	Unit
	 <p>Promina®60</p>	15 x 2400 x 1200	PB601224	each

FOIL • INSULATION BATTS

Product	Details	Ordering Code	Cover	Unit
Foil				
Aluminium Foil 1.35m x 60m Rolls 	439/203 Light Anti-glare	FLLWAG600	81m ²	each
	433/233 Medium Anti-glare	FLMWAG600	81m ²	each
	Foil Insulmist 650	FLIM6502225	30m ²	each
	Foil Insulmist 650 AG	FLIM650AG2225	30m ²	each
	Foil Ex Heavy Duty Sisal Tuff	FLEHDST300	40.5m ²	each
	Foil Ex Heavy Duty Sisal Tuff	FLEHDST600	81m ²	each
	Insolbubble 100 (4.5mm thick x 1350wide) (Antiglare)	FLIB100AG2225	30m ²	each
	Foil Reflecta Cell (7mm thick x 1500mm wide)	FLRC150200	30m ²	each
	Foil Reflecta Guard (13mm thick x 1500mm wide)	FLRG15200	30m ²	each
Foil Tape	Foil Tape (48mm wide x 50m long)	FLTape48500		each
Ceiling Batts 	R2.5 x 1160 Pack of 16 (115mm thick x 430mm wide)	BBC430R25	8m ²	each
	R3.0 x 1160 Pack of 16 (140mm thick x 430mm wide)	BBC430R30	9m ²	each
	R3.5 x 1160 Pack of 16 (160mm thick x 430mm wide)	BBC430R35	9m ²	each
	R2.5 x 1160 Pack of 16 (115mm thick x 580mm wide)	BBC580R25	12.2m ²	each
	R3.0 x 1160 Pack of 16 (140mm thick x 580mm wide)	BBC580R30	12.2m ²	each
	R3.5 x 1160 Pack of 10 (160mm thick x 580mm wide)	BBC580R35	7.6m ²	each
Wall Batts 	R1.5 x 1160 Pack of 24 (65mm thick x 430mm wide)	BBW430R15	11.97m ²	each
	R1.5 x 1160 Pack of 24 (65mm thick x 580mm wide)	BBW580R15	16.15m ²	each
	Fire Stop Party Wall Batts 1200x168 Pk 10	BBWFS168		per pack

BUILDING BLANKET • WIRE

Product	Details	Ordering Code	Roll Size	Unit
Blanket/Wire				
R Value Graded Permastop Building Blanket 	Lightweight foil adhered R1.3 x 20m (55mm thick x 1.2m wide) *18m ² Avail. on Request*	BB55LW200	24m ²	each
		BB55LW150	18m ²	each
	R1.3 Cut to Length (55mm thick x 1.2m wide) Minimum of 10 rolls for CTL product.	BB55LW	CTL	lin metre
	R1.8 x 15m (75mm thick x 1.2m wide)	BB75LW150	18m ²	each
	R2.5 x 10m (100mm thick x 1.2m wide)	BB100LW100	12m ²	each
	R3.0 x 10M (130mm thick x 1.2m wide)	BB130LW100	12m ²	each
	Medium weight foil adhered R1.3 x 20m (55mm thick x 1.2m wide)	BB55MW200	24m ²	each
	18m ² Avail. on Request	BB55MW150	18m ²	each
	R1.8 x 15m (75mm thick x 1.2m wide)	BB75MW150	18m ²	each
	Heavy weight foil adhered R1.3 x 20m (55mm thick x 1.2m wide)	BB55HW200	24m ²	each
	18m ² Avail. on Request	BB55HW150	18m ²	each
	R1.8 x 15m (75mm thick x 1.2m wide)	BB75HW150	18m ²	each
Allow 3 day lead time for Cut to Length Blanket. Conversion from m ² to lineal metres is 1.2.				
Building Blanket Plain 	*18m ² Avail. on Request*	BB55PLN150	18m ²	each
	R1.8 x 15m (75mm thick x 1.2m wide)	BB75PLN150	18m ²	each
Roof Safety Mesh 	1.8m x 50m (300 x 150 x 2.0)	WMAUS500	90m ²	each
	2.25m CTL (300 x 150 x 2.0)	WM225AUS	CTL	lin metre
	2.25m x 50m (300 x 150 x 2.0)	WM225AUS500		each
	2.4m CTL (300 x 150 x 2.0)	WM240AUS	CTL	lin metre
	1.8m CTL (300 x 150 x 2.0)	WMAUS	CTL	lin metre

STANDARD FLASHINGS

Product Standard Flashings	Details	Ordering	Finish	BMT	Unit	Code
	50 x 50	AF5055ZA	ZA	0.55	lin metre	
		AF5055GA	GA	0.55	lin metre	
	75 x 75	AF7555ZA	ZA	0.55	lin metre	
		AF7555GA	GA	0.55	lin metre	
	100 x 100	AF10055ZA	ZA	0.55	lin metre	
		AF10055GA	GA	0.55	lin metre	
	100 x 150	AF10015055GA	GA	0.55	lin metre	
	150 x 150	AF15055GA	GA	0.55	lin metre	
Stramit® Corner Mould (0.55 bmt)						
		CMFC10055ZA	ZA	0.55	lin metre	
		CMFC10055X***	COL	0.55	lin metre	
Stramit® Barge Angle (0.55 bmt)						
		BA255ZA	ZA	0.55	lin metre	
		BA255X***	COL	0.55	lin metre	
Stramit® Corner Mould (0.55 bmt)						
		CMFC15055ZA	ZA	0.55	lin metre	
		CMFC15055X***	COL	0.55	lin metre	
Barge Capping						
	BC 9					
	1800mm	BC955ZA18	ZA	0.55	length	
	2400mm	BC955ZA24	ZA	0.55	length	
	1800mm	BC955GA18	GA	0.55	length	
	BC 10					
	1800mm	BC1055ZA18	ZA	0.55	length	
	2400mm	BC1055ZA24	ZA	0.55	length	
	1800mm	BC1055GA18	GA	0.55	length	
	2400mm	BC1055GA24	GA	0.55	length	

Please Note: All flashing this page maximum length 8.0m.

BUILDERS STRAP

Product Builders Strap/ Folded Trays	Details	Ordering Code	Finish	BMT	Unit
	Vermin and weather proof flashing Sold only in 3.0 lengths	VMSEALGRY30		0.55	each
Builders Strap					
	Coil				
	50 x 32 x 1.2	BST321250	GA		each
	50 x 32 x 1.6	BST321650	GA		each
	50 x 38 x 1.6	BST381650	GA		each
	50 x 50 x 1.2	BST501250	GA		each

NOTE: Most products on this page available ex Sydney and subject to lead time. Check when placing order.

CUSTOM FLASHINGS – ORDERING PROCEDURE

ORDERING PROCEDURE

1. Choose the appropriate profile type, material and finish
2. If Colour, nominate the side on which colour is required
3. Nominate the dimensions by the letters shown on diagrams
4. Nominate the angles on all bends
5. Nominate the quantity and length of profile

EXAMPLE

1. Type 4, Colour Surfmist®
2. Colour on side C
3. A – 15mm, B – 100mm, C – 150mm, D – 150mm
4. COL = 90°, CD = 90°, AB = 65°
5. 1 off, 2550mm

Custom Flashing orders must be faxed or emailed. Custom Flashings will not be taken over the phone.

Refer to page 14 for Custom Flashing Detail Sheet.

Internal Bends minimum 15mm.

Maximum length manufactured is 8.000m.

Type 1 	Type 2 	Type 3 	Type 4 	Type 5 	Type 6
Type 7 	Type 8 	Type 9 	Type 10 	Type 11 	Type 12
Type 13 	Type 14 	Type 15 	Type 16 	Type 17 	Type 18
Type 19 	Type 20 	Type 21 	Type 22 	Type 23 	Type 24
Type 25 	Type 26 	Type 27 	Type 28 	Type 29 	Type 30

NOTE: These products are made to order, NON RETURNABLE



ERSKINE PARK Sales (02) 9834 0909 Fax (02) 9834 0955	COFFS HARBOUR (02) 6656 3800 Fax (02) 6656 3808	NEWCASTLE (02) 4041 3400 Fax (02) 4041 3423	CANBERRA (02) 6298 2500 Fax (02) 6298 2533	ORANGE (02) 6360 9200 Fax (02) 6360 9211
---	--	--	---	---

CUSTOM FLASHINGS

COLORBOND® STEEL 0.55 BMT

Ordering Code: CF055 _ _ _X***

Girth Width	No of Bends								
(mm)	0	1	2	3	4	5	6	7	8
001-100 (B)	CF055B00X***	CF055B01X***	CF055B02X***	CF055B03X***	CF055B04X***	CF055B05X***	CF055B06X***	CF055B07X***	CF055B08X***
101-150 (C)	CF055C00X***	CF055C01X***	CF055C02X***	CF055C03X***	CF055C04X***	CF055C05X***	CF055C06X***	CF055C07X***	CF055C08X***
151-200 (D)	CF055D00X***	CF055D01X***	CF055D02X***	CF055D03X***	CF055D04X***	CF055D05X***	CF055D06X***	CF055D07X***	CF055D08X***
201-250 (E)	CF055E00X***	CF055E01X***	CF055E02X***	CF055E03X***	CF055E04X***	CF055E05X***	CF055E06X***	CF055E07X***	CF055E08X***
251-300 (F)	CF055F00X***	CF055F01X***	CF055F02X***	CF055F03X***	CF055F04X***	CF055F05X***	CF055F06X***	CF055F07X***	CF055F08X***
301-350 (G)	CF055G00X***	CF055G01X***	CF055G02X***	CF055G03X***	CF055G04X***	CF055G05X***	CF055G06X***	CF055G07X***	CF055G08X***
351-400 (H)	CF055H00X***	CF055H01X***	CF055H02X***	CF055H03X***	CF055H04X***	CF055H05X***	CF055H06X***	CF055H07X***	CF055H08X***
401-500 (J)	CF055J00X***	CF055J01X***	CF055J02X***	CF055J03X***	CF055J04X***	CF055J05X***	CF055J06X***	CF055J07X***	CF055J08X***
501-600 (L)	CF055L00X***	CF055L01X***	CF055L02X***	CF055L03X***	CF055L04X***	CF055L05X***	CF055L06X***	CF055L07X***	CF055L08X***
601-700 (N)	CF055N00X***	CF055N01X***	CF055N02X***	CF055N03X***	CF055N04X***	CF055N05X***	CF055N06X***	CF055N07X***	CF055N08X***
701-800 (P)	CF055P00X***	CF055P01X***	CF055P02X***	CF055P03X***	CF055P04X***	CF055P05X***	CF055P06X***	CF055P07X***	CF055P08X***
801-900 (R)	CF055R00X***	CF055R01X***	CF055R02X***	CF055R03X***	CF055R04X***	CF055R05X***	CF055R06X***	CF055R07X***	CF055R08X***
901-1000 (T)	CF055T00X***	CF055T01X***	CF055T02X***	CF055T03X***	CF055T04X***	CF055T05X***	CF055T06X***	CF055T07X***	CF055T08X***
1001-1100 (V)	CF055V00X***	CF055V01X***	CF055V02X***	CF055V03X***	CF055V04X***	CF055V05X***	CF055V06X***	CF055V07X***	CF055V08X***
1101-1200 (X)	CF055X00X***	CF055X01X***	CF055X02X***	CF055X03X***	CF055X04X***	CF055X05X***	CF055X06X***	CF055X07X***	CF055X08X***

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

COLORBOND® STEEL 80GL 0.55 BMT

Ordering Code: CF055 _ _ _H***

Girth Width	No of Bends								
(mm)	0	1	2	3	4	5	6	7	8
001-100 (B)	CF055B00H***	CF055B01H***	CF055B02H***	CF055B03H***	CF055B04H***	CF055B05H***	CF055B06H***	CF055B07H***	CF055B08H***
101-150 (C)	CF055C00H***	CF055C01H***	CF055C02H***	CF055C03H***	CF055C04H***	CF055C05H***	CF055C06H***	CF055C07H***	CF055C08H***
151-200 (D)	CF055D00H***	CF055D01H***	CF055D02H***	CF055D03H***	CF055D04H***	CF055D05H***	CF055D06H***	CF055D07H***	CF055D08H***
201-250 (E)	CF055E00H***	CF055E01H***	CF055E02H***	CF055E03H***	CF055E04H***	CF055E05H***	CF055E06H***	CF055E07H***	CF055E08H***
251-300 (F)	CF055F00H***	CF055F01H***	CF055F02H***	CF055F03H***	CF055F04H***	CF055F05H***	CF055F06H***	CF055F07H***	CF055F08H***
301-350 (G)	CF055G00H***	CF055G01H***	CF055G02H***	CF055G03H***	CF055G04H***	CF055G05H***	CF055G06H***	CF055G07H***	CF055G08H***
351-400 (H)	CF055H00H***	CF055H01H***	CF055H02H***	CF055H03H***	CF055H04H***	CF055H05H***	CF055H06H***	CF055H07H***	CF055H08H***
401-500 (J)	CF055J00H***	CF055J01H***	CF055J02H***	CF055J03H***	CF055J04H***	CF055J05H***	CF055J06H***	CF055J07H***	CF055J08H***
501-600 (L)	CF055L00H***	CF055L01H***	CF055L02H***	CF055L03H***	CF055L04H***	CF055L05H***	CF055L06H***	CF055L07H***	CF055L08H***
601-700 (N)	CF055N00H***	CF055N01H***	CF055N02H***	CF055N03H***	CF055N04H***	CF055N05H***	CF055N06H***	CF055N07H***	CF055N08H***
701-800 (P)	CF055P00H***	CF055P01H***	CF055P02H***	CF055P03H***	CF055P04H***	CF055P05H***	CF055P06H***	CF055P07H***	CF055P08H***
801-900 (R)	CF055R00H***	CF055R01H***	CF055R02H***	CF055R03H***	CF055R04H***	CF055R05H***	CF055R06H***	CF055R07H***	CF055R08H***
901-1000 (T)	CF055T00H***	CF055T01H***	CF055T02H***	CF055T03H***	CF055T04H***	CF055T05H***	CF055T06H***	CF055T07H***	CF055T08H***
1001-1100 (V)	CF055V00H***	CF055V01H***	CF055V02H***	CF055V03H***	CF055V04H***	CF055V05H***	CF055V06H***	CF055V07H***	CF055V08H***
1101-1200 (X)	CF055X00H***	CF055X01H***	CF055X02H***	CF055X03H***	CF055X04H***	CF055X05H***	CF055X06H***	CF055X07H***	CF055X08H***

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

NOTE: *Stramit® Custom Flashings* are sold/invoiced by finish, girth and number of bends.

Stramit® Custom Flashings are available on a minimum 2 day lead time. Please confirm lead time at point of order.

Stramit® Custom Flashings details cannot be taken over the phone.

We require a drawing and recommend the use of our Flashing Detail Page (fax details to ensure manufacture of flashings correct to customer requirement).

Maximum lengths: 8.0m ex Erskine Park, Newcastle, Orange, Queanbeyan & Coffs Harbour. Subject to delivery location and suitability of flashing shape.

NOTE: These products are made to order, NON RETURNABLE

NOTE: For all flashing orders, send your profile details by fax direct to your internal sales contact.
Refer to Standard Delivery Details on Page 94.



PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

CUSTOM FLASHINGS

ZINCALUME® STEEL 0.55 BMT

Ordering Code: CF055 _ _ _ZA

Girth Width	No of Bends								
(mm)	0	1	2	3	4	5	6	7	8
001-100 (B)	CF055B00ZA	CF055B01ZA	CF055B02ZA	CF055B03ZA	CF055B04ZA	CF055B05ZA	CF055B06ZA	CF055B07ZA	CF055B08ZA
101-150 (C)	CF055C00ZA	CF055C01ZA	CF055C02ZA	CF055C03ZA	CF055C04ZA	CF055C05ZA	CF055C06ZA	CF055C07ZA	CF055C08ZA
151-200 (D)	CF055D00ZA	CF055D01ZA	CF055D02ZA	CF055D03ZA	CF055D04ZA	CF055D05ZA	CF055D06ZA	CF055D07ZA	CF055D08ZA
201-250 (E)	CF055E00ZA	CF055E01ZA	CF055E02ZA	CF055E03ZA	CF055E04ZA	CF055E05ZA	CF055E06ZA	CF055E07ZA	CF055E08ZA
251-300 (F)	CF055F00ZA	CF055F01ZA	CF055F02ZA	CF055F03ZA	CF055F04ZA	CF055F05ZA	CF055F06ZA	CF055F07ZA	CF055F08ZA
301-350 (G)	CF055G00ZA	CF055G01ZA	CF055G02ZA	CF055G03ZA	CF055G04ZA	CF055G05ZA	CF055G06ZA	CF055G07ZA	CF055G08ZA
351-400 (H)	CF055H00ZA	CF055H01ZA	CF055H02ZA	CF055H03ZA	CF055H04ZA	CF055H05ZA	CF055H06ZA	CF055H07ZA	CF055H08ZA
401-500 (J)	CF055J00ZA	CF055J01ZA	CF055J02ZA	CF055J03ZA	CF055J04ZA	CF055J05ZA	CF055J06ZA	CF055J07ZA	CF055J08ZA
501-600 (L)	CF055L00ZA	CF055L01ZA	CF055L02ZA	CF055L03ZA	CF055L04ZA	CF055L05ZA	CF055L06ZA	CF055L07ZA	CF055L08ZA
601-700 (N)	CF055N00ZA	CF055N01ZA	CF055N02ZA	CF055N03ZA	CF055N04ZA	CF055N05ZA	CF055N06ZA	CF055N07ZA	CF055N08ZA
701-800 (P)	CF055P00ZA	CF055P01ZA	CF055P02ZA	CF055P03ZA	CF055P04ZA	CF055P05ZA	CF055P06ZA	CF055P07ZA	CF055P08ZA
801-900 (R)	CF055R00ZA	CF055R01ZA	CF055R02ZA	CF055R03ZA	CF055R04ZA	CF055R05ZA	CF055R06ZA	CF055R07ZA	CF055R08ZA
901-1000 (T)	CF055T00ZA	CF055T01ZA	CF055T02ZA	CF055T03ZA	CF055T04ZA	CF055T05ZA	CF055T06ZA	CF055T07ZA	CF055T08ZA
1001-1100 (V)	CF055V00ZA	CF055V01ZA	CF055V02ZA	CF055V03ZA	CF055V04ZA	CF055V05ZA	CF055V06ZA	CF055V07ZA	CF055V08ZA
1101-1200 (X)	CF055X00ZA	CF055X01ZA	CF055X02ZA	CF055X03ZA	CF055X04ZA	CF055X05ZA	CF055X06ZA	CF055X07ZA	CF055X08ZA

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

GALVANISED 0.55 BMT

Ordering Code: CF055 _ _ _GA

Girth Width	No of Bends								
(mm)	0	1	2	3	4	5	6	7	8
001-100 (B)	CF055B00GA	CF055B01GA	CF055B02GA	CF055B03GA	CF055B04GA	CF055B05GA	CF055B06GA	CF055B07GA	CF055B08GA
101-150 (C)	CF055C00GA	CF055C01GA	CF055C02GA	CF055C03GA	CF055C04GA	CF055C05GA	CF055C06GA	CF055C07GA	CF055C08GA
151-200 (D)	CF055D00GA	CF055D01GA	CF055D02GA	CF055D03GA	CF055D04GA	CF055D05GA	CF055D06GA	CF055D07GA	CF055D08GA
201-250 (E)	CF055E00GA	CF055E01GA	CF055E02GA	CF055E03GA	CF055E04GA	CF055E05GA	CF055E06GA	CF055E07GA	CF055E08GA
251-300 (F)	CF055F00GA	CF055F01GA	CF055F02GA	CF055F03GA	CF055F04GA	CF055F05GA	CF055F06GA	CF055F07GA	CF055F08GA
301-350 (G)	CF055G00GA	CF055G01GA	CF055G02GA	CF055G03GA	CF055G04GA	CF055G05GA	CF055G06GA	CF055G07GA	CF055G08GA
351-400 (H)	CF055H00GA	CF055H01GA	CF055H02GA	CF055H03GA	CF055H04GA	CF055H05GA	CF055H06GA	CF055H07GA	CF055H08GA
401-500 (J)	CF055J00GA	CF055J01GA	CF055J02GA	CF055J03GA	CF055J04GA	CF055J05GA	CF055J06GA	CF055J07GA	CF055J08GA
501-600 (L)	CF055L00GA	CF055L01GA	CF055L02GA	CF055L03GA	CF055L04GA	CF055L05GA	CF055L06GA	CF055L07GA	CF055L08GA
601-700 (N)	CF055N00GA	CF055N01GA	CF055N02GA	CF055N03GA	CF055N04GA	CF055N05GA	CF055N06GA	CF055N07GA	CF055N08GA
701-800 (P)	CF055P00GA	CF055P01GA	CF055P02GA	CF055P03GA	CF055P04GA	CF055P05GA	CF055P06GA	CF055P07GA	CF055P08GA
801-900 (R)	CF055R00GA	CF055R01GA	CF055R02GA	CF055R03GA	CF055R04GA	CF055R05GA	CF055R06GA	CF055R07GA	CF055R08GA
901-1000 (T)	CF055T00GA	CF055T01GA	CF055T02GA	CF055T03GA	CF055T04GA	CF055T05GA	CF055T06GA	CF055T07GA	CF055T08GA
1001-1100 (V)	CF055V00GA	CF055V01GA	CF055V02GA	CF055V03GA	CF055V04GA	CF055V05GA	CF055V06GA	CF055V07GA	CF055V08GA
1101-1200 (X)	CF055X00GA	CF055X01GA	CF055X02GA	CF055X03GA	CF055X04GA	CF055X05GA	CF055X06GA	CF055X07GA	CF055X08GA

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

NOTE: *Stramit® Custom Flashings* are sold/invoiced by finish, girth and number of bends.

Stramit® Custom Flashings are available on a minimum 2 day lead time. Please confirm lead time at point of order.

Stramit® Custom Flashings details cannot be taken over the phone.

We require a drawing and recommend the use of our Flashing Detail Page (fax details to ensure manufacture of flashings correct to customer requirement).

Maximum lengths: 8.0m ex Erskine Park, Newcastle, Orange, Queanbeyan & Coffs Harbour. Subject to delivery location and suitability of flashing shape. NOTE: These products are made to order, NON RETURNABLE











FLAT SHEET

Product Flat Sheet	Details	Ordering Code	Unit EA
1200 x 2400 x 0.55	ZA GA COL	FS120055ZA24 CF055 _ _ _GA FS120055X***24	per sheet per sheet per sheet













Note: Non stock item made to order 48 hour lead time.

NOTE: For all flashing orders, send your profile details by fax direct to your internal sales contact.
Refer to Standard Delivery Details on Page 94.











FASCIA • ACCESSORIES

Product	Details	Ordering Code	Finish	Unit
Fascia/Accessories				
	Stramit® Fascia Board & Fascia Cover			
	Fascia Board	FBZA FBX***	ZA COL	lin metre lin metre
	Fascia Cover	FBCOVZA FBCOVX***	ZA COL	lin metre lin metre
	Minimum length is 500mm Maximum length is 9.0m Also available in premium finishes. Refer page 64 for details.			
Fascia Board	Fascia Cover			
Accessories				
	Rafter Bracket (50/box) (Fascia Board Bracket)	FBVRBGA	GA	each
	Fascia Splice Plate (Joiner)	FBSPZA	ZA	each
	External Corner (90°)	FBECZA FBECX***	ZA COL	each each
	Internal Corner Cap (90°)	FBICZA FBICX***	ZA COL	each each
	Snap Clip (Box 300)	FBSCZA	Coated	each
	Bat Clip	BATOC		each
	Barge Gutter (rollformed) Cut to Length (Ex Erskine Pk)	FBBGZA FBBGX***	ZA COL	lin metre lin metre
	Barge Corner (LH Blank)	FBBCLZA FBBC LX***	ZA COL	each each
	(RH Blank)	FBBCRZA FBBCRX***	ZA COL	each each
	Apex Cover Plate	FBAJZA FBAJX***	ZA COL	each each









GUTTERS • ACCESSORIES

Product	Details	Ordering Code	Finish	Unit
Gutters/Accessories				
	Stramit® Hi Front Quad 115	QV115PZA QV115PX***	ZA COL	lin metre lin metre
	Plain	Cut to length Plain		
	Slotted	Cut to length Slotted	QV115SZA QV115SX***	ZA COL
		Minimum length is 500mm Maximum length is 9.0m ECSA 5200mm ²		
Accessories				
	Concealed Bracket (80/box)	QV115CBZA	ZA	each
	Gutter Stiffener (150/box)	QV115SBZA	ZA	each
	Gutter Hook Back Stiffener (200/box)	QV115HSBZA	ZA	each
	External Brackets (80/box)	QV115EBZA	ZA	each
	Overstrap	QV115EBX*** QOSGA	COL GA	each each
	Snap Clip (Box 300)	FBSCZA	Coated	each
	Bat Clip	BATOC		each
	Gutter Spacer	FBGS		
	Insertion Tool	FBGST		
	Cast Angles – 2 Piece Int/Ext x 90°	QV115CAEMF QV115CAEX*** QV115CAIMF QV115CAIX***	Mill Finish Colour Mill Finish Colour	each each each each
	Stop End Plates Left/Right	QV115SELZA QV115SERZA QV115SELX*** QV115SERX***	ZA ZA COL COL	each each each each











GUTTERS • ACCESSORIES

Product Gutters/Accessories	Details	Ordering Code	Finish	Unit
Stramit® Quad 115 	Cut to length	QN115ZA	ZA	per lin metre
		QN115X***	COL	per lin metre
		QN115GA	GA	per lin metre
	ECSA 4700mm ² NOTE: Minimum length is 500mm. Maximum length is 9.0m Not all colours kept in stock. Check Branch for colour availability.			
Accessories       	Concealed Bracket (100/box)	QN115CBZA	ZA	each
	Gutter Stiffener Nail Thru (Timber Fascia)	QN115SBNT	ZA	each
	Gutter Stiffener (Metal Fascia for use with Snap Clip) (150/box)	QN115SBZA	ZA	each
	External Brackets (100/box)	QN115EBZA QN115EBGA QN115EBX***	ZA GA COL	each each each
	Overstrap	QOSGA	GA	each
	Snap Clip (Box 300)	FBSCZA	Coated	each
	Bat Clip	BATOC		each
 	Cast Angles Int/Ext x 90° (1 piece)	QN115CAE1MF QN115CAE1X*** QN115CAI1MF QN115CAI1X***	Mill Finish COL Mill Finish COL	each each each each
	Stop End Plates Left/Right	QN115SERZA QN115SELZA QN115SERGA QN115SELGA QN115SERX*** QN115SELX***	ZA ZA GA GA COL COL	each each each each each each
	Conventional Angles	Suit Stramit® Quad 115 NSW Pattern Conv. Angles		
	External Internal	QN115ECGA QN115ICGA	GA GA	each each









GUTTERS • ACCESSORIES

Product Gutters/Accessories	Details	Ordering Code	Finish	Unit
Stramit® Quad 125 NSW Pattern 	available on request	QN125ZA QN125X***	ZA COL	per lin metre per lin metre
	6.0m stock length	QN125GA60	GA	each
	ECSA 6200mm ² NOTE: Minimum length is 500mm. Maximum length is 9.0m.			
	Accessories	Concealed Bracket (100/box)	QN125CBZA	ZA each
     	Gutter Stiffener (150/box)	QN125SBZA	ZA	each
	External Brackets (100/box)	QN125EBZA QN125EBGA QN125EBX***	ZA GA COL	each each each
	Overstrap	QOSGA	GA	each
	Snap Clip (Box 300)	FBSCZA	Coated	each
	Stop End Plates	QN125SELZA QN125SERZA QN125SELGA QN125SERGA QN125SELX*** QN125SERX***	ZA ZA GA GA COL COL	each each each each each each
	Cast Angles - 1 Piece	QN125CAI1MF QN125CAI1X*** QN125CAE1MF QN125CAE1X***	Mill Finish Colour Mill Finish Colour	each each each each
	Conventional Angles	Suit Stramit® Quad 125 NSW Pattern Conv. Angles		
	External Internal	QN125ECGA QN125ICGA	GA GA	each each
LEAFGUARD				
Product	Details	Ordering Code	Finish	Unit
Leafguard 	Suits Stramit® Hi Front Quad 115	GGTRZA1200	ZA	Pack of 20

GUTTERS • ACCESSORIES

Product	Details	Ordering Code	Finish	Unit
Gutters/Accessories				
Stramit® M Pattern 	Plain	FGMPZA FGMPX***	ZA COL	lin metre lin metre
	Slotted	FGMSZA FGMSX***	ZA COL	lin metre lin metre
	ECSA 7900mm ² NOTE: Minimum length is 500mm. Maximum length manufactured is 9.0m Supply Ex Coffs Harbour - please confirm lead time at our nearest sales office.			
Accessories    	Concealed Bracket (50/box)	FGMCBZA	ZA	each
	Gutter Stiffener	FGMSBZA	ZA	each
	Stop End Plate	FGSEZA FGSEX***	ZA COL	each each
	Snap Clip (Box 300)	FBSCZA	Coated	each
Stramit® S Pattern Stiffened Back 	Plain	FGSPZA FGSPX*** FGSPH***	ZA COL GLS	lin metre lin metre lin metre
	Slotted	FGSSZA FGSSX*** FGSSH***	ZA COL GLS	lin metre lin metre lin metre
	NOTE: Maximum length manufactured is 9.0m. Supply Ex Crestmead QLD - please confirm lead time at our nearest sales office.			
	ECSA 7900mm ²			
Accessories   	Concealed Bracket (50/box)	FGSCBZA	ZA	each
	Gutter Stiffener Overstrap	FGSSBZA	ZA	each
	Stop End Plate	FGSEZA FGSEX*** FGSEH***	ZA COL GLS	each each each
Stramit® Fascia Capping 	Cut to length	FGBCZA FGBCX***	ZA COL	lin metre lin metre
	NOTE: Minimum length is 500mm. NOTE: Maximum length manufactured is 9.0m. Check Branch for stock availability.			

TRILINE GUTTER

Product	Details	Ordering Code	Finish	Unit
Gutters/Accessories				
Stramit Triline™ Stiffened Back 	Plain	TGSBPZA TGSBPX*** TGSBPH***	ZA COL GLS	lin metre lin metre lin metre
	Slotted	TGSBSZA TGSBSX*** TGSBSH***	ZA COL GLS	lin metre lin metre lin metre
	ECSA 7700mm ² NOTE: Maximum length manufactured is 9.0m. Check Branch for colours in Gloss and stock availability.			
Accessories  	Gutter Stiffener Overstrap	TGSBZA	ZA	each
	Stop End Plate	TGSELZA TGSELX*** TGSELH*** TGSERZA TGSERX*** TGSERH***	ZA COL GLS ZA COL GLS	each each each each each each
Stramit Triline™ Hook Back 	Plain	TGHPBZA TGHPX***	ZA COL	lin metre lin metre
	Slotted	TGHBSZA TGHBSX***	ZA COL	lin metre lin metre
	ECSA 7700mm ² NOTE: Maximum length manufactured is 9.0m. Check Branch for colours in Gloss and stock availability.			
Accessories   	Snap Clip (Box 300)	FBSCZA	Coated	each
	Gutter Stiffener Overstrap	TGSBZA	ZA	each
	Stop End Plate	TGSELZA TGSELX*** TGSELH*** TGSERZA TGSERX*** TGSERH***	ZA COL GLS ZA COL GLS	each each each each each each
Stramit Triline™ Capping 	Cut to length	TBCZA TBCX***	ZA COL	lin metre lin metre
	NOTE: Maximum length manufactured is 9.0m. Check Branch for stock availability.			











GUTTERS • ACCESSORIES




Product Gutters/Accessories	Details	Ordering Code	Finish	Unit
Stramit® 150 Half Round Gutter				
	150 Plain	HRGR150PZA	ZA	lin metre
		HRGR150PX***	COL	lin metre
		HRGR150PT**	Matt	lin metre
	150 Slotted	HRGR150SZA	ZA	lin metre
		HRGR150SX***	COL	lin metre
		HRGR150ST**	Matt	lin metre
	ECSA 7700mm ² NOTE: Minimum length is 500mm. Maximum length is 9.0m.			
Stop End Plates	150	HRG150SERZA	ZA	each
		HRG150SELZA	ZA	each
		HRG150SELX***	COL	each
		HRG150SERX***	COL	each
	150	HRG150BA1ZA	ZA	each
		HRG150BA1X***	COL	each
		HRG150BA2ZA	ZA	each
External Brackets		HRG150BA2X***	COL	each
		HRG150BA4ZA	ZA	each
		HRG150BA4X***	COL	each
	90mm Cast Half Round Nozzles	HRG90NOZZA	ZA	each
	Suits 150 Gutter	HRG90NOZX***	COL	each
		HRG10050NOZZA	ZA	each
		HRG10050NOZX***	COL	each
		HRG10075NOZZA	ZA	each
		HRG10075NOZX***	COL	each
	Cast Internal/External	HRG150CAEMF	MF	each
	150	HRG150CAEX***	COL	each
		HRG150CAIMF	MF	each
		HRG150CAIX***	COL	each
Stramit® Flatback Half Round Gutter				
	150 Plain	HRGFB150PZA	ZA	lin metre
		HRGFB150PT***	Matt	lin metre
		HRGFB150PX***	COL	lin metre
	150 Slotted	HRGFB150SZA	ZA	lin metre
		HRGFB150ST***	Matt	lin metre
		HRGFB150SX***	COL	lin metre
	ECSA 7800mm ² NOTE: Minimum length is 500mm. Maximum length is 9.0m.			
Stop End Plates	150	HRGFB150SERZA	ZA	each
	150	HRGFB150SELZA	ZA	each
		HRGFB150SERX***	COL	each
		HRGFB150SELX***	COL	each
	150	HRGFB150CSBZA	ZA	each
		HRGFB1500SZA	ZA	each
Stiffener Brackets	150	HRGFB150CSBZA	ZA	each
		HRGFB1500SZA	ZA	each
Snap Clip	(Box 300)	FBSCZA	Plated	each
Gutter Spacer Insertion Tool		FBGS FBGST		
Cast Internal/External 2 Piece Corners	150	HRGFB150CAIMF	MF	each
		HRGFB150CAIX***	COL	each
		HRGFB150CAEMF	MF	each
		HRGFB150CAEX***	COL	each









GUTTERS • ACCESSORIES

Product	Size	Ordering Code		Unit
Gutters/Accessories		PLAIN	COLOUR	
Stramit® Half Round Gutter				
	100	HRG100ZA	HRG100X***	lin metre
	125	HRG125ZA	HRG125X***	lin metre
	200	HRG200ZA	HRG200X***	lin metre
	250	HRG250ZA	HRG250X***	lin metre
	300	HRG300ZA	HRG300X***	lin metre
Available CTL up to 6 metres.				
NOTE: Allow minimum 10 working days delivery for Half Round Gutter and accessories.				
NOTE: Check Regional Centres on lead times.				
Half Round Stop End Plates				
	100	HRG100SEZA	HRG100SEX***	ea
	125	HRG125SEZA	HRG125SEX***	ea
	200	HRG200SEZA	HRG200SEX***	ea
	250	HRG250SEZA	HRG250SEX***	ea
	300	HRG300SEZA	HRG300SEX***	ea
Half Round A1 Brackets				
	100	HRG100BA1ZA	HRG100BA1X***	ea
	125		HRG125BA1X***	ea
	200	HRG200BA1ZA	HRG200BA1X***	ea
Half Round A2				
	125		HRG125BA2X***	ea
	200		HRG200BA2X***	ea
Heavy Duty Brackets A4				
	200	HRG200BA4ZA	HRG200BA4X***	ea
	250	HRG250BA4ZA	HRG250BA4X***	ea
	300	HRG300BA4ZA	HRG300BA4X***	ea
Half Round External Corners				
	100	HRG100ECZA	HRG100ECX***	ea
	125	HRG125ECZA	HRG125ECX***	ea
	200	HRG200ECZA	HRG200ECX***	ea
	250	HRG250ECZA	HRG250ECX***	ea
	300	HRG300ECZA	HRG300ECX***	ea
Half Round Internal Corners				
	100	HRG100ICZA	HRG100ICX***	ea
	125	HRG125ICZA	HRG125ICX***	ea
	200	HRG200ICZA	HRG200ICX***	ea
	250	HRG250ICZA	HRG250ICX***	ea
	300	HRG300ICZA	HRG300ICX***	ea
* E = External or I = Internal				
Half Round Nozzles				
	75	HRG75NOZZA	HRG75NOZX***	ea
	100	HRG100NOZZA	HRG100NOZX***	ea
	Suits 150mm gutter			
	125	HRG125NOZZA	HRG125NOZX***	ea
	Suits 200mm gutter			
	150	HRG150NOZZA	HRG150NOZX***	ea
Suits 200, 250 & 300mm gutters				

GUTTERS • ACCESSORIES










Product	Details	Ordering Code	Finish	Unit
Gutters/Accessories				
	3.600m Lengths only	HOG125ZA36	ZA	each
		HOG125GA36	GA	each
		HOG125X***36	COL	each
	ECSA 6000mm ²			
	NOTE: This product made to order – check lead times. NOTE: Check Regional Centres on lead times.			
Accessories	External Bracket	HOG125EBZA HOG125EBGA HOG125EBX***	ZA GA COL	each each each
	Stop End Plates (LH)	HOG125SELZA HOG125SELGA HOG125SELX***	ZA GA COL	each each each
	Stop End Plates (RH)	HOG125SERZA HOG125SERGA HOG125SERX***	ZA GA COL	each each each
	Manufactured External Corner	HOG125ECZA HOG125ECGA HOG125ECX***	ZA GA COL	each each each
	Manufactured Internal Corner	HOG125ICZA HOG125ICGA HOG125ICX***	ZA GA COL	each each each
Please Note: Colorbond® steel external brackets minimum order quantity 10 brackets.				

DOWNPIPE • ACCESSORIES





Product	Size	Ordering Code	Unit	BMT
Downpipe/Accessories				
	Stramit® Downpipe – Rectangular	1.8m x 100 x 50	DP10050**18 DP10050X***18	each 0.40 each 0.40
		2.4m x 100 x 50	DP10050**24 DP10050X***24	each 0.40 each 0.40
		1.8m x 100 x 75	DP10075ZA18 DP10075X***18	each 0.40 each 0.40
		2.4m x 100 x 75	DP10075**24 DP10075X***24	each 0.40 each 0.40
		1.8m x 100 x 100 †	DP100100M**18	each 0.55
		2.4m x 100 x 100 †	DP100100M**24 DP100100MX***24	each 0.55 each 0.55
		1.8m x 150 x 100 †	DP150100M**18 DP150100MX***18	each 0.55 each 0.55
		2.4m x 150 x 100 †	DP150100M**24 DP150100MX***24	each 0.55 each 0.55
† Check lead time availability. NOTE: Some Regional Sales Centres may not stock all sizes and colours. Please check when ordering. NOTE: Downpipe Stillage Quantities 100 x 50 =120 Downpipes per stillage. 100 x 75 = 80 Downpipes per stillage.				
ALL STILLAGES MUST BE RETURNED (see page 80)				
Accessories				
	Astragals	100 x 50	AST10050** AST10050X***	each each
		100 x 75	AST10075** AST10075X***	each each
		100 x 100	AST100100** AST100100X***	each each
		150 x 100	AST150100** AST150100X***	each each
		Nozzles/Pops	100 x 50	NOZ10050** NOZ10050X***
		100 x 75	NOZ10075** NOZ10075X***	each each
		100 x 100	NOZ100100** NOZ100100X***	each each
		150 x 100	NOZ150100** NOZ150100X***	each each
Universal Nozzle Suits 100 x 75 & 90 round			NOZUNIZA	each
	Adjustable Standard Offsets	100 x 50	OS10050** OS10050X***	each each
		100 x 75	OS10075** OS10075X***	each each
	Adjustable Long Tail Offsets	100 x 50	OSLT10050X***	each
	100 x 75	OSLT10075X***	each	
	Shoes (15°)	100 x 50	SHOE10050GA	each
		100 x 75	SHOE10075GA	each
	Leaf Guards	100 x 50	LG10050GA	each
		100 x 75	LG10075GA	each

NOTE: Some Regional Sales Centres may not stock all sizes and colours. Please check when ordering.

DOWNPIPE • ACCESSORIES

Product	Size	Ordering Code	Unit	BMT
Downpipe/Accessories				
	1.8m x 50	DP50**18	each	0.40
	2.4m x 50	DP50**24	each	0.40
	2.4m x 90	DP90M***24	each	0.55
	3.0m x 90	DP90X***30	each	0.40
	1.8m x 125 †	DP125MGA18	each	0.55
	2.4m x 125 †	DP125MGA24	each	0.55
	1.8m x 150 †	DP150M**18	each	0.55
	2.4m x 150	DP150M**24	each	0.55
	1.8m x 175 †	DP175MGA18	each	0.55
	1.8m x 200 †	DP200MGA18	each	0.55
	1.8m x 225 †	DP225MGA18	each	0.55
	1.8m x 250 †	DP250MGA18	each	0.55
	1.8m x 300 †	DP300MGA18	each	0.55
	† GA stocked only. Check lead time and availability.			
	1.8m x 75	DP75**18	each	0.40
	2.4m x 75	DP75X***24	each	0.40
	1.8m x 100	DP100**18	each	0.40
	2.4m x 100	DP100X***24	each	0.40
Stormwater Connector 100mm to 90mm 		DPA10090MF	each	
Not all colours available. Please check availability.				
Accessories				
	Astragals			
	75	AST75**	each	
		AST75X***	each	
	90	AST90**	each	
		AST90X***	each	
	100	AST100**	each	
		AST100X***	each	
	125	AST125GA	each	
	150	AST150**	each	
		AST150X***	each	
	Nozzles/Pops			
	50	NOZ50**	each	
	75	NOZ75**	each	
		NOZ75X***	each	
	85	NOZ85ZA	each	
	90	NOZ90**	each	
		NOZ90X***	each	
	100	NOZ100**	each	
		NOZ100X***	each	
	125	NOZ125**	each	
	Universal Nozzle Suits 100 x 75 & 90 round			
		NOZUNIZA	each	
	Round Adjustable Standard Offsets			
	50	OS50GA	each	
	75	OS75GA	each	
	1.0m x 90	OS90X***	each	
	Shoes (15°)			
	50	SHOE50GA	each	
	75	SHOE75GA	each	
	Cast Elbow			
	100 (45°)	ELBC10045X***	each	
	100 (95°)	ELBC10095X***	each	
	90 (45°)	ELBC9045X***	each	
	90 (90°)	ELBC9090X***	each	

FLUE & SEWER ACCESSORIES

Product	Details	Ordering Code	Finish	Unit
Flue & Sewer Accessories				
	Flue Accessories			
	Crimped Bends 45°			
	50mm diameter	CB5045GA	GA	each
	75mm diameter	CB7545GA	GA	each
	100mm diameter	CB10045GA	GA	each
	125mm diameter	CB12545GA	GA	each
	150mm diameter	CB15045GA	GA	each
	200mm diameter	CB20045GA	GA	each
	75mm diameter	CB7545ZA	ZA	each
	75mm diameter	CB7545X***	COL	each
	Crimped Bends 90°			
	50mm diameter	CB5090GA	GA	each
	75mm diameter	CB7590GA	GA	each
	90mm diameter	CB9090GA	GA	each
	100mm diameter	CB10090GA	GA	each
	125mm diameter	CB12590GA	GA	each
	150mm diameter	CB15090GA	GA	each
	200mm diameter	CB20090GA	GA	each
	75mm diameter	CB7590ZA	ZA	each
	75mm diameter	CB7590X***	COL	each
	100mm diameter	CB10090X***	COL	each
	Chinaman's Hat Cowl			
	50mm diameter	CAP50GA	GA	each
	75mm diameter	CAP75GA	GA	each
	100mm diameter	CAP100GA	GA	each
	125mm diameter	CAP125GA	GA	each
	150mm diameter	CAP150GA	GA	each
	175mm diameter	CAP175GA	GA	each
	200mm diameter	CAP200GA	GA	each
	225mm diameter	CAP225GA	GA	each
	250mm diameter	CAP250GA	GA	each
	300mm diameter	CAP300GA	GA	each
Sewer Accessories				
	Mica Flap with Gauze 100mm			
		MF100GGA	GA	each
Wire Cowl Baskets				
	50	WCB50GA	GA	each
	75	WCB75GA	GA	each
	100	WCB100GA	GA	each
	150	WCB150GA	GA	each

RAINWATER HEADS • SUMPS


Product	Size	Ordering Code	Unit
---------	------	---------------	------

Rainwater Heads/Sumps	PLAIN	PAINTED
-----------------------	-------	---------

Rainwater Head Standard Size	390 x 300 x 175 Blank	RWH390175300ZA RWH390175300***	ea
---------------------------------	-----------------------	--------------------------------	----

NOTE: Seams to be sealed onsite
Not all colours available. Please check availability.

0 Gee Rainwater Head Blank Standard Size	Small 300 x 220 Large 400 x 250	RWHOGSGA RWHOGLGA	ea ea
---	------------------------------------	----------------------	----------



Sumps - 0.60mm (Custom Made)	Flat Bottom		
	200 x 200 x 150 Deep	SUF202015***	ea
	300 x 300 x 150 Deep	SUF303015***	ea
	400 x 400 x 150 Deep	SUF404015***	ea
	450 x 450 x 150 Deep	SUF454515***	ea
	500 x 500 x 150 Deep	SUF505015***	ea
	550 x 550 x 150 Deep	SUF555515***	ea
	600 x 600 x 150 Deep	SUF606015***	ea
	Tapered Bottom (tapering is minimal)		
	200 x 200 x 150 Deep	SUT202015***	ea
	300 x 300 x 150 Deep	SUT303015***	ea
	400 x 400 x 150 Deep	SUT404015***	ea
	450 x 450 x 150 Deep	SUT454515***	ea
	500 x 500 x 150 Deep	SUT505015***	ea
	550 x 550 x 150 Deep	SUT555515***	ea
	600 x 600 x 150 Deep	SUT606015***	ea

NOTE: All products this page made to order. NON RETURNABLE
Check lead times on ordering.
Pricing Ex Erskine Park.

NON STANDARD RAINWATER HEAD GUIDE

STRAMIT® CUSTOM PRODUCTS - MADE TO ORDER POA

Source your custom rainwater heads from the roofing experts. We offer you a complete range to suit any architectural style. We can manufacture rainwater heads to your specifications.

MATERIALS: Available in a variety of finishes.

For further information please contact your local Stramit branch. **Price on application. Please fax.**

NOTE: These products are made to order, NON RETURNABLE

	01	02	03	04	05	06
CCY						
CT						
TF						
CF						
CCN						
CI						
TD						
TH						

***Note: Available Gal, Zinc, Copper and Stainless Steel.**

IMPORTANT NOTICE

It is the Customer's responsibility to advise Stramit at the time of ordering if the order is for COLORBOND® Ultra steel, COLORBOND® steel Matt or COLORBOND® Stainless steel.

Unless this notification is made at the time of order (in writing) then the order will be supplied as COLORBOND® steel (XRW).

EG. An order for SURFMIST® will be supplied as COLORBOND® STEEL (XRW) IN THE COLOUR SURFMIST® IN ALL INSTANCES UNLESS IDENTIFIED OTHERWISE.

EG. To order COLORBOND® Ultra steel in the colour Surfmist® the order must clearly state COLORBOND® Ultra steel in Surfmist®.

This publication sets out Stramit's recommended retail prices and Stramit's standard supply terms. Resellers of Stramit products are under no obligation to follow Stramit's recommended retail pricing.

PREMIUM PRODUCTS • ROOFING • CLADDING

PRODUCT – Roofing/Cladding	Coil Width &BMT	Min Length (m)	Max Length (m)	COLORBOND® ULTRA STEEL						COLORBOND® STAINLESS STEEL			COLORBOND® STEEL MATT			COLORBOND® METALLIC STEEL
				Dune®	Monument®	Surfmist®	Woodland Grey®	Wallaby®	Windspray®	Dune®	Surfmist®	Windspray®	Basalt®	Monument®	Surfmist®	
Stramit® Corrugated	0.42	1.2		✓	✓	✓	✓	✓	✓	▲	✓	▲	✓	✓	✓	Please check colour availability at time of order.
Stramit® Corrugated	0.48	1.2		✓	✓	✓	✓	✓	✓							
Stramit® Corrugated-C/Quality	0.60	0.5		✓	✓	✓	✓	✓	✓	▲	✓	▲				
Stramit Speed Deck Ultra®	0.42	0.5		✓	✓	✓	✓	✓	✓				✓	✓	✓	
Stramit Speed Deck Ultra®	0.48	1.2		✓	✓	✓	✓	✓	✓							
Stramit Monoclad®	0.42	1.2		✓	✓	✓	✓	✓	✓	▲	✓	▲	✓	✓	✓	
Stramit Monoclad®	0.48	0.5		✓	✓	✓	✓	✓	✓							
Stramit Sharpline®	0.42	1.0			✓								✓	✓	✓	
Stramit Longspan®	0.42	0.5		✓	✓	✓	✓	✓	✓	▲	✓	▲	✓	✓	✓	
Stramit Longspan®	0.48	0.5		✓	✓	✓	✓	✓	✓							
Stramit Minirib®	0.42	0.5		✓	✓	✓	✓	✓	✓				✓	✓	✓	
Stramit K-Panel®	0.42	0.5		✓	✓	✓	✓	✓	✓				✓	✓	✓	
Stramit® Mini Corry	0.42			✓	✓	✓	✓	✓	✓				✓	✓	✓	
Stramit® Mini Corry	0.48															

PRODUCT – Roofing/Cladding	Coil Width &BMT	Min Length (m)	Max Length (m)	COLORBOND® ULTRA STEEL						COLORBOND® STAINLESS STEEL			COLORBOND® STEEL MATT			COLORBOND® METALLIC STEEL
				Dune®	Monument®	Surfmist®	Woodland Grey®	Wallaby®	Windspray®	Dune®	Surfmist®	Windspray®	Basalt®	Monument®	Surfmist®	
Stramit® Ridge	0.55		9	✓	✓	✓	✓	✓	✓	▲	✓	▲	✓	✓	✓	Please check colour availability at time of order.
Stramit® Valley Folded	0.55		8	✓	✓	✓	✓	✓	✓	▲	✓	▲	✓	✓	✓	
Stramit® Flashings & Others	0.55		8	✓	✓	✓	✓	✓	✓	▲	✓	▲	✓	✓	✓	
Stramit® Hi Front Quad 115	0.42		9	✓	✓	✓	✓	✓	✓				✓	✓	✓	
Stramit® Fascia Board			9	✓	✓	✓	✓	✓	✓				✓	✓	✓	
Stramit® Downpipes hand made	0.55	1.8	2.4	✓	✓	✓	✓	✓	✓	▲	✓	▲	✓	✓	✓	

= AVAILABLE
 = PRICE/MATERIAL AVAILABILITY ON REQUEST*
 = NOT AVAILABLE

Stainless Steel, COLORBOND® Stainless steel, COLORBOND® steel Matt & COLORBOND® Metallic steel
 Finishes subject to minimum order quantity and extended lead times.
 Please check colour availability at time of order. Please refer to our Sales Office.

COLOUR AVAILABILITY						
COLORBOND® ULTRA STEEL		COLORBOND® STAINLESS STEEL		COLORBOND® STEEL MATT		COLORBOND® METALLIC STEEL
DUN	DUNE®	DUN	DUNE®	BAS	BASALT® MATT	Please check colour availability at time of order.
MON	MONUMENT®	SUR	SURFMIST®	MON	MONUMENT® STEEL	
SUR	SURFMIST®	WSP	WINDSPRAY®	SUR	SURFMIST® MATT	
WDG	WOODLAND GREY®					
WLB	WALLABY®					
WSP	WINDSPRAY®					

NOTE: Stramit reserves the right to revise prices on all Copper, Stainless Steel and Aluminium products without notice.

Colorbond®

COLORBOND® steel is more than a world-class building product. It's an iconic brand that's helped the people of our building industry shape the very landscape in which we live.

MADE FOR AUSTRALIAN CONDITIONS

Australia is battered by our relentless climate every day. Today's COLORBOND® steel is the result of over 5 decades of research, development and innovation, based on over 50 years of data from thousands of steel samples.

TRIED AND TESTED FOR THE AUSTRALIAN ENVIRONMENT

For roofing and walling close to water, COLORBOND® Ultra steel has been designed to provide enhanced corrosion protection, while the iconic COLORBOND® steel range of 22 colours is ideal for most building designs in most locations. Regardless of where you build, there's likely to be a COLORBOND® steel solution for you.


COOLER IN THE SUMMER HEAT

COLORBOND® steel colours incorporate Thermatech® solar reflectance technology¹, which can mean reduced reliance on air-conditioning and less heat stress on a roof. For commercial roofing applications, COLORBOND® Coolmax® steel provides BlueScope's highest solar reflectance product, which may help to reduce roofing temperatures and keep buildings cooler².

FIVE LAYERS OF PROTECTION

Manufactured in Australia to relevant Australian Standards (AS 1397-2011 and AS/NZS 2728:2013) and tested in some of the harshest Australian conditions, COLORBOND® steel is far more than just 'paint on steel'.

1. The steel base meets relevant Australian Standards, ensuring strict adherence to the required grade and strength.
2. The base is then coated in BlueScope's industry leading metallic coating incorporating Activate® technology⁴, to provide enhanced corrosion resistance.
3. A thin pre-treatment layer is applied to optimise the adhesion of further coatings.
4. A corrosion inhibitive primer is baked onto the surface.
5. A topcoat of specially developed, exterior grade paint is baked on to provide resistance to chipping, flaking and blistering and to ensure the finish retains its look for longer.



PEACE OF MIND FOR YOU AND YOUR CUSTOMERS

COLORBOND® steel for roofing is warranted for corrosion to perforation for up to 36 years, as well as paint flake and peel for up to 20 years³. Detailed information can be accessed at bluescopesteel.com.au/warranties.

NATIONWIDE SUPPORT

BlueScope's nationwide network of sales and technical support helps provide advice and information for customers, architects, designers, engineers, builders, trades and homeowners who use COLORBOND® steel.











1. Thermatech® technology is not available in Night Sky®, or non-standard colours, and is not available in COLORBOND® Stainless steel, COLORBOND® Metallic steel, or COLORBOND® Coolmax® steel. Results will depend on roof colour, level and location of insulation, type and location of building shape and function.

2. Compared to conventional roofing materials of lower solar reflectance index (SRI), such as ZINCALUME® steel and all other roofing materials in the COLORBOND® steel range. Any savings and or the extent to which a building is cooler may vary and depend upon the particular circumstances of your building, including building location, level of insulation, location of air-conditioning when installed, building shape, building function and environmental factors. For further information refer to Stockland case study <http://steel.com.au/colorbond-coolmax-steel>.

3. Warranties are subject to exclusions, application and eligibility criteria. For full terms and conditions and to determine the eligibility of your product for the warranty visit bluescopesteel.com.au/warranties or contact BlueScope on 1800 064 384.

4. Aluminium/zinc/magnesium alloy-coated steel substrate incorporating Activate® technology is not available for COLORBOND® Stainless steel, and COLORBOND® steel products with a galvanised steel substrate.

COLORBOND® PREMIUM PRODUCTS • ROOFING • CLADDING

Product Roofing/Cladding/Accessories	Details	Ordering Code	Finish	BMT mm	Unit
Stramit Speed Deck Ultra® 	Stramit® Corrugated 	UD42U***	Ultra	0.42	per m ²
		UD42KWHN	Coolmax®	0.42	per m ²
		UD42T***	Matt	0.42	per m ²
		UD48U***	Ultra	0.48	per m ²
		UD48KWHN	Coolmax®	0.48	per m ²
		UD48M***	Metallic	0.48	per m ²
		Minimum 3 sheet order.			
		To convert price to linear metres multiply by 0.700.			
		For Stramit Speed Deck Ultra® Fixing Clips refer page 25.			
		Sheeting Cutback			
Stramit Longspan® 	Stramit Monoclad® 	C42U***	Ultra	0.42	per m ²
		C42KWHN	Coolmax®	0.42	per m ²
		C42T***	Matt	0.42	per m ²
		C42S***	Stainless Steel	0.42	per m ²
		C48U***	Ultra	0.48	per m ²
		C48KWHN	Coolmax®	0.48	per m ²
		C48M***	Metallic	0.48	per m ²
		CQ60U***	Ultra	0.60	per m ²
		CD60U***	Ultra	0.60	per m ²
		C70ALMF	Aluminium	0.70	per m ²
Stramit Monoclad® 	Stramit Monoclad® 	C55SS4D	Stainless Steel	0.55	per m ²
		CUTBACKLTH (0.5m - 1.2m)			each
		NOTE: Copper & Aluminium corrugated manufactured Mon & Fri only.			
		To convert price to linear metres multiply by 0.762.			
		Please specify if end lapping with Curving Quality material.			
		Sheeting Cutback			
		Minimum 3 sheet order			
		To convert price to linear metres multiply by cover of sheet (ie. x 0.700).			
		Sheeting Cutback			
		Minimum 3 sheet order			
Stramit Monoclad® 	Stramit Monoclad® 	MC42U***	Ultra	0.42	per m ²
		MC42KWHN	Coolmax®	0.42	per m ²
		MC42T***	Matt	0.42	per m ²
		MC42SSUR	Stainless Steel	0.42	per m ²
		MC48U***	Ultra	0.48	per m ²
		MC48KWHN	Coolmax®	0.48	per m ²
		MC48M***	Metallic	0.48	per m ²
		MC70ALMF	Aluminium	0.70	per m ²
		MC55SS4D	Stainless Steel	0.55	per m ²
		CUTBACKLTH (0.5m - 1.2m)			each
Stramit Monoclad® 	Stramit Monoclad® 	To convert price to lin metres multiply by cover of sheet (ie. x 0.762).			
		Sheeting Cutback			
		Minimum 3 sheet order			
		To convert price to lin metres multiply by cover of sheet (ie. x 0.762).			
		Sheeting Cutback			
		Minimum 3 sheet order			
		To convert price to lin metres multiply by cover of sheet (ie. x 0.762).			
		Sheeting Cutback			
		Minimum 3 sheet order			
		To convert price to lin metres multiply by cover of sheet (ie. x 0.762).			

PREMIUM PRODUCTS • ROOFING • CLADDING






Product Roofing/Cladding/Accessories	Details	Cover Width mm	Ordering Code	Finish	BMT	Unit mm
	25mm Rib (short)	290	SLS290D55T***	Matt	0.55	per m ²
		290	SLS290D55U***	Ultra	0.55	per m ²
		490	SLS490D55T***	Matt	0.55	per m ²
		490	SLS490D55U***	Ultra	0.55	per m ²
	38mm Rib (tall)	265	SLT265D55T***	Matt	0.55	per m ²
		265	SLT265D55U***	Ultra	0.55	per m ²
		465	SLT465D55T***	Matt	0.55	per m ²
		465	SLT465D55U***	Ultra	0.55	per m ²
	25mm Rib (short)	320	SLS320C55T***	Matt	0.55	per m ²
		320	SLS320C55U***	Ultra	0.55	per m ²
		520	SLS520C55T***	Matt	0.55	per m ²
		520	SLS520C55U***	Ultra	0.55	per m ²
	38mm Rib (tall)	285	SLT285C55T***	Matt	0.55	per m ²
		285	SLT285C55U***	Ultra	0.55	per m ²
		465	SLT465C55T***	Matt	0.55	per m ²
		465	SLT465C55U***	Ultra	0.55	per m ²

Product Roofing/Cladding/Accessories	Details	Ordering Code	Finish	BMT mm	Unit
	Stramit Minirib® (Rectangular profile)	MR42U***	Ultra	0.42	per m ²
		MR42T***	Matt	0.42	per m ²
		To convert price to linear metres multiply by 0.900. Minimum 3 sheet order.			
	Stramit K-Panel® (Vertical garage cladding)	KP42U***	Ultra	0.42	per m ²
		KP42T***	Matt	0.42	per m ²
		To convert price to linear metres multiply by 0.864. Minimum 3 sheet order.			
	Stramit Mini Corry®	MK42U***	Ultra	0.42	per m ²
		MK48M***	Metallic	0.48	per m ²
		MK42T***	Matt	0.42	per m ²
		To convert price to linear metres multiply by 0.825. Minimum 3 sheet order. Minimum length 500mm.			

*Note: Fastener types are dependent on area location and material finish. Please contact Stramit to confirm fastener requirements.
Stainless Steel, COLORBOND® Stainless steel & COLORBOND® Metallic steel finishes subject to minimum order quantity and extended lead times.
Please refer to our Sales Office.*

Stramit reserves the right to revise prices without notice. Price quoted is an effective cover per square metre price.

PREMIUM PRODUCTS • VALLEYS & RIDGES









Product	Details	Ordering Code	Finish	Unit	
Valleys/Ridges					
	Stramit® Valley Folded	VPFL55U***	Ultra	lin metre	
		VPFL55T***	Matt	lin metre	
		VPFL55M***	Metallic	lin metre	
		VPFL55SSUR	Stainless	lin metre	
	Maximum length manufactured is 8.0m.				
	Flashings	Ridge for Stramit Speed Deck Ultra®	RFSD55U***	Ultra	lin metre
		RFSD55M***	Metallic	lin metre	
		RFSD55SSUR	Stainless	lin metre	
		Ridge for Stramit® Corrugated	RFCC55U***	Ultra	lin metre
		RFCC55M***	Metallic	lin metre	
		RFCC55SSUR	Stainless	lin metre	
Common to Stramit Monoclad®, Stramit Longspan®.					
		RFMC55U***	Ultra	lin metre	
		RFMC55M***	Metallic	lin metre	
		RFMC55SSUR	Stainless	lin metre	
		Stramit® Roll Top Ridge	RTRA55U***	CBU Ultra	lin metre
		RTRA55T***	Matt	lin metre	
		RTRA55ZM8***	Magnaflow	lin metre	
(anti-scratch edge Ex Erskine Park only)					
		RTR55U*** (Ex Newcastle only)	Ultra	lin metre	

*COLORBOND® Stainless steel & COLORBOND® Metallic steel finishes subject to minimum order quantity and extended lead times.
Please refer to our Sales Office.*

PREMIUM PRODUCTS • FASCIA • GUTTER • DOWNPIPE

Product	Details	Ordering Code	Finish	Unit
Fascia/Gutter/Downpipe				
Stramit® Hi Front Quad 115 Slotted 	Quad Hi Front Slotted	QV115SU*** QV115ST*** QV115SZM8***	Ultra Matt Magnaflow	lin metre lin metre lin metre
	Quad Hi Front Plain	QV115PU*** QV115PT*** QV115PZM8***	Ultra Matt Magnaflow	lin metre lin metre lin metre
	ECSA 5200mm² NOTE: Maximum length manufactured is 9.0m.			
	Concealed Bracket	QV115CBZA QV115CBAM	ZA ZAM	each each
	External Brackets (80/box)	QV115EBT***	Matt	each
	HB Stiffener	QV115HSBAM	ZAM	each
	Stop End Plates (L/R)	QV115SERX***	COL	each
		QV115SERT***	Matt	each
		QV115SERZM8***	Magnaflow	each
		QV115SELX***	COL	each
		QV115SELT***	Matt	each
	Cast Angles (Ext/Int)	QV115SELZM8***	Magnaflow	each
		QV115CAEX***	COL	each
		QV115CAET***	Matt	each
		QV115CAIX***	COL	each
		QV115CAIT***	Matt	each
Stramit® Fascia & Barge Board 		FBU*** FBT*** FBZM8*** FBCOVT***	Ultra Matt Magnaflow Matt	lin metre lin metre lin metre lin metre
	Maximum length manufactured is 9.0m.			
	External Corner (90°)	FBECX*** FBECT*** FBECZM8***	COL Matt Magnaflow	each each each
	Internal Corner Cap (90°)	FBICX*** FBICT*** FBICZM8***	COL Matt Magnaflow	each each each
	Rafter Bracket	FBVRBGA FBVRBAM	GA ZAM	each each
	Barge Corner	FBBCRT*** FBBCRZM8***	Matt Magnaflow	each each
	(LH/RH)	FBBCLT*** FBBCLZM8***	Matt Magnaflow	each each
	Apex Cover Plate	FBAJT*** FBAJZM8***	Matt Magnaflow	each each
	Splice Plate	FBSPZM8***	Magnaflow	each
	100 x 50 2400mm	DP10050T***24	Matt	each
Stramit® Downpipe 	Astragals 100 x 50	AST10050T***	Matt	each
	100 x 75 x 2400mm	DP10075U***24	Ultra	each
		DP10075SSUR24	Stainless Steel	each

PREMIUM PRODUCTS • FASCIA • GUTTER • DOWNPIPE

Product	Details	Ordering Code	Finish	Unit
Gutter/Accessories				
Stramit® 150 Half Round Gutter 	150 PLAIN	HRGR150PT***	Matt	lin metre
	150 SLOTTED	HRGR150ST***	Matt	lin metre
	ECSA 7700mm2 NOTE: Minimum length is 500mm. Maximum length is 9.0m			
Stop End Plates 	Left Hand Right Hand	HRG150SELT*** HRG150SERT***	Matt Matt	each each
External Brackets 	150	HRG150BA1T***	Matt	each
Nozzle 90mm Half Round 	90mm	HRG90NOZT***	Matt	each
Cast External/Internal 	CA Ext 150 CA Int 150	HRG150CAET*** HRG150CAIT***	Matt Matt	each each
Stramit® Flatback Half Round Gutter 	150 PLAIN	HRGFB150PT***	Matt	lin metre
	150 SLOTTED	HRGFB150ST***	Matt	lin metre
	ECSA 7800mm2 NOTE: Minimum length is 500mm. Maximum length is 9.0m			
Stop End Plates 	Left Hand Right Hand	HRGFB150SELT*** HRGFB150SERT***	Matt Matt	each each
Cast External/Internal 	CA Ext 150 CA Int 150	HRGFB150CAET*** HRGFB150CAIT***	Matt Matt	each each

COPPER & UNPAINTED STAINLESS STEEL – GUTTERS • DOWNPIPE • ACCESSORIES

Product	Size	Ordering Code	Unit
Copper & Unpainted Stainless Steel Gutters/Downpipe/Accessories			
	Stramit® Quad 115 Gutter	6.0m length only	QN115CU60 each
	Stop End Plates L/H	QN115SELCU	each
	Stop End Plates R/H	QN115SERCU	each
	External Gutter Brackets	QN115EBCU	each
	Int/Ext Fab. Corner	QN115ICCU	each
		QN115ECCU	each
	6.0m length only	QN115SS60	each
	Stop End Plates L/H	QN115SELSS	each
	Stop End Plates R/H	QN115SERSS	each
	External Gutter Brackets	QN115EBSS	each
Accessories			
	Astragals – Rectangle		
	100 x 50	AST10050**	each
	100 x 75	AST10075**	each
	100 x 100	AST100100**	each
	Astragals – Round		
	75	AST75**	each
	90	AST90**	each
	100	AST100**	each
	Nozzles – Rectangle		
	100 x 50	NOZ10050**	each
	100 x 75	NOZ10075**	each
	100 x 100	NOZ100100**	each
	Nozzles – Round		
	75	NOZ75**	each
	90	NOZ90**	each
	100	NOZ100**	each
	Universal Nozzle	NOZ150**	each
	Suits 100 x 75 & 90 round	NOZUNIZA	each
	Stramit® Downpipe – Rectangular	1.8m x 100 x 50	DP10050**18 each
		2.4m x 100 x 50	DP10050**24 each
		1.8m x 100 x 75	DP10075**18 each
		2.4m x 100 x 75	DP10075**24 each
		1.8m x 100 x 100	DP100100**18 each
		2.4m x 100 x 100	DP100100**24 each
		1.8m x 150 x 100	DP150100**18 each
		2.4m x 150 x 100	DP150100**24 each
	Stramit® Downpipe – Round	1.8m x 75	DP75**18 each
		2.4m x 75	DP75**24 each
		2.4m x 90	DP90**24 each
		1.8m x 100	DP100**18 each
		2.4m x 100	DP100**24 each
		1.8m x 150	DP150**18 each
		2.4m x 150	DP150**24 each

NOTE: All products this page made to order. Check lead times on ordering. *Stramit reserves the right to revise prices without notice.*

** = CU (Copper) or SS (Stainless Steel)

COPPER – GUTTERS • ACCESSORIES

Product	Size	Ordering Code	Unit
Copper Gutters/Accessories			
	Stramit® Half Round Gutter	100	HRG100CU lin metre
		125	HRG125CU lin metre
		150	HRG150CU lin metre
		200	HRG200CU lin metre
		250	HRG250CU lin metre
		300	HRG300CU lin metre
°Check lead times. Available CTL up to 6 metres.			
Accessories			
	Half Round Brackets 1.6mm Type A1		
	100	HRG100BA1CU	each
	125	HRG125BA1CU	each
	150	HRG150BA1CU	each
	Half Round Brackets 3.0mm Type A2		
	125	HRG125BA2CU	each
	150	HRG150BA2CU	each
	200	HRG200BA2CU	each
Heavy Duty Half Round Brackets Type A4 H/Duty required 200mm & over			
External Corner			
	100 x 90°	HRG100ECCU	each
	125 x 90°	HRG125ECCU	each
	150 x 90°	HRG150ECCU	each
	200 x 90°	HRG200ECCU	each
	250 x 90°	HRG250ECCU	each
	300 x 90°	HRG300ECCU	each
	100 x 90°	HRG100ICCU	each
	125 x 90°	HRG125ICCU	each
	150 x 90°	HRG150ICCU	each
	200 x 90°	HRG200ICCU	each
	250 x 90°	HRG250ICCU	each
	300 x 90°	HRG300ICCU	each
Ext = EC Int = IC			
Half Round Stop Ends Plates			
	100	HRG100SECU	each
	125	HRG125SECU	each
	150	HRG150SECU	each
	200	HRG200SECU	each
	250	HRG250SECU	each
	300	HRG300SECU	each
Nozzles Half Round Gutters			
	75	HRG75NOZCU	each
	Suits 100mm gutter		
	100	HRG100NOZCU	each
	Suits 150mm gutter		
	125	HRG125NOZCU	each
	Suits 200mm gutter		
	150	HRG150NOZCU	each
	Suits 200mm 250mm & 300mm gutter		

Note: All Products on this page are made to order. Check lead times on ordering.

Stramit reserves the right to revise price without notice.

** Other sizes of gutter available on extended lead times.







Price On Application. Refer to our sales staff.

UNPAINTED STAINLESS STEEL – GUTTERS • ACCESSORIES

Product	Size	Ordering Code	Unit
Unpainted Stainless Steel Gutters/Accessories			
	100	HRG100SS	lin metre
	125	HRG125SS	lin metre
	150	HRG150SS	lin metre
	200	HRG200SS	lin metre
	250	HRG250SS	lin metre
	300	HRG300SS	lin metre
°Check lead times. Available CTL up to 6 metres.			
Accessories			
	Half Round Brackets 1.6mm Type A1		
	100	HRG100BA1SS	each
	125	HRG125BA1SS	each
	150	HRG150BA1SS	each
	Heavy Duty Half Round Brackets Type A4 H/Duty required 200mm & over		
	150	HRG150BA4SS	each
	200	HRG200BA4SS	each
	250	HRG250BA4SS	each
	300	HRG300BA4SS	each
Half Round Gutter External Corner			
	100 x 90°	HRG100ECSS	each
	125 x 90°	HRG125ECSS	each
	150 x 90°	HRG150ECSS	each
	250 x 90°	HRG250ECSS	each
Internal Corner	300 x 90°	HRG300ECSS	each
	100 x 90°	HRG100ICSS	each
	125 x 90°	HRG125ICSS	each
	150 x 90°	HRG150ICSS	each
	250 x 90°	HRG250ICSS	each
	300 x 90°	HRG300ICSS	each
	Ext = EC Int = IC		
	Half Round Stop Ends Plates		
	100	HRG100SESS	each
	125	HRG125SESS	each
	150	HRG150SESS	each
	200	HRG200SESS	each
	250	HRG250SESS	each
	300	HRG300SESS	each
	Nozzles Half Round Gutters		
	75	HRG75NOZSS	each
	Suits 100mm gutter		
	100	HRG100NOZSS	each
	Suits 150mm gutter		
	125	HRG125NOZSS	each
	Suits 200mm gutter		
	150	HRG150NOZSS	each
Suits 200mm 250mm & 300mm gutter			

Note: All Products on this page are made to order. Check lead times on ordering.
Stramit reserves the right to revise price without notice.
** Other sizes of gutter available on extended lead times.
Price On Application. Refer to our sales staff.

COPPER & UNPAINTED STAINLESS STEEL – GUTTERS • ACCESSORIES • RAINHEADS • SUMPS • TRAYS

Product	Size	Ordering Code	Finish	BMT	Unit
Copper & Unpainted Stainless Steel Gutters/Accessories/Rainheads/Sumps/Trays					
	Stramit® Ogee	3.6m x 125mm	HOG125CU36	CU	length
	Heritage	3.6m x 125mm	HOG125SS36	SS	length
	ECSA 6000mm ² Check lead times.				
Accessories					
	Heritage Ogee Brackets				
	125	HOG125EBCU	CU		each
	125	HOG125EBSS	SS		each
	Heritage Ogee Fabricated Angles (Internal and External)				
	125	HOG125ECCU	CU		each
	125	HOG125ECSS	SS		each
	Ext = EC Int = IC	HOG125ICCU	CU		each
	Ext = EC Int = IC	HOG125ICSS	SS		each
	Heritage Ogee Stop End Plates				
	125 L/H	HOG125SELCU	CU		each
	125 L/H	HOG125SELSS	SS		each
	125 R/H	HOG125SERCU	CU		each
	125 R/H	HOG125SERSS	SS		each
	Rainwater Heads				
	O Gee Rainwater Head Blank †				
	Small 310 x 200	RWHOGSCU	CU		each
	Large 400 x 250	RWHOGLCU	CU		each
	Sumps Flat Bottom x 150mm Deep †				
	200 x 200	SUF202015CU	CU	0.55	each
	300 x 300	SUF303015CU	CU	0.55	each
	400 x 400	SUF404015CU	CU	0.55	each
	450 x 450	SUF454515CU	CU	0.55	each
	500 x 500	SUF505015CU	CU	0.55	each
	550 x 550	SUF555515CU	CU	0.55	each
600 x 600	SUF606015CU	CU	0.55	each	
	Sumps Tapered Bottom x 150mm Deep †				
	200 x 200	SUT202015CU	CU	0.55	each
	300 x 300	SUT303015CU	CU	0.55	each
	400 x 400	SUT404015CU	CU	0.55	each
	450 x 450	SUT454515CU	CU	0.55	each
	500 x 500	SUT505015CU	CU	0.55	each
	550 x 550	SUT555515CU	CU	0.55	each
	600 x 600	SUT606015CU	CU	0.55	each

Check lead times on all sumps. † Nozzle not included.

NOTE: These products are made to order, NON RETURNABLE

* tapering is minimal



ERSKINE PARK Sales (02) 9834 0909 Fax (02) 9834 0955	COFFS HARBOUR (02) 6656 3800 Fax (02) 6656 3808	NEWCASTLE (02) 4041 3400 Fax (02) 4041 3423	CANBERRA (02) 6298 2500 Fax (02) 6298 2533	ORANGE (02) 6360 9200 Fax (02) 6360 9211
---	--	--	---	---

PREMIUM PRODUCTS • CUSTOM FLASHINGS

COLORBOND® Coolmax® steel, COLORBOND® steel Matt, COLORBOND® Metallic steel, COLORBOND® Ultra steel

Ordering Code: CF055 __ _K/T/M/U***

Girth Width	No of Bends								
(mm)	0	1	2	3	4	5	6	7	8
001-100 (B)	CF055B00 ***	CF055B01 ***	CF055B02 ***	CF055B03 ***	CF055B04 ***	CF055B05 ***	CF055B06 ***	CF055B07 ***	CF055B08 ***
101-150 (C)	CF055C00 ***	CF055C01 ***	CF055C02 ***	CF055C03 ***	CF055C04 ***	CF055C05 ***	CF055C06 ***	CF055C07 ***	CF055C08 ***
151-200 (D)	CF055D00 ***	CF055D01 ***	CF055D02 ***	CF055D03 ***	CF055D04 ***	CF055D05 ***	CF055D06 ***	CF055D07 ***	CF055D08 ***
201-250 (E)	CF055E00 ***	CF055E01 ***	CF055E02 ***	CF055E03 ***	CF055E04 ***	CF055E05 ***	CF055E06 ***	CF055E07 ***	CF055E08 ***
251-300 (F)	CF055F00 ***	CF055F01 ***	CF055F02 ***	CF055F03 ***	CF055F04 ***	CF055F05 ***	CF055F06 ***	CF055F07 ***	CF055F08 ***
301-350 (G)	CF055G00 ***	CF055G01 ***	CF055G02 ***	CF055G03 ***	CF055G04 ***	CF055G05 ***	CF055G06 ***	CF055G07 ***	CF055G08 ***
351-400 (H)	CF055H00 ***	CF055H01 ***	CF055H02 ***	CF055H03 ***	CF055H04 ***	CF055H05 ***	CF055H06 ***	CF055H07 ***	CF055H08 ***
401-500 (J)	CF055J00 ***	CF055J01 ***	CF055J02 ***	CF055J03 ***	CF055J04 ***	CF055J05 ***	CF055J06 ***	CF055J07 ***	CF055J08 ***
501-600 (L)	CF055L00 ***	CF055L01 ***	CF055L02 ***	CF055L03 ***	CF055L04 ***	CF055L05 ***	CF055L06 ***	CF055L07 ***	CF055L08 ***
601-700 (N)	CF055N00 ***	CF055N01 ***	CF055N02 ***	CF055N03 ***	CF055N04 ***	CF055N05 ***	CF055N06 ***	CF055N07 ***	CF055N08 ***
701-800 (P)	CF055P00 ***	CF055P01 ***	CF055P02 ***	CF055P03 ***	CF055P04 ***	CF055P05 ***	CF055P06 ***	CF055P07 ***	CF055P08 ***
801-900 (R)	CF055R00 ***	CF055R01 ***	CF055R02 ***	CF055R03 ***	CF055R04 ***	CF055R05 ***	CF055R06 ***	CF055R07 ***	CF055R08 ***
901-1000 (T)	CF055T00 ***	CF055T01 ***	CF055T02 ***	CF055T03 ***	CF055T04 ***	CF055T05 ***	CF055T06 ***	CF055T07 ***	CF055T08 ***
1001-1100 (V)	CF055V00 ***	CF055V01 ***	CF055V02 ***	CF055V03 ***	CF055V04 ***	CF055V05 ***	CF055V06 ***	CF055V07 ***	CF055V08 ***
1101-1200 (X)	CF055X00 ***	CF055X01 ***	CF055X02 ***	CF055X03 ***	CF055X04 ***	CF055X05 ***	CF055X06 ***	CF055X07 ***	CF055X08 ***

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

COLORBOND® Stainless steel 0.55 BMT

Ordering Code: CF055 __ _S***

Girth Width	No of Bends								
(mm)	0	1	2	3	4	5	6	7	8
001-100 (B)	CF055B00S***	CF055B01S***	CF055B02S***	CF055B03S***	CF055B04S***	CF055B05S***	CF055B06S***	CF055B07S***	CF055B08S***
101-150 (C)	CF055C00S***	CF055C01S***	CF055C02S***	CF055C03S***	CF055C04S***	CF055C05S***	CF055C06S***	CF055C07S***	CF055C08S***
151-200 (D)	CF055D00S***	CF055D01S***	CF055D02S***	CF055D03S***	CF055D04S***	CF055D05S***	CF055D06S***	CF055D07S***	CF055D08S***
201-250 (E)	CF055E00S***	CF055E01S***	CF055E02S***	CF055E03S***	CF055E04S***	CF055E05S***	CF055E06S***	CF055E07S***	CF055E08S***
251-300 (F)	CF055F00S***	CF055F01S***	CF055F02S***	CF055F03S***	CF055F04S***	CF055F05S***	CF055F06S***	CF055F07S***	CF055F08S***
301-350 (G)	CF055G00S***	CF055G01S***	CF055G02S***	CF055G03S***	CF055G04S***	CF055G05S***	CF055G06S***	CF055G07S***	CF055G08S***
351-400 (H)	CF055H00S***	CF055H01S***	CF055H02S***	CF055H03S***	CF055H04S***	CF055H05S***	CF055H06S***	CF055H07S***	CF055H08S***
401-500 (J)	CF055J00S***	CF055J01S***	CF055J02S***	CF055J03S***	CF055J04S***	CF055J05S***	CF055J06S***	CF055J07S***	CF055J08S***
501-600 (L)	CF055L00S***	CF055L01S***	CF055L02S***	CF055L03S***	CF055L04S***	CF055L05S***	CF055L06S***	CF055L07S***	CF055L08S***
601-700 (N)	CF055N00S***	CF055N01S***	CF055N02S***	CF055N03S***	CF055N04S***	CF055N05S***	CF055N06S***	CF055N07S***	CF055N08S***
701-800 (P)	CF055P00S***	CF055P01S***	CF055P02S***	CF055P03S***	CF055P04S***	CF055P05S***	CF055P06S***	CF055P07S***	CF055P08S***
801-900 (R)	CF055R00S***	CF055R01S***	CF055R02S***	CF055R03S***	CF055R04S***	CF055R05S***	CF055R06S***	CF055R07S***	CF055R08S***
901-1000 (T)	CF055T00S***	CF055T01S***	CF055T02S***	CF055T03S***	CF055T04S***	CF055T05S***	CF055T06S***	CF055T07S***	CF055T08S***
1001-1100 (V)	CF055V00S***	CF055V01S***	CF055V02S***	CF055V03S***	CF055V04S***	CF055V05S***	CF055V06S***	CF055V07S***	CF055V08S***
1101-1200 (X)	CF055X00S***	CF055X01S***	CF055X02S***	CF055X03S***	CF055X04S***	CF055X05S***	CF055X06S***	CF055X07S***	CF055X08S***

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

Stramit® Custom Flashings.

Please confirm lead time at time of order.

NOTE: Stainless Steel finishes are subject to minimum quantity purchasing restrictions and extended lead times.

Please refer to our sales office for details.

NOTE: Stramit® Custom Flashings are sold/invoiced by finish, girth and number of bends.

Extra charge for tapered cutting. Minimum flashing charge 1.0 metres.

Stramit® Custom Flashings details cannot be taken over the phone.

We require a drawing and recommend the use of our Flashing Detail Page (fax details to ensure manufacture of flashings correct to customer requirement).

Maximum lengths: 8.0m ex Erskine Park and Newcastle.

Subject to delivery location and suitability of flashing shape.

NOTE: These products are made to order, NON RETURNABLE.



PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

CUSTOM FLASHINGS – COPPER & UNPAINTED STAINLESS STEEL

COPPER 0.55 BMT

Ordering Code: CF055 __ _CU

Girth Width	No of Bends								
(mm)	0	1	2	3	4	5	6	7	8
001-100 (B)	CF055B00CU	CF055B01CU	CF055B02CU	CF055B03CU	CF055B04CU	CF055B05CU	CF055B06CU	CF055B07CU	CF055B08CU
101-150 (C)	CF055C00CU	CF055C01CU	CF055C02CU	CF055C03CU	CF055C04CU	CF055C05CU	CF055C06CU	CF055C07CU	CF055C08CU
151-200 (D)	CF055D00CU	CF055D01CU	CF055D02CU	CF055D03CU	CF055D04CU	CF055D05CU	CF055D06CU	CF055D07CU	CF055D08CU
201-250 (E)	CF055E00CU	CF055E01CU	CF055E02CU	CF055E03CU	CF055E04CU	CF055E05CU	CF055E06CU	CF055E07CU	CF055E08CU
251-300 (F)	CF055F00CU	CF055F01CU	CF055F02CU	CF055F03CU	CF055F04CU	CF055F05CU	CF055F06CU	CF055F07CU	CF055F08CU
301-350 (G)	CF055G00CU	CF055G01CU	CF055G02CU	CF055G03CU	CF055G04CU	CF055G05CU	CF055G06CU	CF055G07CU	CF055G08CU
351-400 (H)	CF055H00CU	CF055H01CU	CF055H02CU	CF055H03CU	CF055H04CU	CF055H05CU	CF055H06CU	CF055H07CU	CF055H08CU
401-500 (J)	CF055J00CU	CF055J01CU	CF055J02CU	CF055J03CU	CF055J04CU	CF055J05CU	CF055J06CU	CF055J07CU	CF055J08CU
501-600 (L)	CF055L00CU	CF055L01CU	CF055L02CU	CF055L03CU	CF055L04CU	CF055L05CU	CF055L06CU	CF055L07CU	CF055L08CU
601-700 (N)	CF055N00CU	CF055N01CU	CF055N02CU	CF055N03CU	CF055N04CU	CF055N05CU	CF055N06CU	CF055N07CU	CF055N08CU
701-800 (P)	CF055P00CU	CF055P01CU	CF055P02CU	CF055P03CU	CF055P04CU	CF055P05CU	CF055P06CU	CF055P07CU	CF055P08CU
801-900 (R)	CF055R00CU	CF055R01CU	CF055R02CU	CF055R03CU	CF055R04CU	CF055R05CU	CF055R06CU	CF055R07CU	CF055R08CU
901-1000 (T)	CF055T00CU	CF055T01CU	CF055T02CU	CF055T03CU	CF055T04CU	CF055T05CU	CF055T06CU	CF055T07CU	CF055T08CU
1001-1100 (V)	CF055V00CU	CF055V01CU	CF055V02CU	CF055V03CU	CF055V04CU	CF055V05CU	CF055V06CU	CF055V07CU	CF055V08CU
1101-1200 (X)	CF055X00CU	CF055X01CU	CF055X02CU	CF055X03CU	CF055X04CU	CF055X05CU	CF055X06CU	CF055X07CU	CF055X08CU

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

Unpainted Stainless Steel 0.55 BMT

Ordering Code: CF055 __ _SS12

Girth Width	No of Bends								
(mm)	0	1	2	3	4	5	6	7	8
001-100 (B)	CF055B00SS12	CF055B01SS12	CF055B02SS12	CF055B03SS12	CF055B04SS12	CF055B05SS12	CF055B06SS12	CF055B07SS12	CF055B08SS12
101-150 (C)	CF055C00SS12	CF055C01SS12	CF055C02SS12	CF055C03SS12	CF055C04SS12	CF055C05SS12	CF055C06SS12	CF055C07SS12	CF055C08SS12
151-200 (D)	CF055D00SS12	CF055D01SS12	CF055D02SS12	CF055D03SS12	CF055D04SS12	CF055D05SS12	CF055D06SS12	CF055D07SS12	CF055D08SS12
201-250 (E)	CF055E00SS12	CF055E01SS12	CF055E02SS12	CF055E03SS12	CF055E04SS12	CF055E05SS12	CF055E06SS12	CF055E07SS12	CF055E08SS12
251-300 (F)	CF055F00SS12	CF055F01SS12	CF055F02SS12	CF055F03SS12	CF055F04SS12	CF055F05SS12	CF055F06SS12	CF055F07SS12	CF055F08SS12
301-350 (G)	CF055G00SS12	CF055G01SS12	CF055G02SS12	CF055G03SS12	CF055G04SS12	CF055G05SS12	CF055G06SS12	CF055G07SS12	CF055G08SS12
351-400 (H)	CF055H00SS12	CF055H01SS12	CF055H02SS12	CF055H03SS12	CF055H04SS12	CF055H05SS12	CF055H06SS12	CF055H07SS12	CF055H08SS12
401-500 (J)	CF055J00SS12	CF055J01SS12	CF055J02SS12	CF055J03SS12	CF055J04SS12	CF055J05SS12	CF055J06SS12	CF055J07SS12	CF055J08SS12
501-600 (L)	CF055L00SS12	CF055L01SS12	CF055L02SS12	CF055L03SS12	CF055L04SS12	CF055L05SS12	CF055L06SS12	CF055L07SS12	CF055L08SS12
601-700 (N)	CF055N00SS12	CF055N01SS12	CF055N02SS12	CF055N03SS12	CF055N04SS12	CF055N05SS12	CF055N06SS12	CF055N07SS12	CF055N08SS12
701-800 (P)	CF055P00SS12	CF055P01SS12	CF055P02SS12	CF055P03SS12	CF055P04SS12	CF055P05SS12	CF055P06SS12	CF055P07SS12	CF055P08SS12
801-900 (R)	CF055R00SS12	CF055R01SS12	CF055R02SS12	CF055R03SS12	CF055R04SS12	CF055R05SS12	CF055R06SS12	CF055R07SS12	CF055R08SS12
901-1000 (T)	CF055T00SS12	CF055T01SS12	CF055T02SS12	CF055T03SS12	CF055T04SS12	CF055T05SS12	CF055T06SS12	CF055T07SS12	CF055T08SS12
1001-1100 (V)	CF055V00SS12	CF055V01SS12	CF055V02SS12	CF055V03SS12	CF055V04SS12	CF055V05SS12	CF055V06SS12	CF055V07SS12	CF055V08SS12
1101-1200 (X)	CF055X00SS12	CF055X01SS12	CF055X02SS12	CF055X03SS12	CF055X04SS12	CF055X05SS12	CF055X06SS12	CF055X07SS12	CF055X08SS12

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

NOTE: Stramit® Custom Flashings are sold/invoiced by finish, girth and number of bends. Minimum flashing charge 1.0 metre.

Stramit® Custom Flashings. Please confirm lead time at point of order.

Stramit® Custom Flashings details cannot be taken over the phone.

We require a drawing and recommend the use of our Flashing Detail Page (fax details to ensure manufacture of flashings correct to customer requirement).

Maximum lengths: 8.0m ex Erskine Park. Subject to delivery location and suitability of flashing shape.

NOTE: Stramit reserves the right to revise prices without notice.

NOTE: These products are made to order, NON RETURNABLE

MAGNAFLOW® • ROOFING • CLADDING • RAINWATER

PRODUCT – Roofing/Cladding/Rainwater	BMT (mm)
Stramit® Corrugated	0.42
Stramit Monoclad®	0.42
Stramit Longspan®	0.42
Stramit Speed Deck Ultra®	0.42
Stramit® Roll Top Ridge	0.42 / 0.55
Stramit® Valley Folded	0.55
Stramit® Flashings & Others	0.55


Please refer to Sales office for lead times and availability.

MagnaFlow® sheeting is a highly durable prepainted sheet steel system suitable for use in corrosive environments for roofing, walling and rainwater products. The protective metallic coating on the base steel is a new technology in accordance with AS1397 -2011. This coating provides the added durability of the MagnaFlow® product.

Please enquire at your local Stramit office to confirm colour availability.

SUBSTRATE

The coating on the steel substrate complies with the coating classes as specified in AS 1397 – 2011: Continuous Hot Dipped Metallic Coated Steel Sheet and Strip – Coatings of Zinc, and Zinc Alloyed with Aluminium and Magnesium. The MagnaFlow® coating comprises zinc, aluminium and magnesium and delivers more durable site performance than standard zinc or Zinc/aluminium systems. Minimum coating mass is 240gsm.



RECOMMENDED END USES

MagnaFlow® paint systems have a very good colour and gloss retention and are suitable for roofing, cladding and rainwater goods. It is ideal for animal shelters, flashings, interior uses, and exterior environments where corrosion levels are moderate. It is also suitable for fencing applications.


MAGNAFLOW® WARRANTIES

A range of warranties are available to support MagnaFlow® products for various exposure conditions. Please contact your local Stramit office for details.

THE MAGIC OF MAGNESIUM

All steel roofs are susceptible to the elements along cut edges however the addition of magnesium to the standard zinc/aluminium alloy in MagnaFlow® products provides superior corrosion resistance in this area. As time goes on it allows the protective metal coating to microscopically flow over the cut edge. At this point a sacrificial anticorrosive reaction takes place and a robust seal is created.

Anticorrosive reaction of MagnaFlow® products



PRODUCT AVAILABILITY - MAGNAFLOW COLOURS												
Product	BMT (mm)	Magnaflow Colours ZM8 ***										
		AGY	BCH	MLH	OWH	SLG	GUL	SCM	CFG	HRD	MGN	MBL
Roofing	0.42	Y	POA	Y	Y	Y	CHECK	POA	POA	POA	POA	POA
	0.48	POA	POA	Y	Y	Y	POA	POA	POA	POA	POA	POA
Fascia	0.42	Y	Y	POA	Y	Y	POA	Y	POA	POA	POA	POA
QLD Quad / 150 Half Rnd	0.42	Y	Y	POA	Y	Y	POA	POA	POA	POA	POA	POA
M Gutter	0.42	Y	Y	POA	Y	Y	POA	Y	POA	POA	POA	POA
Quad 175	0.55	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA
Flashings	0.55	Y	Y	Y	Y	Y	POA	POA	POA	POA	POA	POA

MAGNAFLOW COLOUR NAMES

AGY	Armour Grey	SLG	Slate Grey	HRD	Heritage Red
BCH	Birch	GUL	Gull Grey	MGN	Mist Green
MLH	Monolith	SCM	Smooth Cream	MBL	Mountain Blue
OWH	Off White	CFG	Caulfield Cream		

NOTES



New high-tech coating for severe environments

Stramit Building Products now offers the next generation of steel purlin and Condeck HP product manufactured from ZAM coated steel.


ZAM® is a technologically advanced coated steel that allows new installation possibilities in corrosive environments. By replacing the need for post-galvanising, ZAM® products also lower material costs and reduce project lead times.

ZAM® coated steel offers better corrosion protection than conventional galvanised steel (around three times the design life) at a lower cost than products with comparable performance.

ZAM® products perform well in salt or marine atmospheres and are superior to galvanised steel in acid rain, sulphur dioxide or ammonia conditions. They also perform well in alkaline environments. They are appropriate for use near marine environments, in enclosed swimming pool complexes, in poultry, cattle and pig shed environments, as well as in high industrial environments.

The superior scratch resistance of ZAM® products helps corrosion resistance in applications subject to repeated wear. ZAM® coated steel is also concrete compatible, making it an ideal material for steel formwork decking products.

ZAM® is offered by Stramit Building Products with up to a 20 year warranty, subject to standard terms an conditions. Call Stramit Building Products for more information.

ZAM HIGH DURABILITY PURLINS						
Product C & Z Purlins	Details	Code	kg/m	M/tonne	BMT (mm)	Unit
	C&Z 10015 Sections	C10015PIZM	2.635	379	1.5	lin metre
	C & Z 10019 Sections	C/Z10019*IZM	3.310	302	1.9	lin metre
	C & Z 15015 Sections	C/Z15015*IZM	3.562	281	1.5	lin metre
	C & Z 15019 Sections	C/Z15019*IZM	4.488	223	1.9	lin metre
	C & Z 15024 Sections	C/Z15024*IZM	5.750	174	2.4	lin metre
	C & Z 20015 Sections	C/Z20015*IZM	4.534	221	1.5	lin metre
	C & Z 20019 Sections	C/Z20019*IZM	5.705	175	1.9	lin metre
	C & Z 20024 Sections	C/Z20024*IZM	7.177	139	2.4	lin metre
	C & Z 25019 Sections	C/Z25019*IZM	6.466	155	1.9	lin metre
	C & Z 25024 Sections	C/Z25024*IZM	8.134	123	2.4	lin metre
	C & Z 30030 Sections	C/Z30030*IZM	12.640	79	3.0	lin metre
	* Substitute * for P = PUNCHED U = UNPUNCHED EXP = EXACTA PUNCHED EXU = EXACTA UNPUNCHED					
	Check coil availability - extended lead times may apply					
	Other sizes and gauges may be available subject to mill lead times and quantities					
	Min 1.7m length					
	Cutback fee for lengths under 1.7m - item code is CUTBACKLTH					

Purlins Ordering Available to order on 5 days lead time subject to delivery days. No extra charge for hole punching.

ZAM Durability Statement
(Date of issue 15 June 2004)

This statement is issued to Stramit® Building Products Pty Ltd by Nisshin Steel Co., Ltd on 15 June 2004 and states the expected durability of Nisshin Steel Co., Ltd corrosion resistant hot dip coated steel sheeting product ZAM™.

Performance

The corrosion resistance of ZAM coating is a minimum 3 times that of galvanised steel sheet.
ZAM materials are made in accordance with AS 1397, purlins have a ZM350 coating and Condeck HP a ZM275 coating of protective, zinc, aluminium and magnesium. All ZAM products have the same material strength as normal product, and the normal purlin and Condeck HP load tables are valid when used with the ZAM material.

Typical Application

The superior corrosion resistance of ZAM coating means that it can replace hot dip galvanised steel.
Applications are whenever severe and corrosive environments exist: intensive farming, agricultural applications, concrete contact and coastal applications.

ZAM, the highly corrosion-resistant hot dip coated steel sheet, is

- A new hot dip coated steel that has a coating layer of zinc, aluminium 6% and magnesium 3%
- The designation “ZAM” comes from the initials of its constituent elements Zinc, Aluminium, and Magnesium.

CUSTOM SECTIONS

Stramit® Custom Sections

GENERAL

At the forefront of technology, Stramit has designed the latest in computer technology roll forming equipment. This technology allows quick and easy profile changes to be made within the production cycle. This allows the production of special purlins or other shapes designed specifically for individual projects giving the best balance in performance and economy.

SIZE RANGE

Sections can be produced within the following parameters:

Web size	100mm	–	400mm
Flange size	30mm	–	130mm
Lip size	9mm	–	35mm *
Thickness	1.0mm	–	3.0mm
Material type	G300	–	G550 #

*Zero lip (i.e. plain channels) also available.

May vary dependent upon material thickness.

MODIFIED PURLINS

Modified purlins, Z, C or plain channel, use existing strip widths. This advantage of modifying sections within the bounds of existing strip materials allows improvements in performance – either strength or deflection – with ready access to available materials.

Lead times are, particularly if standard flange sizes are used, no more than for normal purlin orders.

CUSTOM SHAPES

Designed for specific purposes, these sections may be used for a variety of applications but usually require a specific strip size, which requires extended lead times for ordering and are subject to a minimum order quantity criteria.

TOOLING


Contact your local Stramit office for cost estimates for tooling of special flange sizes and any special holes.

HOLES

The facility to provide special holes at almost any location is also available.

LOAD TABLES

Section properties and load tables for modified or custom profiles may be possible for larger projects by means of the latest in computer programs written for this purpose.



SIZES AVAILABLE

DOWNTURN LIP – Standard & Lapped Z

These features are available on purlin projects – POA

Custom Sections Subject to special enquiry – POA. They are cut to length, custom punched from galvanised material. Alternative materials are available upon request.

NOTES

DIMENSIONS & TYPICAL DETAILS

STRAMIT® EXACTA PURLIN DIMENSIONS

C SECTIONS					Z SECTIONS					
Section	Web Depth mm	Flange Width mm	Thickness BMT mm	Section Mass kg/m	Section	Web Depth mm	Broad Flange mm	Narrow Flange mm	Thickness BMT mm	Section Mass kg/m
EC150-10	150	58	1.0	2.43	EZ150-10	150	61	57	1.0	2.43
EC150-12	150	58	1.2	2.90	EZ150-12	150	61	57	1.2	2.90
EC150-15	150	58	1.5	3.59	EZ150-15	150	61	57	1.5	3.59
EC150-19	150	58	1.9	4.51	EZ150-19	150	61	57	1.9	4.51
EC150-24	150	58	2.4	5.67	EZ150-24	150	61	57	2.4	5.67
EC200-12	200	72	1.2	3.63	EZ200-12	200	74	69	1.2	3.63
EC200-15	200	72	1.5	4.50	EZ200-15	200	74	69	1.5	4.50
EC200-19	200	72	1.9	5.74	EZ200-19	200	74	69	1.9	5.74
EC200-24	200	72	2.4	7.21	EZ200-24	200	74	69	2.4	7.21
EC250-15	250	73	1.5	5.18	EZ250-15	250	76	71	1.5	5.18
EC250-19	250	73	1.9	6.50	EZ250-19	250	76	71	1.9	6.50
EC250-24	250	73	2.4	8.17	EZ250-24	250	76	71	2.4	8.17
EC300-19	300	93	1.9	8.04	EZ300-19	300	98	91	1.9	8.04
EC300-24	300	93	2.4	10.18	EZ300-24	300	98	91	2.4	10.18
EC300-30	300	93	3.0	12.69	EZ300-30	300	98	91	3.0	12.69
EC350-19	350	120	1.9	9.68	EZ350-19	350	124	116	1.9	9.68
EC350-24	350	120	2.4	12.20	EZ350-24	350	124	116	2.4	12.20
EC350-30	350	120	3.0	15.20	EZ350-30	350	124	116	3.0	15.20

STRAMIT® PURLIN DIMENSIONS


C SECTIONS						Z SECTIONS						
Section	Web Depth mm	Flange Width mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m	Section	Web Depth mm	Broad Flange mm	Narrow Flange mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m
C10010	102	51	12.5	1.0	1.77	Z10010	102	53	49	12.5	1.0	1.77
C10012	102	51	13.0	1.2	2.11	Z10012	102	53	49	13.0	1.2	2.11
C10015	102	51	14.0	1.5	2.61	Z10015	102	53	49	14.0	1.5	2.61
C10019	102	51	15.0	1.9	3.29	Z10019	102	53	49	15.0	1.9	3.29
C15012	152	64	15.0	1.2	2.90	Z15012	152	65	61	15.0	1.2	2.90
C15015	152	64	16.0	1.5	3.59	Z15015	152	65	61	16.0	1.5	3.59
C15019	152	64	17.0	1.9	4.51	Z15019	152	65	61	17.0	1.9	4.51
C15024	152	64	18.5	2.4	5.67	Z15024	152	65	61	18.5	2.4	5.67
C20015	203	76	16.0	1.5	4.50	Z20015	203	79	74	16.0	1.5	4.50
C20019	203	76	19.5	1.9	5.74	Z20019	203	79	74	19.5	1.9	5.74
C20024	203	76	21.0	2.4	7.21	Z20024	203	79	74	21.0	2.4	7.21
C25019	254	76	19.0	1.9	6.50	Z25019	254	79	74	19.0	1.9	6.50
C25024	254	76	20.5	2.4	8.17	Z25024	254	79	74	20.5	2.4	8.17
C30024	300	96	28.0	2.4	10.18	Z30024	300	100	93	28.0	2.4	10.18
C30030	300	96	31.5	3.0	12.69	Z30030	300	100	93	31.5	3.0	12.69
C35030	350	125	31.0	3.0	15.20	Z35030	350	129	122	31.0	3.0	15.20
C40030	400	96	31.0	3.0	15.20	Z40030	400	100	93	31.0	3.0	15.20

HOLING
Stramit® Purlins and Girts have standard 18mm x 22mm holes punched to details supplied. Refer to punching schedule below.

Stramit® Purlin/Girt	‘A’ mm
C/Z100	40 (A)
C/Z150	60 (A) or 70 (VIC)
C/Z200	110 (A)
C/Z250	160 (A)
C/Z300	210 (A)
C/Z350	260 (A)

‘A’ = A.I.S.C. > Hole Spacing


NOTE: 1. Standard hole centres are available (see below).



Refer to Standard Delivery Details ex Erskine Park on Page 95. (NOTE: PURLIN ORDER CUT OFF IS 3.00 pm DAILY)


NOTE: Custom Sections are subject to special enquiry – POA. They are cut to length, custom punched from Galvanised material.


STANDARD & EXACTA C & Z PURLINS

Product	Product Details	Code Standard	Code Exacta	BMT mm	Unit
Stramit® C & Z Purlins					
	Stramit® C & Z Purlins (Z350 Coating)	C & Z 10010 Sections	C/Z10010*	NA	1.0 lin metre
		C & Z 10012 Sections	C/Z10012*	NA	1.2 lin metre
		C & Z 10015 Sections	C/Z10015*	NA	1.5 lin metre
		C & Z 10019 Sections	C/Z10019*	NA	1.9 lin metre
		C & Z 15010 Sections	NA	•C/Z15010EX*	1.0 lin metre
		C & Z 15012 Sections	C/Z15012*	C/Z15012EX*	1.2 lin metre
		C & Z 15015 Sections	C/Z15015*	C/Z15015EX*	1.5 lin metre
		C & Z 15019 Sections	C/Z15019*	C/Z15019EX*	1.9 lin metre
		C & Z 15024 Sections	C/Z15024*	C/Z15024EX*	2.4 lin metre
		C & Z 20012 Sections	NA	•C/Z20012EX*	1.2 lin metre
		C & Z 20015 Sections	C/Z20015*	C/Z20015EX*	1.5 lin metre
		C & Z 20019 Sections	C/Z20019*	C/Z20019EX*	1.9 lin metre
		C & Z 20024 Sections	C/Z20024*	C/Z20024EX*	2.4 lin metre
		C & Z 25015 Sections	NA	•C/Z25015EX*	1.5 lin metre
		C & Z 25019 Sections	C/Z25019*	C/Z25019EX*	1.9 lin metre
		C & Z 25024 Sections	C/Z25024*	C/Z25024EX*	2.4 lin metre
		C & Z 30019 Sections	NA	•C/Z30019EX* Ex Qld	1.9 lin metre
		C & Z 30024 Sections	C/Z30024*	C/Z30024EX* Ex Qld	2.4 lin metre
		C & Z 30030 Sections	C/Z30030*	C/Z30030EX* Ex Qld	3.0 lin metre
		C & Z 35030 Sections	C/Z35030*	C/Z35030EX* Ex Qld	3.0 lin metre
		C & Z 40030 Sections	C/Z40030*	NA	3.0 lin metre

NOTE: 300, 350 & 400 series purlins minimum order is 100Lm.
NA - Not Available * = P (Punched) or U (Unpunched)

- Non-standard item. Check lead time and whether a minimum order quantity applies.
- Coating supplied is Z350 galvanised.
Other gauges and coatings of Z450 and Z600 are available under special order – POA.
Please check availability at time of order. Minimum length 1.700m.


Stramit® Purlins					
	Nesting Channel	(Suit 100)	CH10715U	1.5	lin metre
		(Suit 100)	CH10719U	1.9	lin metre
		(Suit 150)	CH15715U	1.5	lin metre
		(Suit 150)	CH15719U	1.9	lin metre
		(Suit 150)	CH15724U	2.4	lin metre
		(Suit 200)	CH20815U	1.5	lin metre
		(Suit 200)	CH20819U	1.9	lin metre
		(Suit 200)	CH20824U	2.4	lin metre
		(Suit 250)	CH25919U	1.9	lin metre

Stramit® Fascia Purlins					
	Fluted Fascia	(Fluted)	FP23019FP		lin metre
			FP23019FU		lin metre

Refer to Standard Delivery Details on Pages 94-99.

(NOTE: PURLIN ORDER CUT OFF IS 3.00 pm DAILY)

C & Z PURLINS - DOWNTURN LIP

Product	Product Details	Code	BMT mm	Unit
Stramit® C & Z Purlins				
	Stramit® Downturn Lip C & Z Purlins (Z350 Coating)	C 10015 Sections	C10015PDT	1.5 lin metre
		C 10019 Sections	C10019PDT	1.9 lin metre
		C 15012 Sections	C15012PDT	1.2 lin metre
		C 15015 Sections	C15015PDT	1.5 lin metre
		C 15019 Sections	C15019PDT	1.9 lin metre
		C 15024 Sections	C15024PDT	2.4 lin metre
		C 20015 Sections	C20015PDT	1.5 lin metre
		C 20019 Sections	C20019PDT	1.9 lin metre
		C 20024 Sections	C20024PDT	2.4 lin metre
		C 25019 Sections	C25019PDT	1.9 lin metre
		C 25024 Sections	C25024PDT	2.4 lin metre
		C 30024 Sections	C30024PDT	2.4 lin metre
		C 30030 Sections	C30030PDT	3.0 lin metre
		C 35030 Sections	C35030PDT	3.0 lin metre
		C 40030 Sections	C40030PDT	3.0 lin metre
		Z 10010 Sections Broad/Narrow	Z10010PBNDT	1.0 lin metre
		Z 10010 Sections Narrow/Narrow	Z10010PNNDT	1.0 lin metre
		Z 10012 Sections Broad/Narrow	Z10012PBNDT	1.2 lin metre
		Z 10012 Sections Narrow/Narrow	Z10012PNNDT	1.2 lin metre
		Z 10015 Sections Broad/Narrow	Z10015PBNDT	1.5 lin metre
		Z 10015 Sections Narrow/Narrow	Z10015PNNDT	1.5 lin metre
		Z 10019 Sections Broad/Narrow	Z10019PBNDT	1.9 lin metre
		Z 10019 Sections Narrow/Narrow	Z10019PNNDT	1.9 lin metre
		Z 15012 Sections Broad/Narrow	Z15012PBNDT	1.2 lin metre
		Z 15012 Sections Narrow/Narrow	Z15012PNNDT	1.2 lin metre
		Z 15015 Sections Broad/Narrow	Z15015PBNDT	1.5 lin metre
		Z 15015 Sections Narrow/Narrow	Z15015PNNDT	1.5 lin metre
		Z 15019 Sections Broad/Narrow	Z15019PBNDT	1.9 lin metre
		Z 15019 Sections Narrow/Narrow	Z15019PNNDT	1.9 lin metre
		Z 15024 Sections Broad/Narrow	Z15024PBNDT	2.4 lin metre
		Z 15024 Sections Narrow/Narrow	Z15024PNNDT	2.4 lin metre
		Z 20015 Sections Broad/Narrow	Z20015PBNDT	1.5 lin metre
		Z 20015 Sections Narrow/Narrow	Z20015PNNDT	1.5 lin metre
		Z 20019 Sections Broad/Narrow	Z20019PBNDT	1.9 lin metre
		Z 20019 Sections Narrow/Narrow	Z20019PNNDT	1.9 lin metre
		Z 20024 Sections Broad/Narrow	Z20024PBNDT	2.4 lin metre
		Z 20024 Sections Narrow/Narrow	Z20024PNNDT	2.4 lin metre
		Z 25019 Sections Broad/Narrow	Z25019PBNDT	1.9 lin metre
		Z 25019 Sections Narrow/Narrow	Z25019PNNDT	1.9 lin metre
		Z 25024 Sections Broad/Narrow	Z25024PBNDT	2.4 lin metre
		Z 25024 Sections Narrow/Narrow	Z25024PNNDT	2.4 lin metre
		Z 30024 Sections Broad/Narrow	Z30024PBNDT	2.4 lin metre
		Z 30024 Sections Narrow/Narrow	Z30024PNNDT	2.4 lin metre
		Z 30030 Sections Broad/Narrow	Z30030PBNDT	3.0 lin metre
		Z 30030 Sections Narrow/Narrow	Z30030PNNDT	3.0 lin metre
		Z 35030 Sections Broad/Narrow	Z35030PBNDT	3.0 lin metre
		Z 35030 Sections Narrow/Narrow	Z35030PNNDT	3.0 lin metre
		Z 40030 Sections Broad/Narrow	Z40030PBNDT	3.0 lin metre
		Z 40030 Sections Narrow/Narrow	Z40030PNNDT	3.0 lin metre

(Downturn lips are also available for Exacta Purlins.)

NOTE: All Orders under 250lm per size will be charged a \$1000 set up fee.

COATING NOTE: Coating supplied is Z350 galvanised.

Other gauges and coatings of Z450 and Z600 are available under special order – POA.







Please check availability at time of order. Minimum length 1.700m.

Check leadtime at time of order for Downturn Lip Purlins.

Refer to Standard Delivery Details on Pages 94-99.


(NOTE: PURLIN ORDER CUT OFF IS 3.00 pm DAILY)

STRAMIT BRIDGING SYSTEM - ACCESSORIES

Product	Product Details	Code	Unit
Bridging System - Accessories			
Stramit® Bridging			
	Intermediate Locator/Lock	BI***LRLK	lin metre
	Intermediate Lock/Lock	BI***LKLK	lin metre
	Intermediate Locator/Bolt	BI***LRBO	lin metre
	Intermediate Lock/Bolt	BI***LKBO	lin metre
	Intermediate Bolt/Bolt	BI***BOBO	lin metre
	Swivel Bridging	BIS***	lin metre
	Heavy Duty Bridging	BHD300 BHD350 BHD400	lin metre lin metre lin metre
	Ridge Lock/Lock	BR***	lin metre
	Ridge Locator/Locator	BR***	lin metre
	Ridge Bolt/Bolt	BR***	lin metre
	Fascia Locator/Fascia	BF***	lin metre
	Fascia Lock/Fascia	BF***	lin metre
	Fascia Bolt/Fascia	BF***	lin metre
	Girt Hanger	BGHTB*** BGHTB*** BGHTB***	lin metre lin metre lin metre
	Girt Foot	BGF*** BGF*** BGF***	lin metre lin metre lin metre









NOTE: - *** Indicates size of bridging channel required.

STRAMIT BRIDGING SYSTEM • ACCESSORIES


Product	Product Details	Code	Unit
Bridging System/Accessories			
Stramit® Bridging			
	Sag Rod 12mm	BSR12	lin metre
	Sag Rod 16mm	BSR16	lin metre
	Tie Rod Angle	BTRA	each
	Bridging Ends Locator	BLR100 BLR150 BLR200 BLR250	each each each each
	Bridging Ends Lock	BLK100 BLK150 BLK200 BLK250	each each each each
	Bridging Bolted Ends	BB0100 BB0150 BB0200 BB0250	each each each each
	Bridging Bolted Ends	BB0HD300 BB0HD350	each each
	Bridging Channel	BC69ZA	lin metre
	Slotted Channel 5 Hole	BSC5H0	each
	General Purpose Bracket	BGPB100GA BGPB150GA BGPB200GA BGPB250GA BGPB300GA	each each each each each
	Angle Connectors	BAC100 BAC150 BAC200 BAC250	each each each each
	Clamp Plate	BCP100GA BCP150GA BCP200GA BCP250GA	each each each each
	Raking Girt Bracket	BRGB100	each
	Bridging Starting Clips	BSC100 BSC150 BSC200 BSC250	each each each each
	Fascia Bracket	BFB100 BFB150 BFB200 BFB250	each each each each
	Bolts	PB1230ZPH PB1230ZP PB1645ZP PBF1230GA	per 100 each each each

*Check Lead Time at Placement of Order.

SPEEDY SPACER BRIDGING SYSTEM • ACCESSORIES

Product	Details	Ordering Code	Unit
Speedy Spacer Bridging System/Accessories			
Speedy Spacer System			
	Speedy Spacer 100	SS100	lin metre
	Speedy Spacer 150/250	SS150	lin metre
	Fascia Spacer 150/250	SSF150	lin metre
	End Spacer 100	SSE100	lin metre
	End Spacer 150/250	SSE150	lin metre
	Starter Cleat 100	SSSC100	each
	Starter Cleat 150/250	SSSC150	each
	Finishing Cleat 100	SSAFC100	each
	Finishing Cleat 150/250	SSAFC150	each
	Fascia Cleat		
	150 Purlin	SSFC150	each
	200 Purlin	SSFC200	each
	230 Fascia Purlin	SSFC230	each
	250 Purlin	SSFC250	each
	260 Fascia Purlin	SSFC260	each
Accessories			
	Turnbuckle	SSAT	each
Redback® Beam			
	Redback® Beam 100	RBC100156100	each
		RBC1015P6100	each
		RBC100157620	each
		RBC1015P7620	each
	Redback® Beam 150	RBC150156100	each
		RBC1515P6100	each
		RBC150157620	each
		RBC1515P7620	each
Note: no technical data is available for this product. Lengths: 6.100 metre, 7.620 metre. Available in stock lengths only. Minimum order quantity packs of 20.			

FLOORING • ACCESSORIES







'In Plane' System

Designed to meet the needs of domestic and light commercial construction, *Stramit® Flooring* Sections offer an economical, easy to use solution to floor framing and construction. With a wide range of section sizes offering freedom in design of floor joists, bearers, pier sizes and location, the *Stramit® Flooring* Sections adapt to a variety of house designs and conditions. These new section shapes also offer up to 30% more load capacity or 9% greater spanning performance than conventional C-sections.

The in-plane system saves building height or headroom and reduces brick or cladding costs.




- High tensile steel – for high strength and low weight.
- Z350 Galvanised coating – to give long term protection to the steel base. Z350 coating exceeds requirements of the Building Code of Australia for most building areas.
- Deeper sections – 235mm and 283mm joists allow for over 100mm pipe penetrations and standard toilet bends under floor.
- 235mm joist – matches 3 courses of bricks.
- Full range of sections – for economic design.
- Designed to resist bounce – uses the latest technology to prevent low frequency vibration in the floor structure.
- A complete system – with joists, bearers, piers, brackets and accessories.

***A complete flooring system take off service is now available upon request. Please contact your Stramit Account Manager.**








Product Flooring/Accessories	Details	Ordering Code	BMT mm	Unit
	Stramit® Flooring – Joists	J11510	1.0	lin metre
		J11512	1.2	lin metre
		J11515	1.5	lin metre
		J11519	1.9	lin metre
		J18210	1.0	lin metre
		J18212	1.2	lin metre
		J18215	1.5	lin metre
		J18219	1.9	lin metre
		J18224	2.4	lin metre
		J23512	1.2	lin metre
		J23515	1.5	lin metre
		J23519	1.9	lin metre
		J23524	2.4	lin metre
		J28319	1.9	lin metre
		J28324	2.4	lin metre
Minimum Length 1700mm.				
	Stramit® Flooring – Bearers	B11519	1.9	lin metre
		B18219	1.9	lin metre
		B18224	2.4	lin metre
		B23519	1.9	lin metre
		B23524	2.4	lin metre
		B28319	1.9	lin metre
		B28324	2.4	lin metre
Minimum Length 1700mm.				
	Angle Brackets	FCB1A (for B182)		each
		FCB1B (for B235/283)		each
	Web Brackets	FCB3A (for B182)		each
		FCB3B (for B235/283)		each

NOTE: All products on this page check lead times.






FLOORING • ACCESSORIES

Product	Details	Ordering Code	Unit
Structural Sections			
	100mm Stump/Post base	FSMPFB100	each
	100mm Stump top 180 edge	FSMPT180100	each
	90mm Stump centre top	FSMPCT90	each
	75x75x3.0mm 8.0m Stump /Post tube	FSMST7510080	each
	75x75x3.0mm 8.0m Stump /Post tube (extra Gal)	FSMST7513580	each
	90x90x2.0mm 8.0m Stump /Post tube	FSMST9010080	each
	90x90x2.0mm 8.0m Stump /Post tube (extra Gal)	FSMST9013580	each
	75x50x1.6mm 8.0m Stump tube	FSMST75501680	each
	100x50x1.6mm 8.0m Stump tube	FSMST100501680	each
	100x50x2.0mm 8.0m Stump tube	FSMST100502080	each
	150x50x2.0mm 8.0mm Stump tube	FSMST150502080	each
	150x50x3.0mm 8.0m Stump tube	FSMST150503080	each
	150x50x4.0mm 8.0m Stump tube	FSMST150504080	each





FLOORING • ACCESSORIES

Product	Details	Ordering Code	Unit
Structural Sections			
	Angle 40x40 2.50	AF40250DGA	metre
	SHS Beam 75x75 2.50	BSHS07507525DGA	metre
	SHS Beam 75x75 3.00	BSHS07507530DGA	metre
	SHS Beam 75x75 4.00	BSHS07507540DGA	metre
	SHS Beam 89x89 3.50	BSHS08908935DGA	metre
	SHS Beam 90x90 2.00	BSHS09009020DGA	metre
	RHS Beam 75x50 1.60	BRHS07505016GA	metre
	RHS Beam 100x50 1.60	BRHS10005016GA	metre
	RHS Beam 125x75 2.00	BRHS10005020GA	metre
	RHS Beam 125x75 2.00	BRHS12507520GA	metre
	RHS Beam 125x75 3.00	BRHS12507530GA	metre
	RHS Beam 150x50 2.00	BRHS15005020GA	metre
	RHS Beam 150x50 3.00	BRHS15005030GA	metre
	RHS Beam 150x50 4.00	BRHS15005040DGA	metre
	RHS Beam 150x50 5.00	BRHS15005050DGA	metre
	PF Channel 150x75	CPF150075BLK	metre
	PF Channel 180x75	CPF180075BLK	metre
	PF Channel 200x75	CPF200075BLK	metre
	PF Channel 230x75	CPF230075BLK	metre
	PF Channel 250x90	CPF250090BLK	metre
	PF Channel 300x90	CPF300090BLK	metre
	Universal Beam 150 14.0	BU15014BLK	metre
	Universal Beam 180 16.1	BU18016BLK	metre
	Universal Beam 200 18.2	BU20018BLK	metre
	Universal Beam 200 25.4	BU20025BLK	metre
	Universal Beam 250 25.7	BU25025BLK	metre
	Universal Beam 310 32.0	BU31032BLK	metre
	Universal Beam 310 40.4	BU31040BLK	metre

STRUCTURAL SECTIONS

Product	Details	Ordering Code	Finish	BMT mm	Unit
Structural Sections					
	Stramit® Stud				
	NOGGING Available Punched or Unpunched 72 x 32mm	SBN7212*ZA	ZA	1.2	lin metre
	STUD Available Punched or Unpunched 75 x 30mm	SBS7512*ZA	ZA	1.2	lin metre
	PLATE Available Punched or Unpunched 78 x 28mm	SBP7812*ZA	ZA	1.2	lin metre
* Punched stud available on request on minimum 600mm centres. * Check lead time prior to ordering.					
Stramit® Unistud		SBUS753212ZA60 SBUS753212ZA75	ZA ZA	1.2 1.2	6.0m length 7.5m length
	Stramit® Top Hats				
	TOP HAT 64 64 x 34 x 20 x 6 (A x B x C x D)	TH6475ZA TH64100ZA TH64120ZA	ZA ZA ZA	.75 1.0 1.2	lin metre lin metre lin metre
	TOP HAT 96 96 x 34 x 20 x 6 (A x B x C x D)	TH9675ZA (Ex QLD) TH96100ZA TH96120ZA	ZA ZA ZA	.75 1.0 1.2	lin metre lin metre lin metre
	TOP HAT 120 120 x 40 x 25 x 10 (A x B x C x D)	TH12070ZA TH12090ZA TH120120ZA	ZA ZA ZA	.70 .90 1.2	lin metre lin metre lin metre
* Check branches and lead time.					
	Stramit® Roof Battens	RB40TC6100 RB40TC7500	TC TC	.55 .55	each each
	Fasteners	S1240HMTZIP S1240HMTZIPH			per 1000 per pack 100
* Available only in 6.100 & 7.500 stock lengths. * Check Branches for stock availability.					
Stramit® Ceiling Battens		CBTC61	TC	.42	each
					
* Available only in 6.100 stock length. * Check Branches for stock availability.					
Stramit® Eave Purlins					
	64mm Eave Purlin	EP11010	GA	1.0	lin metre
	96mm Eave Purlin	EP13012	GA	1.2	lin metre
NOTE: Check Regional Centres on lead times for cut to length Eave Purlins.					

FORMWORK • ACCESSORIES

Product	Details	Ordering Code	Finish	BMT mm	Unit																																																																																				
Formwork/Accessories																																																																																									
	Stramit Condeck HP®	300mm effective cover																																																																																							
	Low Glare	CONHP75GA	GA	0.75*	per m ²																																																																																				
		CONHP75LG	GA	0.75*	per m ²																																																																																				
	Low Glare	CONHP100GA	GA	1.00	per m ²																																																																																				
		CONHP100LG	GA	1.00	per m ²																																																																																				
Stramit Condeck HP® ZAM	300mm effective cover	CONHP100IZM		1.00	per m ²																																																																																				
ZAM COATED CONDECK HP The corrosion resistance of ZAM coating is a minimum 3 times that of galvanised steel sheet.																																																																																									
ZAM, the highly corrosion-resistant hot dip coated steel sheet, is																																																																																									
<ul style="list-style-type: none">A new hot dip coated steel that has a coating layer of zinc, aluminium 6% and magnesium 3% Price quoted is an effective cover per square metre price.The designation “ZAM” comes from the initials of its constituent elements Zinc, Aluminium, and Magnesium.																																																																																									
		CONEHANG	each																																																																																						
		*In exposed ceiling situations, please check with our Technical Services Manager. Minimum Length 600mm. Maximum Length 16m																																																																																							
Accessories																																																																																									
	Depth																																																																																								
	50 - 100mm Edgeforma*	CONEF100GA	GA	0.90	lin metre																																																																																				
	100 - 125mm Edgeforma*	CONEF125GA	GA	0.90	lin metre																																																																																				
	126 - 160mm Edgeforma*	CONEF160GA	GA	1.20	lin metre																																																																																				
	161 - 185mm Edgeforma*	CONEF185GA	GA	1.50	lin metre																																																																																				
	186 - 200mm Edgeforma*	CONEF200GA	GA	1.50	lin metre																																																																																				
*Edgeforma can be custom made to slab height. Custom made 1.0m - 8.0m lengths. Allow 5 working days for delivery.																																																																																									
<table><tr><th colspan="4">Single Span maximum span (mm)</th></tr><tr><th>slab thickness</th><th colspan="3">Stramit Condeck HP® decking thickness</th></tr><tr><th>(mm)</th><th>0.75mm</th><th>0.90mm</th><th>1.00mm</th></tr><tr><td>90</td><td>2100</td><td>2350</td><td>2450</td></tr><tr><td>100</td><td>2040</td><td>2280</td><td>2380</td></tr><tr><td>110</td><td>1990</td><td>2210</td><td>2310</td></tr><tr><td>120</td><td>1940</td><td>2160</td><td>2250</td></tr><tr><td>125</td><td>1920</td><td>2130</td><td>2220</td></tr><tr><td>130</td><td>1900</td><td>2110</td><td>2200</td></tr><tr><td>140</td><td>1860</td><td>2060</td><td>2150</td></tr><tr><td>150</td><td>1820</td><td>2020</td><td>2100</td></tr><tr><td>160</td><td>1780</td><td>1980</td><td>2060</td></tr><tr><td>170</td><td>1750</td><td>1940</td><td>2020</td></tr><tr><td>180</td><td>1720</td><td>1900</td><td>1990</td></tr><tr><td>190</td><td>1690</td><td>1870</td><td>1960</td></tr><tr><td>200</td><td>1660</td><td>1840</td><td>1920</td></tr><tr><td>210</td><td>1610</td><td>1810</td><td>1890</td></tr><tr><td>220</td><td>1600</td><td>1790</td><td>1870</td></tr><tr><td>230</td><td>1580</td><td>1760</td><td>1840</td></tr><tr><td>240</td><td>1560</td><td>1740</td><td>1820</td></tr><tr><td>250</td><td>1540</td><td>1720</td><td>1790</td></tr></table>						Single Span maximum span (mm)				slab thickness	Stramit Condeck HP® decking thickness			(mm)	0.75mm	0.90mm	1.00mm	90	2100	2350	2450	100	2040	2280	2380	110	1990	2210	2310	120	1940	2160	2250	125	1920	2130	2220	130	1900	2110	2200	140	1860	2060	2150	150	1820	2020	2100	160	1780	1980	2060	170	1750	1940	2020	180	1720	1900	1990	190	1690	1870	1960	200	1660	1840	1920	210	1610	1810	1890	220	1600	1790	1870	230	1580	1760	1840	240	1560	1740	1820	250	1540	1720	1790
Single Span maximum span (mm)																																																																																									
slab thickness	Stramit Condeck HP® decking thickness																																																																																								
(mm)	0.75mm	0.90mm	1.00mm																																																																																						
90	2100	2350	2450																																																																																						
100	2040	2280	2380																																																																																						
110	1990	2210	2310																																																																																						
120	1940	2160	2250																																																																																						
125	1920	2130	2220																																																																																						
130	1900	2110	2200																																																																																						
140	1860	2060	2150																																																																																						
150	1820	2020	2100																																																																																						
160	1780	1980	2060																																																																																						
170	1750	1940	2020																																																																																						
180	1720	1900	1990																																																																																						
190	1690	1870	1960																																																																																						
200	1660	1840	1920																																																																																						
210	1610	1810	1890																																																																																						
220	1600	1790	1870																																																																																						
230	1580	1760	1840																																																																																						
240	1560	1740	1820																																																																																						
250	1540	1720	1790																																																																																						
																																																																																									
SPAN TABLES FOR TEMPORARY PROPS																																																																																									
Calculated for concrete density of 2400 kg/m ³ , reo mass 50 kg/m ³ , stacked material load of 1.5kPa in pans, 100mm wide prop bearers and rib deflection limit of span/240. Maximum spans for finished composite slabs must be checked using the <i>Stramit Condeck HP® Technical Manual</i> or the <i>Stramit Condeck HP® Slab Designer</i> software. Props or propping frames must be spaced approximately equally within the span.																																																																																									
Cases below this line not recommended for exposed ceilings																																																																																									

TAUREAN® RESIDENTIAL AND COMMERCIAL ROLLER DOOR COLOURS

COLORBOND® STEEL COLOUR NAMES							
BAS	Basalt®	HED	Headland®	PPB	Paperbark®		
CLC	Classic Cream™	IST	Ironstone®	SHG	Shale Grey™		
CTG	Cottage Green®	JAS	Jasper®	SUR	Surfmist®		
COV	Cove®	MGV	Mangrove®	TRN	Terrain®		
DOC	Deep Ocean®	MNR	Manor Red®	WAL	Wallaby®		
DUN	Dune®	MON	Monument®	WDG	Woodland Grey®		
EVH	Evening Haze®	NTS	Night Sky®	WIL	Wilderness®		
GLY	Gully®	PEC	Pale Eucalypt®	WSP	Windspray®		
MATT	COLOURGRAIN		SELF-STORAGE / MINI WAREHOUSE				
BAS	Basalt® Matt	CAO	Caoba®	DVW	Dover White	MAN	Mandarin Orange
MON	Monument® Matt	CCE	Classic Cedar®	LAZ	Lazurite Blue	POP	Poppy Red
SUR	Surfmist® Matt						

TAUREAN RESIDENTIAL ROLLER DOORS

DOMESTIC PR1ME SERIES 'A' AND 'AA', WINDLOCK AND WINDSTRONG

Product Details	Discount Group Code	Finish	Code	Unit
Series A - Standard, WindLock or WindStrong options	7T	ZA	RDAZA	Ea
		COL	RDAAhCOLwww	Ea
Series AA - Standard, WindLock or WindStrong options	7V	ZA	RDAAZA	Ea
		COL	RDAAhCOLwww	Ea

Available in ZINCALUME® steel, COLORBOND® steel, COLORBOND® steel Matt and Colourgrain Domestic Roller Door										
Series 'A' Doors (curtain width in mm)							Series 'AA' Doors (curtain width in mm)			
Height (mm)	Width									
	750 to 1550	1551 to 1850	1851 to 2550	2551 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3750 to 4350	4351 to 5100	5101 to 5400
1200										
2200										^
2500										^
2800										
3100										

^ Not available in WindLock

ORDERS TO BE PLACED AS DOOR SIZE (not opening width)

To calculate curtain width, add to opening width -

- 50mm for Series A
- 100mm for Series AA
- 100mm for WindLock option
- 110mm for WindStrong option

TAUREAN LIGHT INDUSTRIAL ROLLER DOORS

LIGHT INDUSTRIAL COMMANDO SERIES 'B', WINDLOCK AND WINDSTRONG

Product Details	Discount Group Code	Finish	Code	Unit
Series 'B' - Standard, WindLock or WindStrong options	7R	ZA	RDBZA	Ea
		COL	RDBCOL	Ea

Available in ZINCALUME® steel, COLORBOND® steel, COLORBOND® steel Matt and Colourgrain Domestic Roller Door										
Series 'B' Doors (curtain width in mm)										
Height (mm)	Width									
	750 to 1550	1551 to 1850	1851 to 2550	2551 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3750 to 4350	4351 to 5100	5101 to 5400
2200										
2500										
2800										
3100										
3500										
3900										
4300										
4600										
5100										

ORDERS TO BE PLACED AS DOOR SIZE (not opening width)

To calculate curtain width, add to opening width -

- 50mm for Series A
- 100mm for Series AA
- 100mm for WindLock option
- 110mm for WindStrong option

Product Details	Code	Unit
Planetary Gear Chain System It is recommended that Planetary Gear Chain operating system be fitted to doors in shaded areas. Planetary Gear system MUST NOT be used when an electric operator is fitted.	RDPLANETGEAR	Ea

TAUREAN® RESIDENTIAL ROLLER DOORS - KEY POINTS

PR1ME SERIES ROLLER DOOR WINDLOCK CONFIGURATION					Wind Classification N3		MAXIMUM DOOR WIDTH (mm)		
Wind Classification (AS/NZS 4505-2012)		MAXIMUM DOOR WIDTH (mm)					0 - 3650	3651 - 5015	5016 - 5100
Classification	Ultimate Wind Pressure	0 - 3650	3651 - 5015	5016 - 5100	ABUTMENT FORCES (kN/m)	Fy INWARDS	5.5	6.2	8.2
N1	< 4.0m: inwards 0.69kPa outwards -0.73kPa > 4.0m: inwards 0.69kPa outwards -0.63kPa	WindLock door 2.2 clips/m				Fx INWARDS	17.7	22.7	29.4
N2	< 4.0m: inwards 0.95kPa outwards -1.02kPa > 4.0m: inwards 0.95kPa outwards -0.87kPa					Fy OUTWARDS	9.5	9.5	11.2
N3	< 4.0m: inwards 1.49kPa outwards -1.59kPa > 4.0m: inwards 1.49kPa outwards -1.37kPa	3.9 clips/m	4.1 clips/m	Fx OUTWARDS		26.3	30.7	40.7	

Taurean Doors Systems certify that this door meets the ultimate wind pressure ratings of Australian Standard AS/NZS 4505 and is fit for purpose in Regions A and B (non-cyclonic areas) of Australia when installed according to instructions.
See taureands.com.au for details.

Tapers for Sloping Floors – Roller Doors



Taurean Pr1me Series Roller Doors are available with tapered curtains to suit floors with a slope across the door opening. Minimum and maximum taper sizes apply, please contact Taurean Customer Service on 1800 778 658 or via customerservice@taureands.com.au for further information.

WINDSTRONG™ Roller Door - Domestic and Medium General Purpose (20,000 cycles) AUSTRALIAN STANDARD 4505 COMPLIANT

Steel Guide Track	ULTIMATE CYCLONIC WIND PRESSURE								Aluminium Guide Track	ULTIMATE CYCLONIC WIND PRESSURE							
Door Width (mm)	2550	2800	3100	3430	3750	4350	5100	5400	Door Width (mm)	s 2550	2800	3100	3430	3750	4350	5100	5400
Inwards Ultimate Wind Pressure Rating (kPa)	6.27	5.76	5.20	4.64	4.17	3.46	2.89	2.76	Inwards Ultimate Wind Pressure Rating (kPa)	6.79	6.13	5.53	4.91	4.38	3.53	2.75	2.53
Outwards Ultimate Wind Pressure rating (kPa)	7.24	6.91	6.50	6.02	5.54	4.59	3.31	2.77	Outwards Ultimate Wind Pressure rating (kPa)	6.79	6.13	5.53	4.91	4.38	3.53	2.75	2.53
Domestic Cyclonic Region Ratings (door width mm)	C4 up to 2770	C3 up to 3660		C2 up to 5100		C2 up to 5400			Domestic Cyclonic Region Ratings (door width mm)	C3 up to 3430				C2 up to 4550		C1 up to 5400	

TAUREAN ROLLER DOOR INSTALLATION

For further information please refer to the Installation Guides at www.taureands.com.au or contact Customer Service 1800 778 658.



Mounting Room - Series A					
Table 1: Mounting Room (mm)					
A	B	C	D	E	
1200	430	265	165	450	
2200	440	270	170	475	
2500	455	275	180	495	
2800	485	295	190	505	
3100	495	300	195	515	

Mounting Room - Series B					
Table 1: Mounting Room (mm)					
A	B	C	D	E	
2200	440	270	170	485	
2500	455	275	180	505	
2800	485	295	190	515	
3100	495	300	195	525	
3900	515	310	205	545	
4600	550	325	225	575	
5100	560	330	230	585	

Mounting Room - Series AA					
Table 1: Mounting Room (mm)					
A	B	C	D	E	
1200	430	265	165	460	
2200	440	270	170	485	
2500	455	275	180	505	
2800	485	295	190	515	
3100	495	300	195	525	

Mounting Room - NovaTaur Commercial					
Table 1: Mounting Room (mm)					
A	B	C	D	E	
2500	485	290	195	500	
3100	520	310	210	540	
3400	520	310	210	540	
4300	555	330	225	575	
5100	585	345	240	610	

Mounting Room - NovaTaur Residential					
Table 1: Mounting Room (mm)					
A	B	C	D	E	
2500	455	290	165	450	

TAUREAN® RESIDENTIAL SECTIONAL DOORS - CLASSIC RANGE



Linea: Grooved / Lined



Tempo: Pressed Squares



Western: Pressed Rectangles



Silk: Flat Panels

AVAILABLE IN COLORBOND® STEEL, WOODGRAIN STANDARD COLORBOND® STEEL, WOODGRAIN TIMBERGRAIN & WOODGRAIN POWDERCOATED COLOURS

Height	# Panels	WIDTH										
		1820 to 2500	2501 to 2800	2801 to 3200	3201 to 3700	3701 to 4150	4151 to 4450	4451 to 4740	4741 to 4950	4951 to 5510	5511 to 5930	5931 to 6050
1920, 1940, 1960, 1980, 2000, 2020, 2040, 2060, 2080, 2100, 2120, 2140, 2160, 2180	4											
2200, 2225, 2250, 2275	5											
2300, 2325, 2350, 2375, 2400, 2425, 2450	5											
2475, 2500, 2525, 2550, 2575, 2600, 2625, 2650, 2675, 2700, 2725	5											
2760, 2790, 2820, 2850, 2880, 2910, 2940, 2970, 3000	6											

Tapers for Sloping Floors – Classic Sectional Doors



Taurean Classic Sectional Doors are available with a tapered bottom panel to suit floors with a slope across the door opening. Minimum and maximum taper sizes apply, please contact Taurean Customer Service on 1800 778 658 or via customerservice@taureands.com.au for further information.

LOW HEADROOM KIT- FRONT MOUNTED ONLY - MINIMUM HEADROOM 2200mm

Product Details	Length	Code	Unit
SD Track Pair LHR 2.591	2591	SDTPRLHRGA2591	Ea
SD Track Pair LHR 2.895	2895	SDTPRLHRGA2895	Ea
SD Track Pair LHR 3.200	3200	SDTPRLHRGA3200	Ea
SD Track Kit Bag LHR		SDTKITBLHR	Ea


Please refer to the Taurean website (www.taureands.com.au) or contact Taurean Door Systems Customer Service on 1800 778 658 for assistance.

TAUREAN® RESIDENTIAL SECTIONAL DOOR INSTALLATION - KEY POINTS



Check opening height and door size.

- 25-30mm overlap on each side and >10mm at top.
- At least 150mm side room required.



Please refer to the Taurean website (www.taureands.com.au) or contact Taurean Door Systems Customer Service on 1800 778 658 for assistance.

TAUREAN® NOVATAUR ROLLER DOORS

Taurean NovaTaur Residential Roller Door

Product Details	Finish	Code	Unit
Taurean Novataur Residential Roller Door	Col	RNR25COLwww	Ea

[illegible]

Taurean NovaTaur Commercial Roller Door

Product Details	Finish	Code	Unit
Taurean Novataur Commercial Roller Door	ZA	RNChhZAwww	Ea

	Width							
Height (mm)	2500 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3751 to 4350	4351 to 51000	5101 to 5500	5501 to 6000
2500								
3100								
3400								
4300								
5100								

Product Details	Code	Unit
Planetary Gear Chain System	RDPLANETGEAR	Ea


It is recommended that Planetary Gear Chain operating system be fitted to doors in shaded areas.

Planetary Gear system **MUST NOT** be used when an electric operator is fitted.

TAUREAN ROLLER DOOR PACKAGING OPTIONS

Packaging Product Details	Code	Unit
Cardboard Box up to 3430 door width	RDCHRGPACK9	Ea
Cardboard Box up to 3710 door width	RDCHRGPACK10	Ea
Cardboard Box up to 4930 door width	RDCHRGPACK19	Ea
Enviropack 1 single layer cardboard outer up to 3430mm door width	RDCHRGPACK15	Ea
Enviropack 1 single layer cardboard outer up to 3431 - 5400mm door width	RDCHRGPACK16	Ea
Enviropack 2 double layer cardboard outer up to 3430mm door width	RDCHRGPACK17	Ea
Enviropack 2 double layer cardboard outer up to 3431 - 5400mm door width	RDCHRGPACK18	Ea
Metal Wrap Packaging per lineal metre	RDCHRGPACK2	Ea

TAUREAN PERSONAL ACCESS (PA) DOOR



Pre Hung PA Door 2040 x 820mm	ZA	PADJ2040820ZA	Ea
	COL	PADJ2040820X***	Ea
Pre Hung PA Door 2040 x 920mm	ZA	PADJ2040920ZA	Ea
	COL	PADJ2040920X***	Ea



Personal Access (PA) Door 2040 x 820mm	ZA COL	PAD2040820ZA PAD2040820X***	Ea Ea
Personal Access (PA) Door 2040 x 920mm	ZA COL	PAD2040920ZA PAD2040920X***	Ea Ea

SPECIFICATIONS

- Taurean Door Systems standard offer is a single skin metal clad door: 2040mm high x 820mm wide x 37mm thick and 2040mm high x 920mm wide x 37mm thick
- Metal cladding is 0.55mm thick COLORBOND® steel
- Outward swing is standard
- Heavy duty Knob/Knob Lockset as standard (with Pre-Hung Door only), Lever/Knob available upon request
- Chrome cabin hook supplied as standard (with Pre-Hung Door only)
- Pre-Hung version comes with three, 100 x 65 x 2mm high quality colour matched hinges

Please refer to the Taurean web-site (www.taureands.com.au) or contact Taurean Door Systems Customer Service on 1800 778 658 for assistance.

TAUREAN® ROLLER DOOR ACCESSORIES

Product Details	Code	Unit
-----------------	------	------

Roller Door Openers - Merlin

RD Motor SilntDrv Elite 855BBU.....	RDMOTORSE855BB	Ea
Max door area = 18m²		
Max door weight = 120kg		

RD Motor SilntDrv Elite 855MYQ.....	RDMOTORSE855MQ	Ea
Max door area = 18m²		
Max door weight = 120kg		

RD Motor SilntDrv Essen 655MYQRDMOTORSS655MQ Ea

Max door area = 16.5m²

Max door weight = 100kg

RD Motor Weather Drive 550EVO	RDMOT0RWD55EVO	Ea
Max door area = 15m ²		
Max door weight = 100kg		
IP 34 Housing Rating		

Roller Door Openers - GRIFCO

RD Motor eDrive 2.0 (ML5102 Kit) Left Hand.....	RDMOTORED20KL	Ea
Max door area with 150mm drum = 36m ²		
Max door area 200mm drum = 50m ²		

RD Motor eDrive 2.0 (ML5102 Kit) Right Hand	RDMOTORED20KR	Ea
Max door area with 150mm drum = 36m ²		
Max door area 200mm drum = 50m ²		

Grifco LR-Drive (GLD-RDO).....	RDMOTOR1300LRD	Ea
Max door area Standard = 28m²		
Max door area WindLocked = 22m²		
Max door weight = 270kg		

Sectional Door Operators - MERLIN

SD Motor ComElite 105BBU	SDMOTCE105BB	Ea
SD Motor ComElite 105MYQ	SDMOTCE105MQ	Ea
SD Motor ComEssen 65MYQ	SDMOTCS65MQ	Ea
SD Motor ComUlt 3800MYQ.....	SDMOTCU3800MQ	Ea
SD Motor ComExt 125 2.4C MYQ	SDMOTCX125C24	Ea
SD Motor ComExt 125 2.4R BBU	SDMOTCX125X24B	Ea
SD Motor ComExt 125 3.0R BBU.....	SDMOTCX125X30B	Ea
SD Motor Whisper Drive 3850EVO	SDMOTWD3850EVO	Ea

Operator Accessories

RD Merlin Evercharge Standby Power Unit.....	RDMERECBPU	Ea
Merlin Battery Backup Kit - Suitable for residential roller & sectional door operators.....	RDMOTORBBU	Ea
RD Merlin handset 3 button Ch1.....	RDMERHS3B3C	E
RD Merlin handset Mini 3 button transmitter.....	RDMERHSM3B3C	Ea
4 Button Hand Transmitter.....	RDMERHSM4B52	Ea
RD Merlin Keyed Cable Release Steel	RDMERCABRELKSF	Ea
RD Merlin Keypad Wireless S2.0	RDMERKPWS2	Ea
RD Merlin Connect Bundle MYQ	RDMERCONBMYQ	Ea
RD Merlin Remote Light LED MYQ	RDMERLEDMYQ	Ea
Wall Mount Wireless TrioCode.....	RDGDOHSWMW	Ea
TrioCode Wireless Keypad	RDGDOKPW	Ea

Please refer to the Taurean website (www.taureands.com.au) or contact Taurean Door Systems Customer Service on 1800 778 658 for assistance.

TAUREAN® PRODUCT WARRANTY

Stramit Corporation Pty Limited Roller Door Warranty and Exclusion of Liability Statement

This Warranty is given by:
Stramit Corporation Pty Limited trading as Taurean Door Systems (Taurean)
1051 Nudgee Road, Banyo, QLD, 4014
Phone: (03) 9721 8366 | Email: customerservice@taureands.com.au | Website: www.taureands.com.au

On Taurean® roller door kits (Product) for a twelve-month period from the date of purchase of the Product, against defects which is subject to the matters set out below (Warranty).

The Warranty is in addition to your rights and remedies that may be available to consumers under the Australian Consumer Law. If you are a consumer, as defined under the Australian Consumer Law, our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

- This Warranty applies only where:
- The purchaser seeking to rely on the Warranty presents proof of purchase to confirm the date of purchase of the Product;
 - If the Product has been installed, an authorised Taurean Door reseller or professional roller door installer (Authorised Installer) performed the installation; and
 - Taurean determines, in its absolute discretion, that the Product has a defect covered by this Warranty.

- Your Product Warranty does not apply to any defect, loss or damage arising through or caused directly or indirectly by, or as a result of:
- Fair wear and tear (e.g. working seals in the inlet and outlet valves, scratching from cleaning, paint rubs or scuffing on the internal wash coat finish or external painted finish etc.);
 - Any defects or deterioration of timber, including drying, after installation of the Product;
 - Any weakening, cracking, deterioration, or collapse of the structure or surface, during installation or use, to which the Product is (or is intended to be) affixed;
 - Incorrect storage or handling of the Product after delivery;
 - Failure to properly install, use or maintain the Product, or to follow any instructions or guidelines for installation, use or maintenance of the Product, including carrying out regular servicing or preventative maintenance;
 - The continued use or operation of the Product after any defect becomes apparent, or would have become apparent to a reasonably prudent operator or user;
 - Installation, adjustment or use of the Product, other than by Taurean or an Authorised Installer;
 - Attempted or completed modifications or repairs to the Product carried out by a person who is not authorised by Taurean to carry out such modifications or repairs;
 - The use of the Product, within 800 metres of the sea or other body of water of equivalent or greater salt concentration or in an area subject to chemical or industrial fall out, or otherwise than for any application specified on a quote or order form, price book or catalogue issued by Taurean; or
 - Any accident or act of God.

- To make a valid claim under this Warranty, a person must submit a claim in writing to Taurean at the abovementioned address within twelve months from the date of purchase of the Product. The claim must include:
- A copy of this Warranty;
 - A description and evidence of (e.g. photo) how the Product is defective;
 - The date on which the person making the claim discovered the defect;
 - Proof of the date of purchase of the Product in the form of an invoice or receipt; and
 - If the Product has been installed, proof of the date of installation of the Product in the form of an invoice or receipt from an Authorised Installer.

Where a valid Warranty claim is made in accordance with clause 6 above, Taurean will investigate the claim, and requires reasonable and adequate access to Products, to undertake its investigation. If a Warranty service call finds that your Product does not have a genuine manufacturing defect, or the claim is resolved by a regular service (that comes under the responsibility of the purchaser) Taurean reserves the right to charge you a service fee.

To the fullest extent permitted by law, Taurean expressly excludes all conditions, warranties and undertakings in relation to the Products except as set out in this document.

- To the fullest extent permitted by law, and subject to and without limiting your consumer rights under the Australian Consumer Law, Taurean expressly limits its liability under this Warranty and under any other statutory guarantee imposed at law to, at its absolute discretion:
- Replacing or repairing the Product;
 - The supply of an equivalent Product; or
 - The payment of the cost of the Product, or of repairing the Product, or of acquiring an equivalent Product.

This Warranty is not transferrable, and only applies to the original purchaser. Wherever the Product is sold by any person other than Taurean, such person has no authority whatsoever from Taurean to give any express warranty or guarantee on any Taurean producy in addition to this Warranty.

NOTES

SYDNEY – STANDARD DELIVERY CHARGES

All orders to store attract a \$25.00 minimum delivery fee per order.

A minimum charge of \$165 per delivery will be levied for delivery to site.

Charges for delivery in the metropolitan area of Sydney
(within the boundary of the map on page 81)
or to those country areas serviced by Sydney on scheduled delivery days
are based on the following minimums.

Material (product length)

Up to 15mtr	FRSITE	\$165 per delivery
15mtr - 18mtr	FR3SITE18	\$270 per delivery (+ escorts as applicable)
18mtr - 19.5mtr	FR3SITE195	\$360 per delivery (+ escorts as applicable)
19.5mtr - 28mtr	FR3SITE28	\$530 per delivery (+ escorts as applicable)
28mtr - 30mtr	FR3SITE30	\$755 per delivery (+ escorts as applicable)
30mtr - 39.5mtr		POA per delivery (+ escorts as applicable)

Escort Costs

Metropolitan	FRESCORT	POA (+ relevant delivery charges).
Country		POA

Maximum length for RIGID/Table Top is 9 metres

Maximum Hi-Ab length is 13.5m. Lengths over 13.5m or delivery total over
4.5 tonne require a crane on site. (maximum pack weight 880kg)

Specific Site Time

Order value under \$2000		POA per delivery (+ site delivery)
Order value \$2000 and more	FR3EARLY	POA per delivery (+ site delivery)
Saturdays		\$500 minimum per delivery (+ site delivery)
(please note this facility is additional to other charges)		

Demurrage

Unloading time at customers premises in excess of one(1) hour will be
charged at the rate of \$100 per hour or part thereof.

Stillage Retrieval Policy


Stramit reserves the right to charge a stillage replacement fee of \$1500 for any
Stillage left at store or on site at the request of the customer, this charge will be
invoiced to the customer if the Stillage is not made available for pick up within
2 weeks after the stillage delivery.

Redelivery

Product refused at the original delivery and requested to be redelivered
will incur a redelivery minimum charge of \$160 FRRDCR.

DISTRIBUTION SCHEDULE – ERSKINE PARK

SYDNEY METROPOLITAN DELIVERY AREA



DELIVERY SERVICES TO COUNTRY AREAS – NOMINATED DAYS

EX SYDNEY WORKS

Nominated Area	Route, Towns Serviced	Delivery	Route Map
Southern Highlands	Mittagong, Berrima, Moss Vale, Bowral, Wilton, Tahmoor Includes: Thirlmere, Bargo, Buxton, Robertson, Fitzroy Falls, Marulan, Bundanoon	Daily	
Blue Mountains Lower Blue Mountains	Via towns on Great Western Hwy to Hartley returning via Bells Line of Road to Kurrajong Includes: Winmalee, Mt Victoria, Blackheath, Medlowbath, Katoomba, Leura, Wentworth Falls, Bullaburra, Hazelbrook, Woodford, Linden, Faulconbridge	Tuesday & Thursday	
South Coast	Stanwell Park, Wollongong, Kiama, Nowra, Gerringong, Picton, Appin, Wilton, Berry, Huskinson, Milton, Ulladulla, Sussex Inlet, Lake Tabourie	Daily Monday, Wednesday & Friday	
Pick Up Hours	Monday - Friday	6.00am - 4.00pm	Orders from outside of this area will be delivered direct Price on application



ERSKINE PARK Sales (02) 9834 0909 Fax (02) 9834 0955	COFFS HARBOUR (02) 6656 3800 Fax (02) 6656 3808	NEWCASTLE (02) 4041 3400 Fax (02) 4041 3423	CANBERRA (02) 6298 2500 Fax (02) 6298 2533	ORANGE (02) 6360 9200 Fax (02) 6360 9211
---	--	--	---	---

PRODUCT AVAILABILITY/SERVICE OFFER/DISTRIBUTION SCHEDULE – COFFS HARBOUR

TO ORDER

Refer to the schedule below and order before 3.00pm the day before production day and at least 2 days before intended delivery day.

PRODUCTION DAYS

Product	Mon	Tues	Wed	Thur	Fri
Stramit® Corrugated sheeting	•	•	•	•	•
Stramit Monoclad® sheeting	•	•	•	•	•
Stramit® Custom Flashings	•	•	•	•	•
Stramit® Roll Top Ridge	•	•	•	•	•
Stramit® M Pattern Gutter	•	•	•	•	•
Stramit® Fascia Board	•	•	•	•	•
Stramit® Hi Front Quad Gutter	•	•	•	•	•

UNLOADING/DEMURRAGE

Unloading at the site is the responsibility of the customer. A maximum time of 1 hour per truck is allowed for unloading, any additional time will be charged to the customer at the rate of \$100 per hour. In the event of an unattended site, our driver will endeavour to unload as close to the site as possible. All care will be taken but Stramit will not accept claims for damage to product during unloading, nor claims for pilfering part or all of the delivery made. Any additional costs will be charged to the customer’s account.

WORKSAFE NSW RESTRICTIONS

Customers should be aware that under WorkSafe NSW legislation there are restrictions governing the ability of drivers to load/unload to/from heavy vehicles. Customers with special requirements or unusual sites should contact the Transport Manager before delivery to clarify the requirements.

REFER TO TERMS AND CONDITIONS ON INSIDE BACK COVER

If the site is considered unsafe for the delivery vehicle, the driver will inform both Stramit and the customer (where possible) for alternative arrangements to be made. If delivery was unsuccessful through no fault of Stramit Building Products, the delivery will be made on the next scheduled delivery day, and a new delivery fee will be charged.

Hi-Ab unloads are from the trailer to the ground. It is unsafe for the Hi-Ab’s to be used to load product on to buildings.

DELIVERY CHARGE – Ex Coffs Harbour

Material	Up to 15mtr	\$165
length to	15mtr-18mtr	\$270 (+ escorts if required)
	18mtr-19.5mtr	\$360 (+ escorts if required)
	19.5mtr-28mtr	\$530 (+ escorts if required)
Hi-Ab Facility		\$85 per delivery (if available)
Escort Charges		POA
Specific Site Time		\$110 (orders over \$2000)
(Additional to other charges levied)		\$220 (orders under \$2000)

FOR PRODUCTS SOURCED FROM OTHER MANUFACTURING CENTRES AND/OR FOR LOADS OVER 13.5MTR CHECK YOUR LOCAL STRAMIT OFFICE FOR INDIVIDUAL PRICING & LEAD TIME.

*DELIVERIES OUTSIDE NOMINATED AREAS WILL BE CHARGED AT \$3.00/km (ROUND TRIP), PLUS HI-AB IF REQUIRED.

***NOTE: COFFS HARBOUR ONLY STOCKS CLASS 4 SCREWS.**

NOTE: Maximum Hi-Ab length is 13.5m. Lengths over 13.5m require a crane on site for unloading.

Nominated Area	Route, Towns Served	Delivery	Route Map
Customer Pickups		Daily 7.00am to 4.00pm	
Local	Coffs Harbour, Bellingen Grafton, Kempsey	Daily	
South	Port Macquarie, Wauchope, Kew.	Tuesday & Thursday	
South West	Armidale, Guyra, Dorrigo	Tuesday & Thursday	
North	Casino, Coraki, Woodburn Yamba, Ballina, Lismore	Daily	
North West	Glen Innes, Inverell Tenterfield	Tuesday	

Note any site deliveries outside the 15km radius of Armidale Post Office will incur \$3.00/km each way extra over standard delivery. All deliveries to Walcha township only.

Non standard deliveries are available at an additional cost. Please refer to your local Stramit office.

Prices in this Product & Service Guide DO NOT include GST.



PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

PRODUCT AVAILABILITY/SERVICE OFFER/DISTRIBUTION SCHEDULE – NEWCASTLE

TO ORDER

Refer to the schedule below and order before 3.00pm the day before production day and at least 2 days before intended delivery day.

PRODUCTION DAYS

Product	Mon	Tues	Wed	Thur	Fri
Stramit® Corrugated sheeting	•	•	•	•	•
Stramit Monoclad® sheeting (incl. reverse roll)	•	•	•	•	•
Stramit® Valley	•	•	•	•	•
Stramit® Roll Top Ridge	•	•	•	•	•
Stramit® Custom Flashings	•	•	•	•	•
Stramit® Quad 125 Gutter	•	•	•	•	•
Stramit® Hi Front Quad & Fascia Board	•	•	•	•	•

NOTE: Newcastle only stock class 5 ZIP screws in selected colours.

NOTE: Curving process conducted every Monday - cut off for orders Thursday.

Goods manufactured at other branches need to be ordered 48 hours before the product rolling day at the appropriate branch.

UNLOADING/DEMURRAGE

Unloading at the site is the responsibility of the customer. A maximum time of 1 hour per truck is allowed for unloading, any additional time will be charged to the customer at the rate of \$100 per hour. In the event of an unattended site, our driver will endeavour to unload as close to the site as possible. All care will be taken but Stramit will not accept claims for damage to product during unloading, nor claims for pilfering part of all of the delivery made. Any additional costs will be charged to the customer’s account.

WORKSAFE NSW RESTRICTIONS

Customers should be aware that under WorkSafe NSW legislation there are restrictions governing the ability of drivers to load/unload to/from heavy vehicles. Customers with special requirements or unusual sites should contact the Transport Manager before delivery to clarify the requirements.

REFER TO TERMS AND CONDITIONS ON INSIDE BACK COVER

If the site is considered unsafe for the delivery vehicle, the driver will inform both Stramit and the customer (where possible) for alternative arrangements to be made. If delivery was unsuccessful through no fault of Stramit Building Products, the delivery will be made on the next scheduled delivery day. Hi-Ab unloads are from the trailer to the ground. It is unsafe for the Hi-Ab’s to be used to load product on to buildings.

DELIVERY CHARGE – Ex Newcastle

Material	Up to 15mtr	\$165
length to	15mtr-18mtr	\$270 (+ escorts if req)
	18mtr-19.5mtr	\$360 (+ escorts if req)
	19.5mtr-28mtr	\$530 (+ escorts if req)
Hi-Ab Facility		\$85 per delivery (if available)
Escort Charges		POA
Specific Site Time		\$110 (orders over \$2000)
(Additional to other charges levied)		\$220 (orders under \$2000)

NOTE: Maximum Hi-Ab length is 13.5m. Lengths over 13.5m require a crane on site for unloading.

FOR PRODUCTS SOURCED FROM OTHER MANUFACTURING CENTRES AND/OR FOR LOADS OVER 15MTR CHECK YOUR LOCAL STRAMIT OFFICE FOR INDIVIDUAL PRICING.

*DELIVERIES OUTSIDE NOMINATED AREAS WILL BE CHARGED AT \$3.00/km (ROUND TRIP), PLUS HI-AB IF REQUIRED.

NOTE: PRE SLUNG DELIVERIES AVAILABLE POA.

Nominated Area	Route, Towns Served	Delivery	Route Map
Metropolitan Newcastle	Shoal Bay, Raymond Terrace, Hawkesbury River and Central Coast.	Daily	
Hunter Valley (Upper)	Muswellbrook, Scone, Merriwa, Denman Gloucester, Dungog	Tuesday & Thursday Tuesday Wednesday (2 day run)	
Taree	Buladelah, Nabiac, Forster, Taree, Wingham, Tea Gardens	Daily	
Tamworth/ North West	Tamworth, Gunnedah, Narrabri and Moree	Monday / Tuesday (2 day run)	
Tamworth/ Northern Tablelands	Gunnedah,Tamworth	Wednesday / Thursday (2 day run)	
Tamworth	Stores only	Friday	

Non standard deliveries are available at an additional cost. Please refer to your local Stramit office.

Prices in this Product & Service Guide DO NOT include GST.

PRODUCT AVAILABILITY/SERVICE OFFER/DISTRIBUTION SCHEDULE – QUEANBEYAN

TO ORDER

Refer to the schedule below and order before 3.00pm the day before production day and at least 2 days before intended delivery day.

PRODUCTION DAYS

Product Rolling	Mon	Tues	Wed	Thurs	Fri
Stramit® Corrugated sheeting	•	•	•	•	•
Stramit Monoclad® sheeting	•	•	•	•	•
Stramit® Roll Top Ridge	•	•	•	•	•
Stramit® Hi Front Quad Plain/Slotted	•	•	•	•	•
Stramit® Fascia Board	•	•	•	•	•
Stramit® Flashings	•	•	•	•	•

Goods manufactured at other branches need to be ordered 48 hours before the product rolling day at the appropriate branch.

UNLOADING/DEMURRAGE

Unloading at the site is the responsibility of the customer. A maximum time of 1 hour per truck is allowed for unloading, any additional time will be charged to the customer at the rate of \$100 per hour. In the event of an unattended site, our driver will endeavour to unload as close to the site as possible. All care will be taken but **Stramit will not accept claims for damage to product during unloading, nor claims for pilfering part of all of the delivery made. Any additional costs will be charged to the customer's account.**

WORKSAFE NSW RESTRICTIONS

Customers should be aware that under WorkSafe NSW legislation there are restrictions governing the ability of drivers to load/unload to/from heavy vehicles. Customers with special requirements or unusual sites should contact the Production Manager before delivery to clarify the requirements.

REFER TO TERMS AND CONDITIONS ON INSIDE BACK COVER

If the site is considered unsafe for the delivery vehicle, the driver will inform both Stramit and the customer (where possible) for alternative arrangements to be made. **If delivery was unsuccessful through no fault of Stramit Building Products, the delivery will be made on the next scheduled delivery day at min cost of \$150.00.** Hi-Ab unloads are from the trailer to the ground only.

DELIVERY CHARGE

Material	Up to 15mtr	\$165
length to	15mtr-18mtr	\$270 (+ escorts if required)
	18mtr-19.5mtr	\$360 (+ escorts if required)
	19.5mtr-28mtr	\$530 (+ escorts if required)

Hi-Ab Facility	\$85 per delivery (if available)
Escort Charges	POA
Specific Site Time	\$110 (orders over \$2000)
(Additional to other charges levied)	\$220 (orders under \$2000)

• MAXIMUM HI-AB LENGHT 13.5M.

***FOR LOADS OVER 15MTR CHECK YOUR LOCAL STRAMIT OFFICE FOR INDIVIDUAL PRICING.**

***DELIVERIES OUTSIDE NOMINATED AREAS WILL BE CHARGED AT \$3.00/km (ROUND TRIP) PLUS HI-AB IF REQUIRED.**

OPU 7am - 4pm. Stock.

NOTE: FOR ALL DIRECT DELIVERIES EX ERSKINE PARK, ADDITIONAL CHARGES WILL BE APPLICABLE.

PLEASE NEGOTIATE THESE WITH YOUR LOCAL STRAMIT REPRESENTATIVE AT TIME OF ORDER.

NOTE: Table Top deliveries available for local area, outside of this goods will be delivered via semi. Deliveries above Cobargo contact DGL for additional charges.

Nominated Area	Route, Towns Served	Delivery	Route Map
Goulburn & Braidwood	Goulburn, Gunning, Crookwell Contact office for details. Bungendore semi	Monday Wednesday and Friday	
Young	Yass, Young, Harden and Murrumbateman Cootamundra, and Boorowa.	Tuesday Thursday	
Cooma – Snowy mountains	Berridale, Jindabyne Cooma *Perisher/Smiggins, Thredbo Adaminaby – Contact office for details. Additional charges may apply. Tumut is serviced ex Albury.	Tuesday and Friday Daily Additional charges will apply	
CANBERRA METROPOLITAN	 Bungendore Table Top	Daily	
Far South Coast	Eden, Pambula, Bega, Cobargo, Quaama, Brogo, Bermagui, Tilba Tilba, Central Tilba	Monday & Thursday As Above	

Prices in this Product & Service Guide DO NOT include GST.

PRODUCT AVAILABILITY/SERVICE OFFER/DISTRIBUTION SCHEDULE – ORANGE

TO ORDER

Refer to the schedule below and order before 4.00pm the day before production day and at least 2 days before intended delivery day.

PRODUCTION DAYS

Product Rolling	Mon	Tues	Wed	Thur	Fri
Stramit® Corrugated sheeting	•	•	•	•	•
Stramit® Curving Quality	•	•	•	•	•
Stramit Monoclad® sheeting	•	•	•	•	•
Stramit® Flashings	•	•	•	•	•
Stramit HiFront Quad	•	•	•	•	•
Stramit Fascia Board	•	•	•	•	•

Goods manufactured at other branches need to be ordered 48 hours before the product rolling day at the appropriate branch.

UNLOADING/DEMURRAGE

Unloading is the responsibility of the customer. A maximum of 1 hour per truck per drop is allowed for unloading. Any additional time can and will be charged to the customer at the rate of \$100 per hour. In the event of an unattended site our driver will endeavour to unload as close to the site as possible. In these instances Stramit will not accept claims for damage to product during unloading, nor claims for pilfering part or all of the delivery made. Any additional costs will be charged to the customer's account.

WORKSAFE NSW RESTRICTIONS

Customers should be aware that under WorkSafe NSW legislation there are restrictions governing the ability of drivers to load/unload to/from heavy vehicles. Customers with special requirements or unusual sites should contact the Transport Manager before delivery to clarify the requirements.

REFER TO TERMS AND CONDITIONS ON INSIDE BACK COVER

If the site is considered unsafe for the delivery vehicle, the driver will inform both Stramit and the customer (where possible) for alternative arrangements to be made. If delivery was unsuccessful through no fault of Stramit Building Products, the delivery will be made on the next scheduled delivery day. Hi-Ab unloads are from the trailer to the ground. It is unsafe for the Hi-Ab's to be used to load product on to buildings.

DELIVERY CHARGE

Material	Up to 15mtr	\$165
length to	15mtr-18mtr	\$270 (+ escorts if required)
	18mtr-19.5mtr	\$360 (+ escorts if required)
	19.5mtr-28mtr	\$530 (+ escorts if required)
Hi-Ab Facility		\$85 per delivery (if available)

- Hi-Ab facility is additional to other charges
- Max Hi-Ab length is 13.5 metres
- Crane required for all product over 13.5m.

Escort Charges	POA
Specific Site Time	\$110 (orders over \$2000)
(Additional to other charges levied)	\$220 (orders under \$2000)

Site drop maps must be supplied at time of order placement. Refer to page 90 for site delivery instruction form.

***FOR LOADS OVER 15MTR CHECK YOUR LOCAL STRAMIT OFFICE FOR INDIVIDUAL PRICING.**

***DELIVERIES OUTSIDE NOMINATED AREAS WILL BE CHARGED AT \$3.00/km (ROUND TRIP) PLUS HI-AB IF REQUIRED.**

***OPU DETAILS MONDAY-FRIDAY – 7am-4pm**

NOTE: All deliveries via semi.

DAY	ROUTE	TOWNS SERVICED
Monday	325 North	Wellington, Dubbo, Mudgee (Gilndra, Coonabarabran, Gulargambone fortnightly)
	325 West	Molong, Parkes, Forbes (Trundle & Condobolin fortnightly)
	325 Local	Orange, Blayney, Bathurst
Tuesday	325 East	Bathurst, Oberon, Lithgow
	325 North West	Cumnock, Yeoval, Dubbo, Peakhill, Parkes
	325 South	Orange, Canowindra, Cowra, Grenfell
Wednesday	325 North East	Wellington, Gulgong, Mudgee, Rylstone, Kandos
	325 North West	Dubbo, Parkes, Forbes
	325 South	Orange, Canowindra, Cowra, Bathurst
Thursday	325 South West	Grenfell, West Wyalong, Forbes
	325 East	Lithgow, Bathurst, Orange
	325 North West	Cumnock, Yeoval, Dubbo, Peakhill, Parkes
Friday	325 South	Orange, Canowindra, Cowra
	325 East	Lithgow, Bathurst, Oberon
	325 North East	Dubbo, Gulgong, Mudgee

Deliveries outside nominated routes will incur additional freight costs. Please refer to your local Stramit office.

Prices in this Product & Service Guide DO NOT include GST.

SYDNEY – DELIVERY INFORMATION

Delivery Times

Stramit anticipates delivery to be effected between the hours of 7am and 5pm. Monday to Friday for product up to 12.5 mtrs in length. However customers should note that Stramit reserves the right to deliver outside these hours whenever circumstances outside our direct control occur. Special requests for delivery outside these times will incur charges. (POA)

Delivery Areas

Areas serviced ex Sydney works are outlined on page 96-99 – delivery outside these specified areas and/or off the normal route of delivery may be arranged however additional charges will apply.

Site Access

Please note that it is the responsibility of the customer to alert Stramit of any special requirements or site access difficulties at the time of placing the order. Failure to do so may incur additional costs. Photographs are taken of all site deliveries.

WorkSafe NSW Restrictions

Customers should be aware that under WorkSafe NSW legislation there are restrictions governing the ability of drivers to load/unload to/from heavy vehicles. Customers with special requirements or unusual sites should contact the Transport Manager before delivery to clarify the requirements.

Product Return

Product that has been manufactured or purchased specifically to your requirements CANNOT be returned.

Long Length Delivery

Specific times of travel for product in excess of 17mtrs in length do apply and will vary according to the time of year. Some routes within NSW require escorts for product under 17mtrs in length. Delivery of product over 17mtrs in length must be off the road between the hours of 5am - 10am and 3pm - 7pm and requires travels escort/s. Delivery of product over 20mtrs in length must be off the road by 5am and requires escort/s. Delivery of product with lengths up to 20mtrs may be delivered between 10am - 3pm without escort/s subject to delivery location and route. NSW Legislation on long length may vary without notice and Stramit reserves the right to apply charges applicable to such changes.

Unattended Sites

No responsibility will be taken by Stramit for damage, loss of product or the need to return product when delivered to site or store where an authorised person of the customer is not available to receipt delivery – redelivery will be at customers cost.

Site Delivery Instruction Form



Customer Name: _____

Site Phone Number: _____

Site Contact Name: _____

Site Contact Name: _____

U.B.D. Map Ref: _____

U.B.D. Map Ref: _____

What is the nearest cross street/landmark: _____

1. SITE IS: ☐ RURAL ☐ HOUSE ☐ COMMERCIAL ☐ INDUSTRIAL

2. DELIVERY SURFACE IS: ☐ BITUMEN ☐ GRAVEL ☐ DIRT/GRASS

3. DOES RAIN AFFECT ACCESS TO PROPERTY: ☐ YES ☐ NO

4. DOES PEAK HOUR TRAFFIC AFFECT DELIVERY: ☐ YES ☐ NO

5. IS THE SITE AFFECTED BY CLEARWAYS: ☐ YES ☐ NO

6. IS THE SITE AFFECTED BY OVERHEAD POWER LINES: ☐ YES ☐ NO

7. DOES THE SITE HAVE SEMI TRAILER ACCESS: ☐ YES ☐ NO

8. IS A HI-AB REQUIRED: ☐ YES ☐ NO

PLEASE NOTE, SOME DELIVERIES WILL BE DONE WITH A SEMI TRAILER WHICH AT A MINIMUM WILL BE 16 METERS LONG, 2.6 METERS WIDE AND MAY WEIGH UP TO 30 TONNES GROSS.


“SKETCH MAP TO SITE”

LOADING REQUIREMENTS



OVERHANG LIMITS

THE DRIVER'S VISION MUST NOT BE OBSTRUCTED



A 450MM SQUARE BRIGHT RED FLAG IS REQUIRED ON ANY OVERHANG THAT CANNOT BE EASILY SEEN (MANDATORY BEYOND 1200mm)

LOADING REQUIREMENTS



SECURE YOUR LOAD!

DO NOT USE OCCY STRAPS OR FLEXI STRAPS

Minimum 2 lashings per stack for items longer than 750 mm.

Recommended Minimum Lashing 1.5m apart

No low friction surfaces (metal on metal, plastic on metal, etc.)

Watch your Lashing Angle! The More Upright The More secure

Roof Racks must be secure, Maximum loads: Sports Racks - 50kg Trades Racks - 100kg



*SEE THE TRANSPORT SAFETY GUIDELINE OWNER PICK UPS FOR FURTHER INFORMATION

VEHICLES CONSIDERED INAPPROPRIATE CANNOT BE LOADED!
YOUR SAFETY IS OUR CONCERN

The information presented is for guidance only and compliance with applicable laws and standards remains your responsibility

Table 1 - Lashing Requirements

Lashing Angle to Horizontal \angle	25 mm hand tightened webbing	25 mm ratchet webbing	35 mm ratchet webbing	8 mm synthetic rope with single hitch
60 to 90°	52 kg per strap	170 kg	430 kg	87 kg per rope
45 to 60°	46 kg per strap	140 kg	350 kg	71 kg per rope
30 to 45°	30 kg per strap	100 kg	250 kg	50 kg per rope
15 to 30°	15 kg per strap	52 kg	130 kg	26 kg per rope

Key Assumptions in Tables 1

- All lashings are fully tensioned. If not, then more lashings may be required.
- No low friction surfaces (e.g. steel on steel, plastic on plastic, plastic on steel, etc.)
- A minimum static coefficient of friction of $\mu = 0.40$ is achieved under all products and between layers of a load. (e.g. rubber or timber against steel or plastic).
- Round loads require belly wrapping and extra restraints.



PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

TERMS & CONDITIONS OF SALE

View our latest Terms and Conditions of Sale here: <https://www.stramit.com.au/terms-and-conditions/>

