



**VICTORIA**



# PRODUCT AND SERVICE GUIDE

**EFFECTIVE MARCH 2024**

Supersedes October 2020

**METROPOLITAN,  
SOUTHERN VICTORIA  
GIPPSLAND &  
WESTERN VICTORIA**

**SALES ORDERS**

Ph 03 9237 6300

**ALBURY**

Ph 02 6092 3700

**COUNTRY VICTORIA  
& SOUTHERN NSW**

**BENDIGO**

Ph 03 5448 6400

[stramit.com.au](http://stramit.com.au)



## CONTACT US

### How can we help you?

#### Customer Service, Sales and all General Enquiries

To place an order, request a quote, or receive tailored customer support, please contact your local branch.


Check the locations page opposite for the phone number and address of your nearest Stramit branch.

For general enquiries, email [contactus@stramit.com.au](mailto:contactus@stramit.com.au)

For order enquiries, email [orders@stramit.com.au](mailto:orders@stramit.com.au)

#### Technical Services

For specification and technical support, email [techsupport@stramit.com.au](mailto:techsupport@stramit.com.au)



## SERVICE LOCATIONS

The Stramit web page can be found at **stramit.com.au**.

Details of many Stramit® products can also be seen on the AIA site

'Product Selector' **selector.com.au** or **SteelSelect.com.au**.

			ORDER CUT-OFF TIMES <sup>2</sup>		
REGION	LOCATION	CONTACT DETAILS	STANDARD DELIVERY	SHED BUNDLE LEAD TIME <sup>3</sup>	PICK-UP HOURS <sup>4</sup>
NSW & ACT	SYDNEY 33-83 Quarry Rd, Erskine Park NSW 2759	Ph 02 9834 0909	4pm	21 Days	7am - 4pm
	CANBERRA 4 Bass St, Queanbeyan NSW 2620	Ph 02 6298 2500	4pm	21 Days	7am - 4pm
	COFFS HARBOUR 6 Mansbridge Dr, Coffs Harbour NSW 2450	Ph 02 6656 3800	4pm	21 Days	7am - 4pm
	NEWCASTLE TBA	Ph 02 4041 3400	4pm	21 Days	N/A
	ORANGE 51 Leewood Dr, Orange NSW 2800	Ph 02 6360 9200	4pm	21 Days	7am - 4pm
VIC	MELBOURNE 3/1464 Ferntree Gully Rd, Knoxfield VIC 3180	Ph 03 9237 6300	4pm	12.30pm	7am - 4pm
	ALBURY 18 Ariel Dr, Albury NSW 2640	Ph 02 6092 3700	4pm	21 Days	7am - 4pm
	BENDIGO Lot 7-9 Ramsay Court, Kangaroo Flat VIC 3555	Ph 03 5448 6400	4pm	21 Days	7am - 4pm
TAS	HOBART 57 Crooked Billett Dr, Brighton TAS 7030	Ph 03 6262 8788	4pm	21 Days	7am - 4pm
SA	ADELAIDE 11 Stock Rd, Cavan SA 5094	Ph 08 8219 20001	4pm	21 Days	7am - 4pm
South QLD	BRISBANE 57-71 Platinum St, Crestmead QLD 4132	Ph 07 3803 9999	4pm	12.30pm	7am - 4pm
	MARYBOROUGH 10 Activity St, Maryborough QLD 4650	Ph 07 4123 9500	4pm	21 Days	7am - 4pm
	ROCKHAMPTON 41 Johnson St, Parkhurst QLD 4702	Ph 07 4921 5600	4pm	21 Days	7am - 4pm
North QLD	CAIRNS 53 Vickers St, Edmonton QLD 4869	Ph 07 4034 6555	4pm	21 Days	7am - 4pm
	TOWNSVILLE 402-408 Bayswater Rd, Garbutt QLD 4814	Ph 07 4412 3900	4pm	21 Days	7am - 4pm
WA	PERTH 605-615 Bickley Rd, Maddington WA 6109	Ph 08 9493 8800	4pm	12.30pm	7am - 4pm

<sup>1</sup> Business days only (excludes weekend and public holidays).

<sup>2</sup> Days only (excludes weekend and public holidays). Standard 48hr Delivery refers to order cut-off times for standard lead-time products as defined in our Product and Services Guide. Please be aware that some products have minimum lead times that may exceed these lead times. Please check the product listing in our Product and Services Guide or check with your local branch when placing order.

Additional charges may apply. Check with your local branch for capacity when ordering.

Our service proposition is based around available manufacturing capacity on any given day. Demand can fluctuate and impact lead times. Please check with your local branch when placing your order.

This Service Offer excludes large orders related to Commercial projects or Consolidated Shed orders.


\* Registered trademarks of Stramit Corporation Pty Limited. ABN 57 005 010 195 trading as Stramit Building Products. A member of the Fletcher Building Group. TRUECORE®, COLORBOND®, ZINCALUME® and \* colour names are registered trade marks of BlueScope Steel Limited.™ colour names are trade marks of BlueScope Steel Limited. ABN 16 000 011 058. © Stramit Corporation Pty Limited. This information is accurate at March 2024.

This document replaces all previous issues. Please destroy, or clearly mark as superseded, all previous issues. STR068\_MAR24.

## CUSTOMER PORTAL

### Keeping up to date with your order, made simple.

Our secure Customer Portal gives you access to the status of your orders whenever, and wherever, you need an update. The portal lets you track your orders live, from the time our Customer Service team enters it, through processing and manufacturing, while it's being picked and packed and when it's out for delivery to you.



As an account customer, our portal allows you to:

- Track your order in real time
- Search current and historical orders to see related information
- Download your order confirmations
- See order details in granular detail
- Download Proof of Delivery (PODs)
- View Estimated Time of Arrivals (ET As) for your deliveries
- See when an order is Ready to Pick Up
- Share the order tracking with another party, e.g. an installer or end customer

Designed to make doing business easier with Stramit, the Customer Portal is available on any internet connected device and only requires registration - no downloads needed.

Register your interest today at:

<https://www.stramit.com.au/resources/design-software/stramit-customer-portal/>

## ORDERING

For Trade and Account Customers seeking takeoffs and quotes, please send drawings and information to: [takeoffs@stramit.com.au](mailto:takeoffs@stramit.com.au)

Please contact and email all your orders through to your local branch.

For Purl in Orders, please also send through your drawings and NC Files to your local branch to aid in order accuracy.

For Flashings Orders, we require drawings to ensure accurate manufacturing of your products. Please email your drawings through when placing your order. You can find our Flashing Order Form on our website under **Resources**.

All products manufactured or purchased specifically to your requirements cannot be returned. Stock items may be returned for credit, although restocking fees will apply.

For Order Pickups, please refer to our Loading Requirements Guide on our website under **Resources**.

## INDEX

### PRODUCTS AND SERVICE GUIDE

Site Delivery Instructions Form	2
Flashing Detail Order Form	3
<b>Stramit® Purlins &amp; Bridging</b> Order Pads	4-6
Important Notice & Production Days	7
Standard Delivery Charges	8
Delivery Information	9
Delivery Services to Country Areas – Nominated Days	10-11
Loading Requirements	12-13
Product Availability – Finish and Colour	14-15
Product Care	16
Minimum/Maximum Product Length Details	17
Quick Roofing Estimate	18
Selecting Your Product – Cover, Spans & Pitch	19

### ROOFING • CLADDING • ACCESSORIES

<b>Stramit® Corrugated</b>	20-21
<b>Stramit® Cladding Quality • Tank Iron</b>	22-23
<b>Stramit Monoclad®</b>	24-25
<b>Stramit Longspan®</b>	26
<b>Stramit Speed Deck Ultra®</b>	27
COLORBOND® steel	28
<b>Stramit Mini Corrug® • Stramit Minirib® • Stramit K-Panel®</b>	32
<b>Stramit Monopanel • Super Six Profile</b>	33
<b>Stramit SharpLine®</b>	33
<b>Stramit Uniguard™</b> Fire Resisting Wall System	34
Foil • Blanket • Batts • Wire Mesh	36
General Accessories • PA Doors	37

### FASCIA • GUTTER • DOWNPIPE

<b>Stramit® Fascia</b>	38
<b>Stramit® Quad 115</b> (Victorian Pattern)	39-40
Quad Gutter 125, 150	41
<b>Stramit® Ogee™</b> Gutter	42
<b>Stramit® Fascia Gutter • Stramit® Fascia Capping</b>	43
<b>Stramit® Concealed Gutter</b>	43
<b>Stramit® Half Round Gutter • Flatback Gutter</b>	44
<b>Stramit® Easiflow Gutter</b>	45
Fasteners	46
<b>Stramit® Downpipe</b> – Round	47-48
<b>Stramit® Downpipe</b> – Rectangular	49-50

### CUSTOM FLASHINGS

<b>Stramit® Custom Flashings</b> – Ordering Procedure	51
<b>Stramit® Custom Flashings</b> & Flat Sheet	52-57

### RAINWATER ACCESSORIES & VENTILATION

Crimped Bends • Rainheads • Sumps	58
Gas Flue • Bolted Sleeve • Vented Ridge	59

### STRUCTURAL COMPONENTS

<b>Stramit® C &amp; Z Purlins</b>	60
<b>Stramit® Exacta C &amp; Z Purlins</b>	61
<b>ZAM High Durability Purlins + Girts</b>	62
<b>Stramit® Custom Sections</b>	63
<b>Stramit® Bridging</b> General	64
<b>Stramit® Bridging • Accessories</b>	65-67
<b>Purlins &amp; Girts</b> – General Accessories	68
<b>Stramit® Condeck HP® &amp; PrimeForm™</b>	69

## INDEX

Framing • Batts	70
<b>Stramit® Top Hats</b>	70
<b>Stramit® Flooring • Accessories</b>	71
Patio Roof Decking • Double-Sided Roofing	72
Colorbeam	73-74

### FENCING PRODUCTS

Fencing • Accessories	75-76
-----------------------	-------

### ROLLER DOORS AND ACCESSORIES

Residential and Light Industrial Roller Doors	77
Residential Roller Doors	78
Residential Sectional Doors	79
Residential Sectional Door Installation	80
Novatur Residential, Commercial Roller Doors & Personal Access (PA) Doors	81
Roller Door Accessories	82
Roller Door Product Warranty	83

### PREMIUM PRODUCTS

<b>Stramit® Roofing • Stramit® Cladding • Accessories</b>	29-30
<b>Stramit® MagnaFlow®</b> – Roofing, Cladding, Rainwater	31

TERMS AND CONDITIONS OF SALE	84-87
------------------------------	-------

**CLAIMS FOR FAULTY GOODS, DAMAGED GOODS OR SHORT DELIVERY OF GOODS MUST BE LODGED WITHIN 48 HOURS OF DELIVERY.**

## ORDERS & INQUIRIES

### MELBOURNE, GIPPSLAND, WESTERN DISTRICT

#### SALES ORDERS

KNOXFIELD Tel (03) 9237 6300 Fax (03) 9237 6399  
email: knoxfield.sales@stramit.com.au

#### TRANSPORT

KNOXFIELD Tel (03) 9237 6372 Fax (03) 9237 6371

**ACCOUNTS** 3/1464 FERNTREE GULLY RD,  
KNOXFIELD 3180

KNOXFIELD Tel (03) 9237 6223 Fax (03) 9237 6388  
email: creditvic@stramit.com.au

**BENDIGO** Tel (03) 5448 6400 Fax (03) 5447 9677

**ALBURY** Tel (02) 6092 3700 Fax (02) 6092 3766

## IMPORTANT NOTICE

**This publication sets out Stramit's standard supply terms. Resellers of Stramit products are under no obligation to follow Stramit's recommended retail pricing.**

**IMPORTANT NOTE – HANDLING & STORAGE** Roofing and Cladding sheets when stored on site must be kept dry by storing under cover. Wet storage stains can occur from condensation, even in dry weather.









3/1464 Ferntree Gully Rd  
KNOXFIELD VIC 3180  
Telephone (03) 9237 6300  
Facsimile (03) 9237 6399

## Purlins/Girts

Page	of
Job No.	Purch. Order No.

Purlin Section  
**C/Z**

Customer \_\_\_\_\_ Project \_\_\_\_\_

Delivery address \_\_\_\_\_

Del. Date	Finish	Drawn	Date
-----------	--------	-------	------

	Mark No.	Overall Length	No. Required	Hole Centres (d)							Total Metres	
As Drawn				40	60	70	110	160	210	260		
Opp. Hand				40	60	70	110	160	210	260		

Broad flange

Diagram showing a purlin section with dimensions and hole positions. The diagram includes a cross-section view on the left showing the 'Broad flange' and a dimension 'd' for the hole spacing. The main part of the diagram is a longitudinal view showing the purlin with dashed lines indicating the hole positions. A dimension line at the top indicates the overall length.

	Mark No.	Overall Length	No. Required	Hole Centres (d)							Total Metres	
As Drawn				40	60	70	110	160	210	260		
Opp. Hand				40	60	70	110	160	210	260		

Broad flange

Diagram showing a purlin section with dimensions and hole positions. The diagram includes a cross-section view on the left showing the 'Broad flange' and a dimension 'd' for the hole spacing. The main part of the diagram is a longitudinal view showing the purlin with dashed lines indicating the hole positions. A dimension line at the top indicates the overall length.

	Mark No.	Overall Length	No. Required	Hole Centres (d)							Total Metres	
As Drawn				40	60	70	110	160	210	260		
Opp. Hand				40	60	70	110	160	210	260		

Broad flange

Diagram showing a purlin section with dimensions and hole positions. The diagram includes a cross-section view on the left showing the 'Broad flange' and a dimension 'd' for the hole spacing. The main part of the diagram is a longitudinal view showing the purlin with dashed lines indicating the hole positions. A dimension line at the top indicates the overall length.

Indicate web, flange holes and dimensions from hole to hole

**Standard holes:** 18mm x 22mm slots.



PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

### IMPORTANT NOTICE

**It is the Customer's responsibility to advise Stramit at the time of ordering if the order is for COLORBOND® Ultra steel or COLORBOND® steel Matt.**

Unless this notification is made at the time of order (in writing) then the order **will be supplied as COLORBOND® steel (XRW).**

EG. An order for **Surfmist®** will be supplied as **COLORBOND® steel (XRW) in the colour Surfmist®** IN ALL INSTANCES UNLESS IDENTIFIED OTHERWISE.  
EG. To order COLORBOND® Ultra steel in the colour Surfmist® the order must clearly state **COLORBOND® Ultra steel in Surfmist®**.

### PRODUCTION DAYS

#### TO ORDER

Refer to the schedule below and order before 4pm the day before production day and at least 2 days before intended delivery day (4 days on some items).

#### NOTE:

Some products are only run on specific days.  
Refer local branch for further details.

PRODUCT	MON	TUES	WED	THURS	FRI
<b>Stramit® Corrugated Curving</b>	5 days lead time for curving of material. Allow additional lead time for country areas.				
<b>Stramit Mini Corry®</b>	supplied ex NSW, allow 10 working days lead time				
Tank Iron	allow 7 working days lead time				
<b>Stramit® Flooring</b>	•				
<b>Stramit® 120mm Top Hat</b>	allow 10 working days lead time, other sizes daily				
Standard Purlins	lead time of 5 days				
<b>Downturn Lip Purlins</b>	By negotiation •				

**All products except those listed above are manufactured on a daily basis.**

Items manufactured on a daily basis are normally available for delivery on the following day.  
Items not manufactured on a daily basis may require 48 hours for earliest delivery.



## STANDARD DELIVERY CHARGES

- Any customer who has exceeded their Credit Limit or whose payments are overdue may experience delays in the manufacture and delivery of goods ordered.
- Due to transport limitations the maximum length of rainwater goods is 9.5m.
- Customers/receivers are responsible for unloading. Stramit's terms are "On lorry at site or store".
- UNATTENDED SITES – Stramit drivers will endeavour to effect delivery as close to site as possible. In these instances Stramit will not accept claims for damage to product during unloading nor claims for pilfering of part or all of the delivery made.**
- Country loads subject to POA dependant on product length, quantity and delivery site restrictions in certain country areas**
- Albury/Wodonga local area is at metro rate.

### Product Length / Delivery Cost Guide

LENGTH	CODE	COST PER DELIVERY	ESCORT REQ'D	AREA
Rollerdoors	FR4RDVIC	POA	-	Vic Roads
Up to 13.500	FRSITE	POA	-	
Up to 13.500	FR4SITE	POA	-	
Up to 13.500	FR4SITER	POA	-	
13.501 - 18.000	FR4SITE198	POA	-	
18.001 - 20.500	FR4SITE215	POA	1*	
20.501 - 25.000	FR4SITE2425	POA	2*	
25.001 - 30.000	FRSPEC	POA	2*	
30.001 - 35.000	FRSPEC	POA	2*	
Early Del time	FREARLY	\$20	-	
Freight store	FRSTORE	POA	-	
Urgent Fee	URGENTFEE	POA	-	
Special delivery	FRSPEC	POA	-	
Escorts	FRESCORT	POA	-	
Courier Fee	FRCOURIER	POA	-	
Curved Sheets over 7m or 90°	FRSPEC	POA	-	

The rates shown are for delivery in normal business hours. Deliveries outside normal business hours, or at weekends - POA

### Packaging

Standard packs will be used. If special packing is required by customer, please specify at time of order.

### Timber Crates

Flat Sheet Crate Packaging Charge POA. Maximum length 6 metres.

### Escort Costs

\*Escort charges depend on the length of product transported and are additional to Delivery Charge POA.

### Hi-Ab Facility

Hi Ab deliveries cannot be guaranteed on all consignments.

If a Hi Ab must be used please discuss with Stramit staff at time of order placement.

Maximum length 13.5m/maximum lift 1 tonne. Lengths over 13.5m requires a crane on site.

*(please note this facility is additional to other charges)*

### Ordering Product

**Order close off is 12.30pm daily for 24 hour and stock product, 4pm for 48 hour product and purlin lead times.**

(Made to measure roofing and rainwater products will be **delivered 48 hours**).

ORDERS PLACED AFTER THESE DEADLINES WILL BE TREATED AS ORDERS BEING RECEIVED THE NEXT DAY.

### Demurrage

Unloading at customers premises or site in excess of one(1) hour will be charged at the rate of

**\$110** per hour or part thereof.

### Redelivery

Product refused at the original delivery and requested to be redelivered will incur a minimum charge of **\$170** over and above the standard delivery charges.

## DELIVERY INFORMATION

### Specific Delivery Times

Specific delivery times can be arranged when placing the order, subject to local service offer. Simply request an "on site time" and your delivery time and day will be confirmed. Special delivery times outside normal working hours will incur additional charges and these should be established at the time of placing the order.

**Crane Offs must be specified and pre-arranged.**

**Requests for tray truck deliveries may be subject to longer lead time or special prices. Over dimensional vehicle deliveries before 10.30am are subject to time and weather prohibitions beyond our control including a prohibition on loads over 17.5m from 6am to 9am Mon - Fri.**

### Minimum Purchase Surcharge

Minimum order value \$100 (excluding GST), a handling fee of \$25 (plus GST) will be added to orders below \$100.

### Delivery Conditions

All deliveries will be in accordance with local Council or site requirements.

**Driver is solely responsible for unloading if:**

- Can be handled by the driver alone.
- Can be craned off to ground level using truck mounted crane (max product length 13.5 metres).

**Customer responsible for unloading if:**

- Product over 13.5 metres long.
- Product exceeds truck mounted crane reach and loading.

### Product Return

Stock items may be returned for credit, with Stramit's approval, subject to the following charges and conditions:

- Where goods are returned by the customer, a re-stocking fee of 20% (\$20 minimum) is applicable.
- Where goods are picked up by Stramit for return, standard delivery charges plus a re-stocking fee of 20% (\$45 minimum) are applicable. **Damaged goods will not be accepted for credit.**
- Returns should be no later than 7 days after delivery date.

**Non stock items, including cut to length products, are NOT RETURNABLE.**

### Customer Pick Ups

#### Knoxfield

Wide range of stock length downpipe, gutter and accessories available ex stock for immediate pick-up. Cut to length product available to order. Check stock availability when placing order. Specify requirement and check stock availability when placing order. Pick-up time 6.00am to 4.00pm weekdays.

#### Albury

Open for customer pick-ups of all goods between the hours of 7.00am and 4.00pm weekdays. Ask for details of stock availability when placing order.

#### Bendigo

Open for customer pick-ups of all goods between the hours of 8am to 4.30pm weekdays. Ask for details of stock availability when placing order.

Prior arrangements for pick-ups must be made with our sales office. Where the customer arranges his own carrier, all charges must be direct to the customer's account. Stramit will not accept charges from carriers unless agreed with the customer at the time of placing the order.

**Refer to Terms & Conditions on inside back cover.**

- Customer supplied safe lifting device MUST be used.**

**DELIVERY SERVICES TO COUNTRY AREAS – NOMINATED DAYS**



**Deliveries Ex Albury**

<b>Area</b> Griffith, Leeton, Narrandera, Lockhart  <b>Day</b> Tuesday & Thursday  Hay ● Thursday only - POA	<b>Area</b> Coolamon, Temora, Junee, Cootamundra  <b>Day</b> Monday  Coolamon ● Albury ● Junee	<b>Area</b> Gundagai, Tumut, Adelong  <b>Day</b> Wednesday  Albury ● Gundagai ● Tumut ● Adelong
<b>Area</b> Berrigan, Finley, Deniliquin,  <b>Day</b> Monday & Wednesday  Deniliquin ● Finley ● Berrigan ● Albury	<b>Area</b> Wagga Wagga, The Rock  <b>Day</b> Daily  Wagga Wagga ● The Rock ● Albury	<b>Area</b> Albury, Wodonga, Wangaratta, Benalla, Cobram, Yarrawonga  <b>Day</b> Daily  Albury ● Wodonga ● Wangaratta ● Benalla ● Cobram ● Yarrawonga
	<b>Area</b> Corowa, Rutherglen, Howlong  <b>Day</b> Monday & Thursday  Cobram ● Yarrawonga ● Corowa ● Rutherglen ● Albury	<b>Area</b> Swanpool, Mansfield Euroa - Wednesday only Alexandra - Friday only  <b>Day</b> Wednesday & Friday  Albury ● Swanpool ● Mansfield

**Tuesday/Thursday - Semi only - 12.2mtr Max**

- Yackandandah
- Beechworth
- Myrtleford
- Bright
- Mt Beauty

**Monday only - Semi only - 12.2mtr Max**

- Tallangatta
- Corryong
- Eskdale
- Mitta
- Jinjelic
- Dartmouth

**Area 1 - Every Day**

Speak to your Customer Service Representative for delivery days


Wednesday only

# LOADING REQUIREMENTS



## OVERHANG LIMITS

### THE DRIVER'S VISION MUST NOT BE OBSTRUCTED



**A 450MM SQUARE BRIGHT RED FLAG** IS REQUIRED ON ANY OVERHANG THAT CANNOT BE EASILY SEEN (MANDATORY BEYOND 1200mm)

# LOADING REQUIREMENTS




## SECURE YOUR LOAD!

**DO NOT USE OCCY STRAPS OR FLEXI STRAPS**

Minimum 2 lashings per stack for items longer than 750 mm.

Recommended Minimum Lashing 1.5m apart



\*SEE THE TRANSPORT SAFETY GUIDELINE OWNER PICK UPS FOR FURTHER INFORMATION

### VEHICLES CONSIDERED INAPPROPRIATE CANNOT BE LOADED!

### YOUR SAFETY IS OUR CONCERN

The information presented is for guidance only and compliance with applicable laws and standards remains your responsibility

**Table 1 - Lashing Requirements**

Lashing Angle to Horizontal $\angle$	25 mm hand tightened webbing	25 mm ratchet webbing	35 mm ratchet webbing	8 mm synthetic rope with single hitch
60 to 90°	52 kg per strap	170 kg	430 kg	87 kg per rope
45 to 60°	46 kg per strap	140 kg	350 kg	71 kg per rope
30 to 45°	30 kg per strap	100 kg	250 kg	50 kg per rope
15 to 30°	15 kg per strap	52 kg	130 kg	26 kg per rope

#### Key Assumptions in Tables 1

1. All lashings are fully tensioned. If not, then more lashings may be required.
2. **No low friction surfaces** (e.g. steel on steel, plastic on plastic, plastic on steel, etc.)
3. A minimum static coefficient of friction of  $\mu = 0.40$  is achieved under all products and between layers of a load. (e.g. rubber or timber against steel or plastic).
4. **Round loads** require **belly wrapping** and extra restraints.

PRODUCT AVAILABILITY – FINISH AND COLOUR

Product	BMT mm	ZA G550S	ZA G300S	GAL Z275	GAL Z450	GAL Z600	BAS	CLC	COV	CTG	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PEC	PPB	SHG	SUR	TRN	WDG	WLB	WSP
Stramit Speed Deck Ultra®	0.42	✓			✓	▲	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Corrugated/ Stramit Monoclad	0.35	✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.42	✓			✓	▲	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Curving Quality	0.60		✓		✓		✓		✓		✓			✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Tank Iron Z600	0.60					✓																						
Tank Iron rolled at Knoxfield on Tuesdays only																												
Stramit Longspan®	0.42	✓			✓	▲	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Monopanel®	0.48	✓		✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Minirib®	0.42	▲		▲			▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Mini Corry sourced ex Sydney, allow 10 days extra lead time, subject to minimum order quantity																												
Stramit Mini Corry®	0.42	▲		▲			▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Minirib sourced ex Sydney, allow 10 days extra lead time, subject to minimum order quantity																												
Stramit Sharpline® Direct Fix	0.45						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Sharpline® Clip Fix	0.45						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit K-Panel®	0.35	✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	BMT mm	ZA G550S	ZA G300S	GAL Z275	GAL Z450	GAL Z600	BAS	CLC	COV	CTG	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PEC	PPB	SHG	SUR	TRN	WDG	WLB	WSP

FIBREGLASS COLOURS						POLYCARB COLOURS					
CLR	Clear					CLR	Clear	LBZ	Light Bronze		
OPA	Opal					GRY	Grey	DKT	Dark Tint		
HGN	Haze Green					OPL	Opal				
STD XRW COLOUR											
BAS	Basalt®					IST	Ironstone®			SHG	Shale Grey™
CLC	Classic Cream™					JAS	Jasper®			SUR	Surfmist®
COV	Cove®					MGV	Mangrove®			TRN	Terrain®
CTG	Cottage Green®					MNR	Manor Red®			WDG	Woodland Grey®
DOC	Deep Ocean®					MON	Monument®			WLB	Wallaby®
DUN	Dune®					NTS	Night Sky®			WSP	Windspray®
EVH	Evening Haze®					PEC	Pale Eucalypt®			GAL	Galvanised
GLY	Gully®					PPB	Paperbark®			ZA	ZINCALUME® steel

BMT – Base Metal Thickness.

▲

 Subject to minimum set purchasing quantities and lead times

✓

 Normal stock item

✓\*

 100 x 50mm only

PRODUCT AVAILABILITY – FINISH AND COLOUR

Product	BMT mm	ZA G550S	ZA G300S	GAL Z275	BAS	CLC	COV	CTG	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PEC	PPB	SHG	SUR	TRN	WDG	WLB	WSP	
Stramit® Fascia Board	0.42	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Stramit® Flashings	0.55		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	0.75		✓	✓																							
	0.95		✓	✓																							
	1.20		✓																								
Stramit® Soft Roll Top Ridge	0.55				✓					✓							✓				✓			✓	✓		
Stramit® Roll Top Ridge	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Stramit® Fascia Gutter	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Stramit® Easiflow/Stramit® Capping & Barge Soaker	0.42	✓																									
	0.48				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	
Stramit O-Gee™ Gutter	0.55		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	
Stramit® Quad 115 - Vic	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Stramit® Downpipe:																											
Rectangular	0.40		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Round under 75mm	0.40		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓*	✓	✓	✓	✓	✓	✓	✓	✓	
Round over 75mm	0.55		✓	✓		✓		✓	✓	✓	✓		✓	✓		✓	✓		✓	✓	✓	✓		✓		✓	
Stramit® Top Hat	0.75	✓																									
	1.00	✓																									
Stramit® Roof Batten	0.48	✓																									
	Stock length only																										
Stramit® Garage Barge	0.40		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Stramit® Valley	0.40		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Product/Roofing/Cladding	BMT mm	ZA G550S	ZA G300S	GAL Z275	BAS	CLC	COV	CTG	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PEC	PPB	SHG	SUR	TRN	WDG	WLB	WSP	

STD XRW COLOUR											
BAS	Basalt®					IST	Ironstone®			SHG	Shale Grey™
CLC	Classic Cream™					JAS	Jasper®			SUR	Surfmist®
COV	Cove®					MGV	Mangrove®			TRN	Terrain®
CTG	Cottage Green®					MNR	Manor Red®			WDG	Woodland Grey®
DOC	Deep Ocean®					MON	Monument®			WLB	Wallaby®
DUN	Dune®					NTS	Night Sky®			WSP	Windspray®
EVH	Evening Haze®					PEC	Pale Eucalypt®			GAL	Galvanised
GLY	Gully®					PPB	Paperbark®			ZA	ZINCALUME® steel

BMT – Base Metal Thickness.

▲

 Subject to minimum set purchasing quantities and lead times

✓

 Normal stock item

✓\*


 100 x 50mm only



## Hints and tips to achieve maximum life from your COLORBOND® steel / ZINCALUME® steel product.

- COLORBOND® steel / ZINCALUME® steel used in areas not washed by rainfall should be cleaned down at regular intervals.
- Brick cleaning acid must not be allowed to contact steel fascia, gutter or roofing and walling.
- Never immerse COLORBOND® steel / ZINCALUME® steel in sand, soil or concrete.
- Do not use “touch-up” spray can on COLORBOND® steel.
- Avoid “swarf” damage remove metal debris from cutting and/or drilling.
- Keep material dry and clear of the ground when in bundles prior to installation.
- Prepainted metal roofing components are often supplied with a protective plastic film. This can be affected by sunlight and should be removed as soon as practicable. Removal can be difficult, if not impossible, if exposed to sunlight for prolonged periods.
- Contact with dissimilar metals and run-off from dissimilar metals such as Copper, lead, etc must be avoided.
- Roofing and guttering need to be free draining and free from the accumulation of dirt or leaves.

### Water Flow Guide Chart



### MIN/MAX PRODUCT LENGTH DETAILS BY BRANCH

PRODUCT	KNOXFIELD		ALBURY	
	MIN LENGTH	* MAX LENGTH	MIN LENGTH	MAX LENGTH
<b>Sheeting</b>				
Stramit® Speed Deck Ultra	0.5m	28m		
Stramit® Corrugated	0.5m	24.5m	0.45m	19m
Stramit® Curving Quality	0.5m	15m		
Stramit Monoclad®	0.5m	24.5m	0.4m	19m
Stramit Longspan®	0.5m	24.5m		
Stramit Minirib®	0.6m	8m		
Stramit K-Panel®	0.4m	6m		
Stramit Monopanel®	0.6m	6m		
Stramit® Sunset Decking	1.2m	9m		
Stramit® Mini Corry	0.6m	6m		
<b>Rainwater</b>				
Stramit® O-Gee Gutter	0.8m	9.5m		
Stramit® Fascia Board	0.4m	9.5m	0.8m	9.5m
Stramit® Fascia Gutter	0.55m	9.5m		
Stramit® Fascia Capping	0.55m	9.5m		
Stramit® Fascia Cover	0.6m	9.5m		
Stramit® Quad 115 Gutter	0.6m	9.5m	0.8m	9.5m
Stramit® Quad 125 Gutter	1m	9.5m		
Stramit® Easiflow	1m	9.5m		
Stramit® Barge Gutter	0.55m	9.5m		
Stramit® Flashings	0.6m	8m	1m	9.5m
Stramit® Half Round Gutter	1m	9.5m		
Stramit® Flat Back Half Round Gutter	1m	9.5m		
<b>Other</b>				
Stramit® Valley Ribbed	0.35m	9.5m		
Stramit® Valley Folded	0.3m	8m	1m	8m
Stramit® Roll Top Ridge	0.6m	9.5m	0.8m	9.5m
Stramit® Garage Barge	1m	7.5m		
Stramit® Condeck HP	0.6m	15m		
Stramit® Purlins	1.7m	18m		
Stramit® Top Hat 64	1.5m	13m		
Stramit® Top Hat 50, 75, 96	0.7m	13m		
Stramit® Stud 75	0.3m	10m		

\* Dependant on colour due to expansion


## QUICK ROOFING ESTIMATE – HIPPED ROOF TAKE-OFF

The table of Roof Slope Factors below allows quick calculations of roof area, sheet length and hip length.

These methods are for quick estimating purposes only. Accurate measurements must be taken from the actual roof frame before ordering roofing and rainwater products.

As an example, take a typical hipped roof where all four roof sections have the same slope (30°) and all hips are of equal length.

Typical hipped roof (roof slope = 30°)



### ROOF SLOPE FACTORS

Roof Slope (degrees)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Roof Area/Sheet Length	1.000	1.001	1.001	1.002	1.004	1.006	1.008	1.010	1.012	1.015	1.019	1.022	1.026	1.031	1.035
Hip Length	1.414	1.415	1.415	1.416	1.417	1.418	1.420	1.421	1.423	1.425	1.428	1.430	1.433	1.436	1.439

Roof Slope (degrees)	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Roof Area/Sheet Length	1.040	1.046	1.051	1.058	1.064	1.071	1.079	1.086	1.095	1.103	1.113	1.122	1.133	1.143	1.155
Hip Length	1.443	1.447	1.451	1.456	1.460	1.465	1.471	1.477	1.483	1.489	1.496	1.503	1.511	1.519	1.528

Roof Slope (degrees)	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
Roof Area/Sheet Length	1.167	1.179	1.192	1.206	1.221	1.236	1.252	1.269	1.287	1.305	1.325	1.346	1.367	1.390	1.414
Hip Length	1.537	1.546	1.556	1.567	1.578	1.590	1.602	1.616	1.630	1.644	1.660	1.677	1.694	1.712	1.732

Roof Slope (degrees)	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
Roof Area/Sheet Length	1.440	1.466	1.494	1.524	1.556	1.589	1.624	1.662	1.701	1.743	1.788	1.836	1.887	1.942	2.000
Hip Length	1.753	1.775	1.798	1.823	1.849	1.877	1.907	1.939	1.973	2.010	2.049	2.091	2.136	2.184	2.236

### ROOF AREA

First determine the area of the roof plan by multiplying the length of the roof by the width. Before making the calculation, add gutter overhangs of 50mm. In this case, there are gutters on all four sides. To find the area of the hipped roof, simply multiply this plan area by the Roof Slope Factor for Roof Area. The same method is used for gable roofs.

$$19.1 \times 8.1 = 154.7 \times 1.155 = 178.7$$

Therefore, roughly 179m<sup>2</sup> of sheeting will be needed to cover the roof. On complex roof shapes, extra may need to be added to allow for wastage.

### SHEET LENGTH

On the roof plan, measure the distance from the line of the ridge to the outside edge of the fascia, which in the example is half the span or 4000mm. Multiply this measurement by the Sheet Length Roof Slope Factor to find the length of the sheet required to span from the ridge to the fascia. Note that all roof sheeting must extend at least 50mm beyond the fascia line to provide gutter overhang.

$$4000 + 50 \times 1.155 = 4678\text{mm}$$

### HIP CAPPING

To find the length of ridge capping required to cover one hip, measure the distance from the ridge line to the fascia on the roof plan (here 4000mm) add the gutter overhang and multiply by the Hip Length Roof Slope Factor for 30°. Multiply by 4.

$$4000 + 50 \times 1.528 \times 4 = 24.8\text{m}$$

### RIDGE CAPPING

For hipped roofs where all sides have the same slope, the length of the top ridge is equal to the length of the roof plan minus the width, regardless of slope. Add 5% to all capping to allow for laps.

$$19 - 8 = 11 + 5\% = 11.55\text{m}$$











## SELECTING YOUR PRODUCT

Product/Roofing/Cladding	Page	BMT	Steel Grade	Cover Width mm	Minimum Pitch	Roof Span Int Span mm	Roof Span End Span mm	Wall Span Int Span mm	Wall Span End Span mm
G300 – Mild Steel G550 – Hi-Tensile Steel									
<b>Stramit® Corrugated</b> 	20	0.42 0.48	G550 G550	762	5 Degrees (1 in 12)	1200 1600	1000 1300	2600 2850	2150 2350
Fixing screw required 3/sheet/batten									
<b>Stramit® Curving Quality</b> 	22	0.60	G300	762		1200	1000	2700	2250
<b>Tank Iron Z600</b>		0.60	G300	610		-	-	-	-
Fixing screw required 3/sheet/batten									
<b>Stramit Monoclad®</b> 	24	0.35 0.42 0.48	G550 G550 G550	762	† 2 Degrees (1 in 27)	† 1700 2300	† 1400 1900	3000 3000 3000	2500 2500 2500
Fixing screw required 4/sheet/batten									
<b>Stramit Longspan®</b> 	26	0.42 0.48	G550 G550	700	3 Degrees (1 in 20)	2100 2700	1750 2250	3000 3000	2500 2500
2 degree minimum pitch residential only. Fixing screw required 3/sheet/batten									
<b>Stramit Speed Deck Ultra®</b> 	27	0.42 0.48	G550 G550	700	1 Degree (1 in 60)	2100 2700	1750 2250	3000 3000	2500 2500
Fixing clips required 1/sheet/batten									
<b>Stramit Mini Corry®</b> 	31	0.42 0.48	G550 G550	825	† †	† †	† †	1200 1300	1000 1050
Fixing screws required 7/sheet/batten									
<b>Stramit Minirib®</b> 	31	0.42	G550	900	†	†	†	1500	1250
Fixing screws required 4/sheet/batten									
<b>Stramit K-Panel®</b> 	31	0.35 0.42	G550 G550	864 864	† †	† †	† †	1500 1700	1250 1400
Fixing screw required 4/sheet/batten									
<b>Stramit Monopanel®</b> 	32	0.48	G550	250	†	†	†	3000	2500
Fixing screws required 1/sheet/batten									
<b>Stramit SharpLine® Direct Fix - 25mm</b> 	32	0.55 0.55 0.55 0.55	0.60 0.60 0.60 0.60	290 490 265 465	6.14 5.45 6.72 5.74	3 Degree 3 Degree 3 Degree 3 Degree	900 450 900 450	600 350 600 350	1200 600 1200 600
Fixing screws required = 1/sheet/batten									
<b>Stramit SharpLine® Clip Fix - 25mm</b> 	32	0.55 0.55 0.55 0.55	0.60 0.60 0.60 0.60	320 520 285 485	5.56 5.13 6.25 5.50	3 Degree 3 Degree 3 Degree 3 Degree	900 450 900 450	600 350 600 350	1200 600 1200 600
Fixing screws required = 2 per clip for both metal & timber									
<b>Stramit Sunset® Deck</b> 	70	0.42	G550	290	1 Degree (2 degrees greater than 4m)	2300	4500	2900	4300
Fixing screw required 2/sheet/batten									


**BMT** Base Metal Thickness. This is thickness of steel only and together with minimum yield strength and rolled profile provides the basis for calculation of the structural needs of a system. It should be referred to in specifications followed by the letters BMT.  
† NOT suitable for roofing.

Conditions:  
For N1 wind conditions and normal duty foot traffic  
• Installation of wall sheets is not to include concrete slab poured against wall sheeting.

## ROOFING • CLADDING • ACCESSORIES


Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit
<b>Stramit® Corrugated</b> 	Hi Tensile G550	<b>C42ZA</b>	ZA	0.42	per m²
		<b>C48ZA</b>	ZA	0.48	per m²
		<b>**C42T</b>	MATT	0.42	per m²
		<b>**C48T</b>	<b>MATT</b>	0.48	per m²
		<b>C42X---</b>	COL	0.42	per m²
		<b>C48X---</b>	COL	0.48	per m²
		<b>**C42ZM8---</b>	ZM8	0.42	per m²
		<b>**C48ZM8---</b>	ZM8	0.48	per m²
		<b>**C42U---</b>	Ultra	0.42	per m²
		<b>**C48U---</b>	Ultra	0.42	per m²
		<b>C42GA</b>	Z450 GA	0.42	per m²
	To convert to linear metres multiply by 0.762				
<b>** Stramit® Corrugated</b> also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 30					
Wall Cladding	Acoustic Perf.	<b>C42IOWHP11</b>	COL	0.42	per m²
		Available in Off White only Project base material, min order 1 tonne. Allow extra lead time.			
<i>Lengths under 1.2m incur a cutting charge</i>		<b>CUTBACKLTH</b>			each
Translucent Roof Sheeting	Fibreglass	<b>TSFGC12---</b>	1200gsm (4oz)lin metre		
Suit <b>Stramit® Corrugated</b> sheeting	CLR, OPA, HGN	<b>TSFGC18---</b>	1800gsm (6oz)lin metre		
		<b>TSFGC24---</b>	2400gsm (8oz)lin metre		
		<i>Lengths over 11.6m incur extra delivery charges, direct delivery charges may apply. Allow 3 working days for delivery</i>			
	Polycarbonate	<b>TSPCC---LL</b>	(0.80mm)	lin metre (not CTL)	
		<i>CLR, GRY, OPL, LBZ and DKT</i> Available in standard lengths only: 1.8, 2.1, 2.4, 2.7m, 3.0m, 3.3m, 3.6m, 3.9m, 4.2m, 4.8m, 5.4m, 6.0m			
	12 x 50 Polycarb Screws	<b>TSPC1SHOTPK</b>			per 50
		<b>TSPC1SHOTT</b>			per 250
	Anti Noise Stop Tape	<b>TSPCANT25200</b>			per 50
Fasteners		12x50 Hex Head type 17 <i>(crest fixing to timber)</i>	<b>S1250H174</b>	plain	per 1000
			<b>S1250H17---4</b>	colour head	per 1000
		5.5x39 Hex Auto Tek <i>(crest fixing to steel)</i>	<b>S1239HAT4</b>	plain	per 1000
			<b>S1239HAT---4</b>	colour head	per 1000
		10x16 Hex Head SD <i>(valley fixing to steel)</i>	<b>S1016HT4</b>	plain	per 1000
			<b>S1016HT---4</b>	colour head	per 1000
		10x16 Wafer Tek (steel fix)	<b>S1016WT4</b>		per 1000
Roof Zip Screws		M6 x 50 Hex Head SDS <i>(crest fixing to timber &amp; steel)</i>	<b>S0650HZIP4</b>	plain	per 1000
			<b>S0650HZIP---4</b>	colour head	per 1000
		M6 x 65 Hex Head SDS <i>(crest fixing to timber &amp; steel)</i>	<b>S0665HZIP4</b>	plain	per 1000
			<b>S0665HZIP---4</b>	colour head	per 1000
		Roof Zip Class 5	<b>S0650HZIP---5</b>	colour head	per 1000 (only)
<i>Also Available in packs of 100. Please contact your account manager for prices.</i>					
Accessories		Filler Strip (eave & ridge)	<b>CEFS</b>	918mm	each
		<b>Fire retardant filler strips as per standard AS1530.3 – 1999</b>			
			<b>CEFSFR</b>	915mm	each
		Weatherlok Neo Washer	<b>TSFGWW32H</b>	suit f/glass	per 100

## ROOFING • CLADDING • ACCESSORIES

Product	Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit
Flashings		<b>Stramit® Roll Top Ridge</b>	<b>RTR42ZA60</b>	6m ZA		each
		<i>RTRV (Suit 25° pitch)</i>	<b>RTR42ZA</b>	CTL ZA		lin metre
			<b>RTR42GA</b>	CTL GA		lin metre
			<b>RTR42X---</b>	CTL COL		lin metre
			<b>RTR42T---</b>	MATT		lin metre
			<b>RTR42ZM8---</b>	ZM8		lin metre
			<b>*RTRRF42X---</b>	CTL COL		lin metre
			<b>*RTRRF42ZA</b>	CTL ZA		lin metre
		*Maximum length 6.000 metres for reverse roll				



CURVED ROOFING • TANK IRON • ACCESSORIES

Product	Curved Roofing/Tank Iron/Accessories	Details	Code	Finish	BMT	Unit
Stramit® Curving Quality		Mild Steel G300	CD*/CQ60ZA	ZA	0.60	per m²
			CD/CQ60X---	COL	0.60	per m²
			CD/CQ60GA	GA	0.60	per m²
		Material Costs Only, reverse roll available. Additional cutting charges will apply. (Available in selected colours. Refer page 14) Add curving cost to material cost for total price When end lapping occurs, please liaise with your Stramit® office for additional details * Prefix CD Corry-decking, Flat sheet only.				
Costs (up to 90° curve)		Sheet lengths up to 3.5m	CURV40035			per curve
		Sheet lengths 3.5m to 7m	CURV43570			per curve
		Sheet lengths 7m to 10m	CURV47010			per curve
		Sheet lengths 10m to 13m	CURV41013			per curve
Docking of curved sheet		(less than 2.5 metres only)	CUTBACKLTH			per cut
		Lengths over 13m are subject to special pricing. Special freight prices apply to lengths over 7 metres Double curves are priced at sheet length x 2 curves				

Bullnosing & Curving

Please note: the minimum radius we can roll for any curve is 300mm.

Please supply template & all information wherever possible.

For all bullnose curved sheets less than 400mm radius, a straight section (A) of 110mm is required, and will be charged in the price of the sheet.

If all or part of this dimension is not required on the finished sheet, then the sheet will be cut back and a docking fee (CUTBACKLTH) will apply

Templates

Templates may be an existing corrugated sheet, timber hockey sticks, timber rafters or drawn or cut onto MDF or plywood sheets, cement sheet, flat metal strip, corflute sheet or thick cardboard.

All templates must be a minimum of 900mm long in order to get the correct shape.


For bullnose templates, the customer must show the actual curved section/length and at least 300-400mm of straight roof section to ascertain the correct roof fall.

All templates must show the customer's name, contact number, number of sheets required and finished colour or ZINCALUME® steel or galvanised finish.

Unacceptable Templates


Copper pipes, hip hockey sticks, loose pieces of paper, badly distorted old sheets or old sheets painted with lead based paint.

If a customer cannot provide a template, the following information and measurements for the various curved shapes can be provided.



Bullnosing

A Straight section into gutter \_\_\_\_\_ mm  
B Radius of curve \_\_\_\_\_ mm  
C Angle of roof pitch \_\_\_\_\_ degrees  
D Wall to fascia \_\_\_\_\_ mm  
Number of sheets required \_\_\_\_\_  
Direction of laying (left to right/right to left) \_\_\_\_\_  
Colour \_\_\_\_\_  
Other information (eg. docking, endlapping) \_\_\_\_\_




Concave & Convex Curves





For convex or concave orders without templates, please supply measurements for one of the four choices below:

- A Actual sheet length required (G) and the radius of curve (X)  
B Actual sheet length required (G) and height or drop in centre of sheet (F)  
C Horizontal width across from tip to tip (E) and the radius of curve (X)  
D Horizontal width across from tip to tip (E) and height or drop in centre of sheet (F)

CURVED ROOFING • TANK IRON • ACCESSORIES

Common Curves



Product	Curved Roofing/Tank Iron/Accessories	Details	Code	Finish	BMT	Unit
Flashings	Steel Curved Pittsburgh Flashings					
	Barge	Left Hand	CAMETCBL---	ZA/GA/Colour		lin metre
		Right Hand	CAMETCBR---	ZA/GA/Colour		lin metre
						
						
	Apron	Left Hand	CAMETCAL---	ZA/GA/Colour		lin metre
		Right Hand	CAMETCAR---	ZA/GA/Colour		lin metre
						
						
7 day lead time						

Fibreglass Flashings

Hip only CAPVCHRRR\*---  
(available in 300, 400 and 500mm radius in standard colours and plain)  
\* rrr = radius in mm

PVC Straight Section Only CAPVCST---26

2.6m

Valley CAPVCVRRR\*---


2.6m

Tank Iron 8 corrugations, 610 cover CT61060GA

0.60 per m²





CT61060AQGA  
(rolled edge down with AQUAPLATE® steel under)

0.60 per m²













Cut to length CTL ex Knoxfield normal lead time – manufactured Tuesdays only. All orders must come with drawings showing colour and leg positions
















## ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit
<b>Stramit Monoclad®</b>  	Hi-Tensile G550	<b>MC42ZA</b>	ZA	0.42	per m <sup>2</sup>
		<b>MC48ZA</b>	ZA	0.48	per m <sup>2</sup>
		<b>**MC42T---</b>	MATT	0.42	per m <sup>2</sup>
		<b>**MC48T</b>	MATT	0.48	per m <sup>2</sup>
		<b>MC42X---</b>	COL	0.42	per m <sup>2</sup>
		<b>MC48X---</b>	COL	0.48	per m <sup>2</sup>
		<b>**MC42U---</b>	Ultra	0.42	per m <sup>2</sup>
		<b>**MC48U---</b>	Ultra	0.48	per m <sup>2</sup>
		<b>**MC42ZM8---</b>	ZM8	0.42	per m <sup>2</sup>
		<b>**MC48ZM8---</b>	ZM8	0.48	per m <sup>2</sup>
		<b>**MC42U---</b>	Ultra	0.42	per m <sup>2</sup>
		<b>**MC48U---</b>	Ultra	0.48	per m <sup>2</sup>
		<b>MC42RRX---</b>	Rev Roll	0.42	per m <sup>2</sup>
		<b>MC48RRX---</b>	Rev Roll	0.48	per m <sup>2</sup>
		<b>MC42GA</b>	GA Z450	0.42	per m <sup>2</sup>
		<i>To convert to linear metres multiply by 0.762</i>			
		<b>** Stramit Monoclad® also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 30</b>			
<b>Wall Cladding</b>  	Hi-Tensile G550	<b>MC35ZA</b>	ZA	0.35	per m <sup>2</sup>
		<b>MC35X---</b>	COL	0.35	per m <sup>2</sup>
		<b>MC35RRX---</b>	Rev Roll	0.35	per m <sup>2</sup>
	Acoustic Perf.	<b>MC42IOWHP11</b>	COL	0.42	per m <sup>2</sup>
<i>Project based material, min order 1 tonne. Allow extra lead time.</i>					
Translucent Roof Sheetting	Fibreglass	<b>TSFGMC18---</b>	1800gsm (6oz)	lin metre	
Suit <b>Stramit Monoclad®</b> sheetting	CLR, OPA, HGN	<b>TSFGMC24---</b>	2400gsm (8oz)	lin metre	
<i>Lengths over 11.6m incur extra delivery charges, direct delivery charges may apply.</i>					
	Polycarbonate	<b>TSPCMC---LL</b>	(0.80mm)	lin metre (not CTL)	
		<b>TSPCGR---LL</b>	Greca 760mm	lin metre (not CTL)	
	Polycarb Screws 12x50	<b>TSPC1SHOTPK</b>		per 50	
		<b>TSPC1SHOTT</b>		per 250	
	Fibreglass Screws 14x65	<b>TSFG1465WW32</b>		per 500	
<i>CLR, GRY, OPL, LBZ and DKT</i>					
<i>Available in standard lengths only: 1.8, 2.1, 2.4, 2.7m, 3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m</i>					
<b>Accessories</b>  	Filler Strip (under eave)	<b>MCEFSBTM</b>	760mm bottom	each	
	Filler Strip (under ridge)	<b>MCEFSTOP</b>	950mm top	each	
	<b>Fire retardant filler strips as per standard AS1530.3 – 1999</b>				
		<b>MCEFSFRBTM</b>	760mm bottom	each	
		<b>MCEFSFRTOP</b>	950mm top	each	
	Reinforcing Plate & Seal	<b>TSFGMCRPM14H</b>	suit fibreglass	per 100	
	Weatherlok Neo Washer	<b>TSFGWW32H</b>	suit fibreglass	per 100	
	Stop Ending Tool	<b>MCSETD</b>		each	
	MC MonoLap 73mm 7.62m	<b>MCMONOLAP76</b>		Roll	
	<i>(10 sheets per roll)</i>				
	MC Monolap Expansion Washer	<b>MCMONOLAPEWZA</b>		each	
	12x68 Hex Tek Cls4 COL	<b>S1268HTMC***4</b>		Pack	
	<i>– only suitable for MC Monolap above</i>				
	<i>(40 screws per roll – incl plate &amp; washer)</i>				
	12x68 Hex Tek Mcap	<b>S1268HTMC4</b>		Box	
	MC MonoLap Stop End Tool	<b>MCMONOLAPSETD</b>		each	
	Monolap Accessories Ex Brisbane				











## ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish	Unit	
Fasteners		12x65 Hex Head type 17 (for crest fixing to timber)	<b>S1265H174</b> <b>S1265H17---4</b>	Plain Colour head	per 1000 per 1000
		5.5 x 50 Hex Auto Tek (for crest fixing to steel)	<b>S1250HAT4</b> <b>S1250HAT---4</b>	Plain Colour head	per 1000 per 1000
		10x16 Hex Head SD (for valley fixing to steel)	<b>S1016HT4</b> <b>S1016HT---4</b>	Plain Colour head	per 1000 per 1000
		10x16 Wafer Tek (fix to steel)	<b>S1016WT4</b>		per 1000
Roof Zip Screws		M6 x 50 Hex Head SDS (crest fixing to timber & steel)	<b>S0650HZIP4</b> <b>S0650HZIP---4</b>	Plain Colour head	per 1000 per 1000
		M6 x 65 Hex Head SDS (crest fixing to timber & steel)	<b>S0665HZIP4</b> <b>S0665HZIP---4</b>	Plain Colour head	per 1000 per 1000
		Also available in packs of 100 - Please contact your account manager for prices.			
Flashings		Maximum length for folded flashings is 8 metres			
	Ridge MCR	<b>RFMC55GA</b>	CTL GA	lin metre	
		<b>RFMC55ZA</b>	CTL ZA	lin metre	
		<b>RFMC55X---</b>	CTL COL	lin metre	
	Barge MCBV	<b>BFMC24055GA</b>	CTL GA	lin metre	
		<b>BFMC24055ZA</b>	CTL ZA	lin metre	
		<b>BFMC24055X---</b>	CTL COL	lin metre	
	Under Flashing MCU	<b>UFMC55GA</b>	CTL GA	lin metre	
		<b>UFMC55ZA</b>	CTL ZA	lin metre	
		<b>UFMC55X---</b>	CTL COL	lin metre	
	Valley Plain (folded)	<b>VPF55GA</b>	CTL GA	lin metre	
		<b>VPF55ZA</b>	CTL ZA	lin metre	
		<b>VPF55X---</b>	CTL COL	lin metre	
		<b>VPF55T---</b>	CTL MATT	lin metre	
		<b>VPF55ZM8---</b>	CTL ZM8	lin metre	
Rollformed (available ex Knoxfield only)					
	Valley VR	<b>VRIB40ZA</b>	CTL ZA	lin metre	
		<b>VRIB40X---</b>	CTL COL	lin metre	
		<b>VRIB40T---</b>	CTL MATT	lin metre	
9.5m maximum length					

## ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit	
<b>Stramit Longspan®</b> 	Hi-Tensile G550	<b>LS42ZA</b>	ZA	0.42	per m <sup>2</sup>	
		<b>LS48ZA</b>	ZA	0.48	per m <sup>2</sup>	
		<b>**LS42T---</b>	MATT	0.42	per m <sup>2</sup>	
		<b>**LS48T</b>	MATT	0.48	per m <sup>2</sup>	
		<b>LS42X---</b>	COL	0.42	per m <sup>2</sup>	
		<b>LS48X---</b>	COL	0.48	per m <sup>2</sup>	
		<b>**LS42U---</b>	Ultra	0.42	per m <sup>2</sup>	
		<b>**LS48U---</b>	Ultra	0.48	per m <sup>2</sup>	
		<b>**LS42ZM8---</b>	ZM8	0.42	per m <sup>2</sup>	
		<b>**LS48ZM8---</b>	ZM8	0.48	per m <sup>2</sup>	
		<b>**LS42U---</b>	Ultra	0.42	per m <sup>2</sup>	
		<b>**LS48U---</b>	Ultra	0.48	per m <sup>2</sup>	
		<b>LS42GA</b>	GA Z450	0.42	per m <sup>2</sup>	
	Acoustic Perforated Gutter Board 6.1m L 550mm W Gutter Board 6.1m L 750mm W	<b>LS42IOWHP11</b>	COL	0.42	per m <sup>2</sup>	
		<b>LSGB55ZA6100</b>	ZA	0.42	each	
		<b>LSGB75ZA6100</b>	ZA	0.42	each	
<b>**Stramit Longspan®</b> also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 30						
<b>Fibreglass Roof Sheetting</b> 	Suit <b>Stramit Longspan®</b> sheetting CLR, OPA, HGN	<b>TSFGLS24---</b>	2400gsm (8oz)lin metre			
<i>Lengths over 11.6m incur extra delivery charges, direct delivery charges may apply.</i>						
<b>Fasteners</b>    	12x65 Hex Head type 17 (for crest fixing to timber)	<b>S1265H174</b> <b>S1265H17---</b> 4	Plain Colour	per 1000 per 1000		
	5.5 x 50 Hex Auto Tek (for crest fixing to steel)	<b>S1250HAT4</b> <b>S1250HAT---</b> 4	Plain Colour	per 1000 per 1000		
	10x16 Hex Head SD (for valley fixing to steel)	<b>S1016HT4</b> <b>S1016HT---</b> 4	Plain Colour	per 1000 per 1000		
	10x16 WaferTeks (fix to steel) <i>Also available in packs of 100 - Please contact your account manager for prices.</i>	<b>S1016WT4</b>	per 1000			
<b>Accessories</b>   	Filler Strip (under eave)	<b>LSEFSBTM</b>	900mm bottom	each		
	Filler Strip (under ridge)	<b>LSEFSTOP</b>	900mm top	each		
	Reinforcing Plate & Seal	<b>LSEFSFRBTM</b>	900mm bottom	each		
		<b>LSEFSFRTOP</b>	900mm top	each		
		<b>TSFGMCRPM14H</b>	suit fibreglass	per 100		
	Weatherlok Neo Washer	<b>TSFGWW32H</b>	suit fibreglass	per 100		
<b>Flashings</b>     	Ridge MCR	Maximum length for folded flashings is 8 metres				
		<b>RFMC55GA</b>	GA	lin metre		
		<b>RFMC55ZA</b>	ZA	lin metre		
		<b>RFMC55X---</b>	COL	lin metre		
	Barge MCBV	<b>BFMC24055GA</b> <b>BFMC24055ZA</b> <b>BFMC24055X---</b>	GA ZA COL	lin metre lin metre lin metre		
	Under Flashing MCU	<b>UFMC55GA</b> <b>UFMC55ZA</b> <b>UFMC55X---</b>	GA ZA COL	lin metre lin metre lin metre		
	Valley Plain (folded)	<b>VPF55GA</b> <b>VPF55ZA</b> <b>VPF55X---</b> <b>VPF55T---</b> <b>VPF55ZM8---</b>	GA ZA COL MATT ZM8	lin metre lin metre lin metre lin metre lin metre		
	Rollformed (available ex Knoxfield only) Valley VR	<b>VRIB40ZA</b> <b>VRIB40X---</b> <b>VRIB40T---</b>	ZA COL MATT	lin metre lin metre lin metre		
	<i>9.5m maximum length</i>					
	<b>Box Gutter Brackets (Adjustable)</b> 	250mm - 400mm (size 1)	<b>BGBA1EAZA</b>	24 per box	each	
		400mm - 650mm (size 2)	<b>BGBA2EAZA</b>	24 per box	each	
		650mm - 1000mm (size 3)	<b>BGBA3EAZA</b>	18 per box	each	

## ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit	
<b>Stramit Speed Deck Ultra®</b> 	Hi-Tensile G550	<b>UD42ZA</b>	ZA	0.42	per m²	
		<b>UD48ZA</b>	ZA	0.48	per m²	
		<b>**UD42T</b>	MATT	0.42	per m²	
		<b>**UD48T</b>	MATT	0.48	per m²	
		<b>UD42X---</b>	COL	0.42	per m²	
		<b>UD48X---</b>	COL	0.48	per m²	
		<b>UD42GA</b>	GA	0.42	per m²	
		<b>**UD42ZM8---</b>	ZM8	0.42	per m²	
		<b>**UD48ZM8---</b>	ZM8	0.48	per m²	
		<b>**UD42U---</b>	Ultra	0.42	per m²	
		<b>**UD48U---</b>	Ultra	0.48	per m²	
	<b>**Stramit Speed Deck Ultra®</b> also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 30					
Fibreglass Roof Sheetting	Suit <b>Stramit Speed Deck Ultra®</b> decking <i>CLR, OPA</i>	<b>TSFGUD24---</b>	2400gsm		lin metre	
		<i>Lengths over 11.6m incur extra delivery charges, direct delivery charges may apply.</i>				
Fixing Clips	Fixing Clips no fasteners (40 per box)	<b>UDFC</b>	GA		each	
	Farlap Lapping Accessory	<b>UDFARLAP</b>			each	
	Farlap Lapping Accessory Roll	<b>UDFARLAP70</b>			7m roll	
	Farlap TurnUp/TurnDown Tool	<b>UDFARLAPSETD</b>			each	
	Roof Razer Insulation Spacer					
	85 mm	<b>RRZISGA</b>	GA		box 6	
	115 mm	<b>RRZIS115GA</b>	GA		box 6	
<i>To calculate clip requirements divide sheet length by purlin spacing, round up if required and add 1 for the end clip. Then multiply by the number of sheets. Clip covers full 700mm of sheet width.</i>						
Fasteners	40m Batten Zip	<b>S1240HMTZIP</b>			1000	
	12x30 Hex Head Self Drilling/Tapping (for fixing to metal) <i>Also available in packs of 100 - please contact your account manager for prices.</i>	<b>S1230HTNN</b>			1000	
Accessories	Filler Strip 700 (Bottom)	<b>UDEFsBTM</b>			each	
	Filler Strip 700 (Top)	<b>UDEFSTOP</b>			each	
		<b>Also available in fire retardant material as per standard AS1530.3 – 1999</b>				
		<b>UDEFsFRBTM</b>			each	
		<b>UDEFsFRTOP</b>			each	
	Stop Ending tool (Turn up/turn down) Double ended	<b>UDSETD</b>			each	
Flashings		Maximum length for folded flashings is 8 metres				
		<b>RFSD40055GA</b>	GA		lin metre	
		<b>RFSD40055ZA</b>	ZA		lin metre	
		<b>RFSD40055X---</b>	COL		lin metre	
		<b>BFSD55GA</b>	GA		lin metre	
		<b>BFSD55ZA</b>	ZA		lin metre	
		<b>BFSD55X---</b>	COL		lin metre	
		<b>UFSD55GA</b>	GA		lin metre	
		<b>UFSD55ZA</b>	ZA		lin metre	
		<b>UFSD55X---</b>	COL		lin metre	
		<b>VPF55GA</b>	GA		lin metre	
		<b>VPF55ZA</b>	ZA		lin metre	
		<b>VPF55X---</b>	COL		lin metre	
		<b>VPF55T---</b>	MATT		lin metre	
		<b>VPF55ZM8---</b>	ZM8		lin metre	
	Rollformed (available ex Knoxfield only)					
		Valley VR	<b>VRIB40ZA</b>	ZA		lin metre
			<b>VRIB40X---</b>	COL		lin metre
		<b>VRIB40T---</b>	MATT		lin metre	
<i>9.5m maximum length</i>						



# Colorbond®

COLORBOND® steel is more than a world-class building product. It's an iconic brand that's helped the people of our building industry shape the very landscape in which we live.

## MADE FOR AUSTRALIAN CONDITIONS

Australia is battered by our relentless climate every day. Today's COLORBOND® steel is the result of over 5 decades of research, development and innovation, based on over 50 years of data from thousands of steel samples.

## TRIED AND TESTED FOR THE AUSTRALIAN ENVIRONMENT

For roofing and walling close to water, COLORBOND® Ultra steel has been designed to provide enhanced corrosion protection, while the iconic COLORBOND® steel range of 22 colours is ideal for most building designs in most locations. Regardless of where you build, there's likely to be a COLORBOND® steel solution for you.


## COOLER IN THE SUMMER HEAT

COLORBOND® steel colours incorporate Thermatech® solar reflectance technology<sup>1</sup>, which can mean reduced reliance on air-conditioning and less heat stress on a roof. For commercial roofing applications, COLORBOND® Coolmax® steel provides BlueScope's highest solar reflectance product, which may help to reduce roofing temperatures and keep buildings cooler<sup>2</sup>.

## FIVE LAYERS OF PROTECTION

Manufactured in Australia to relevant Australian Standards (AS 1397-2011 and AS/NZS 2728:2013) and tested in some of the harshest Australian conditions, COLORBOND® steel is far more than just 'paint on steel'.

1. The steel base meets relevant Australian Standards, ensuring strict adherence to the required grade and strength.
2. The base is then coated in BlueScope's industry leading metallic coating incorporating Activate® technology<sup>4</sup>, to provide enhanced corrosion resistance.
3. A thin pre-treatment layer is applied to optimise the adhesion of further coatings.
4. A corrosion inhibitive primer is baked onto the surface.
5. A topcoat of specially developed, exterior grade paint is baked on to provide resistance to chipping, flaking and blistering and to ensure the finish retains its look for longer.



## PEACE OF MIND FOR YOU AND YOUR CUSTOMERS

COLORBOND® steel for roofing is warranted for corrosion to perforation for up to 36 years, as well as paint flake and peel for up to 20 years<sup>3</sup>. Detailed information can be accessed at [bluescopesteel.com.au/warranties](http://bluescopesteel.com.au/warranties).

## NATIONWIDE SUPPORT

BlueScope's nationwide network of sales and technical support helps provide advice and information for customers, architects, designers, engineers, builders, trades and homeowners who use COLORBOND® steel.

1. Thermatech® technology is not available in Night Sky®, or non-standard colours, and is not available in COLORBOND® Stainless steel, COLORBOND® Metallic steel, or COLORBOND® Coolmax® steel. Results will depend on roof colour, level and location of insulation, type and location of building shape and function.
2. Compared to conventional roofing materials of lower solar reflectance index (SRI), such as ZINCALUME® steel and all other roofing materials in the COLORBOND® steel range. Any savings and or the extent to which a building is cooler may vary and depend upon the particular circumstances of your building, including building location, level of insulation, location of air-conditioning when installed, building shape, building function and environmental factors. For further information refer to Stockland case study <http://steel.com.au/colorbond-coolmax-steel>.
3. Warranties are subject to exclusions, application and eligibility criteria. For full terms and conditions and to determine the eligibility of your product for the warranty visit [bluescopesteel.com.au/warranties](http://bluescopesteel.com.au/warranties) or contact BlueScope on 1800 064 384.
4. Aluminium/zinc/magnesium alloy-coated steel substrate incorporating Activate® technology is not available for COLORBOND® Stainless steel, and COLORBOND® steel products with a galvanised steel substrate.

## PREMIUM PRODUCTS • ROOFING • CLADDING • ACCESSORIES


Product	Details	BMT mm	Finish	Code	Unit
Roofing/Cladding/Accessories					

Most Premium Products manufactured at Knoxfield only, allow extra 2 days lead time for country areas, more for interstate – ask for details. Available in the Blue Scope Steel Premium range of colours for severe environments refer page 30.

Reverse roll roofing/cladding available on request. Additional charges will apply.

See standard product pages for other accessories, flashing profiles, fibreglass.

### Stramit® Corrugated




0.42	Ultra	<b>C42U---</b>	per m <sup>2</sup>
0.42	Matt	<b>C42T---</b>	per m <sup>2</sup>
0.48	Ultra	<b>C48U---</b>	per m <sup>2</sup>
0.48	Matt	<b>C48T---</b>	per m <sup>2</sup>
0.48	Metallic*	<b>C48M---</b>	per m <sup>2</sup>
0.48	Coolmax®	<b>C48KWHN</b>	per m <sup>2</sup>

\*Metallic available on project basis only. Minimum order 2 tonnes.

To convert to linear metres multiply by 0.762

### Stramit Monoclad®




0.42	Ultra	<b>MC42U---</b>	per m <sup>2</sup>
0.42	Matt	<b>MC42T---</b>	per m <sup>2</sup>
0.48	Ultra	<b>MC48U---</b>	per m <sup>2</sup>
0.48	Matt	<b>MC48T---</b>	per m <sup>2</sup>
0.48	Metallic*	<b>MC48M---</b>	per m <sup>2</sup>
0.48	Coolmax®	<b>MC48KWHN</b>	per m <sup>2</sup>

\*Metallic available on project basis only. Minimum order 2 tonnes.

To convert to linear metres multiply by 0.762

### Stramit Longspan®



0.42	Ultra	<b>LS42U---</b>	per m <sup>2</sup>
0.42	Matt	<b>LS42T---</b>	per m <sup>2</sup>
0.48	Ultra	<b>LS48U---</b>	per m <sup>2</sup>
0.48	Matt	<b>LS48T---</b>	per m <sup>2</sup>
0.48	Metallic*	<b>LS48M---</b>	per m <sup>2</sup>
0.48	Coolmax®	<b>LS48KWHN</b>	per m <sup>2</sup>

\*Metallic available on project basis only. Minimum order 2 tonnes.


To convert to linear metres multiply by 0.700

### Screws to suit above

A range of Class 5 screws available to suit above premium range.

Please contact customer service for details.




### Stramit Speed Deck Ultra®



0.42	Ultra	<b>UD42U---</b>	per m <sup>2</sup>
0.42	Matt	<b>UD42T---</b>	per m <sup>2</sup>
0.48	Ultra	<b>UD48U---</b>	per m <sup>2</sup>
0.48	Matt	<b>UD48T---</b>	per m <sup>2</sup>
0.48	Metallic	<b>UD48M---</b>	per m <sup>2</sup>
0.48	Coolmax®	<b>UD48KWHN</b>	per m <sup>2</sup>

To convert to linear metres multiply by 0.700

## PREMIUM PRODUCTS • ROOFING • CLADDING • ACCESSORIES

Product	Details	BMT mm	Finish	Code	Unit
Roofing/Cladding/Accessories					
<b>Stramit Mini Corry®</b>					
manufactured in NSW – allow extra lead time, minimum length 0.3m.					
		0.48	Metallic	<b>MK48M---</b>	per m <sup>2</sup>
		To convert to linear metres multiply by 0.825			
<b>Stramit Minirib®</b> (Rectangular profile)					
manufactured in NSW – allow extra lead time, minimum length 1.2m.					
		0.42	Ultra	<b>MR42U---</b>	per m <sup>2</sup>
		To convert to linear metres multiply by 0.900.			
<b>Stramit Monopanel®</b>					
	Hi-Tensile G550	0.48	Metallic	<b>MP48M---</b>	per m <sup>2</sup>
<i>Project Base Material, Min Order 1.2 Tonne (220m<sup>2</sup>), Allow Extra Lead Time.</i>					
<i>Recommended maximum length 6.0m, beyond 6.0m at customer responsibility as handling damage is likely.</i>					
<i>Minimum length 500mm.</i>					
<i>Condeck Packers are required for lengths over 6.000m at additional cost.</i>					

## PREMIUM PRODUCTS • ROOFING • CLADDING

Product	Details	Cover Width mm	Ordering Code	Finish	BMT	Unit
Roofing/Cladding/Accessories						
	<b>25mm Rib (short)</b>	290	<b>SLS290D55T***</b>	Matt	0.55	per m <sup>2</sup>
		290	<b>SLS290D55U***</b>	Ultra	0.55	per m <sup>2</sup>
		490	<b>SLS490D55T***</b>	Matt	0.55	per m <sup>2</sup>
		490	<b>SLS490D55U***</b>	Ultra	0.55	per m <sup>2</sup>
	<b>38mm Rib (tall)</b>	265	<b>SLT265D55T***</b>	Matt	0.55	per m <sup>2</sup>
		265	<b>SLT265D55U***</b>	Ultra	0.55	per m <sup>2</sup>
		465	<b>SLT465D55T***</b>	Matt	0.55	per m <sup>2</sup>
		465	<b>SLT465D55U***</b>	Ultra	0.55	per m <sup>2</sup>
	<b>25mm Rib (short)</b>	320	<b>SLS320C55T***</b>	Matt	0.55	per m <sup>2</sup>
		320	<b>SLS320C55U***</b>	Ultra	0.55	per m <sup>2</sup>
		520	<b>SLS520C55T***</b>	Matt	0.55	per m <sup>2</sup>
		520	<b>SLS520C55U***</b>	Ultra	0.55	per m <sup>2</sup>
	<b>38mm Rib (tall)</b>	285	<b>SLT285C55T***</b>	Matt	0.55	per m <sup>2</sup>
		285	<b>SLT285C55U***</b>	Ultra	0.55	per m <sup>2</sup>
		465	<b>SLT465C55T***</b>	Matt	0.55	per m <sup>2</sup>
		465	<b>SLT465C55U***</b>	Ultra	0.55	per m <sup>2</sup>

### PREMIUM COLOUR RANGE

COLORBOND® ULTRA STEEL		COLORBOND® METALLIC STEEL		COLORBOND® COOLMAX® STEEL		COLORBOND® STEEL MATT	
DUN	DUNE®	ARI	ARIES®	WHN	WHITEHAVEN®	BAS	BASALT® MATT
MON	MONUMENT®	AST	ASTRO®			MON	MONUMENT® MATT
SUR	SURFMIST®	CEL	CELESTIAN®			SUR	SURFMIST® MATT
WLB	WALLABY®	COS	COSMIC®				
WSP	WINDSPRAY®	GLT	GALACTIC®				
WDG	WOODLAND GREY®	RHE	RHEA®				

## MAGNAFLOW® • ROOFING • CLADDING • RAINWATER

PRODUCT – Roofing/Cladding/Rainwater	BMT (mm)
<b>Stramit® Corrugated</b>	0.42 / 0.48
<b>Stramit Monoclad®</b>	0.42 / 0.48
<b>Stramit Longspan®</b>	0.42 / 0.48
<b>Stramit Speed Deck Ultra®</b>	0.42 / 0.48
<b>Stramit® Roll Top Ridge</b>	0.42 / 0.55
<b>Stramit® Valley</b> Folded	0.55
<b>Stramit® Flashings &amp; Others</b>	0.55
<b>Stramit® Downpipes</b> 95 x 45	0.55
<b>Stramit® Downpipes</b> 100 x 50	0.55
<b>Stramit® Downpipes</b> 100 x 75	0.55
<b>Stramit® Downpipes</b> 100 x 100	0.55

Please refer to Sales office for lead times and availability.

MagnaFlow® sheeting is a highly durable prepainted sheet steel system suitable for use in corrosive environments for roofing, walling and rainwater products. The protective metallic coating on the base steel is a new technology in accordance with AS1397 -2011. This coating provides the added durability of the MagnaFlow® product.

Please enquire at your local Stramit office to confirm colour availability.

### SUBSTRATE

The coating on the steel substrate complies with the coating classes as specified in AS 1397 – 2011: Continuous Hot Dipped Metallic Coated Steel Sheet and Strip – Coatings of Zinc, and Zinc Alloyed with Aluminium and Magnesium. The MagnaFlow® coating comprises zinc, aluminium and magnesium and delivers more durable site performance than standard zinc or Zinc/aluminium systems. Minimum coating mass is 240gsm.

### RECOMMENDED END USES

MagnaFlow® paint systems have a very good colour and gloss retention and are suitable for roofing, cladding and rainwater goods. It is ideal for animal shelters, flashings, interior uses, and exterior environments where corrosion levels are moderate. It is also suitable for fencing applications.



### MAGNAFLOW® WARRANTIES

A range of warranties are available to support MagnaFlow® products for various exposure conditions. Please contact your local Stramit office for details.

### THE MAGIC OF MAGNESIUM

All steel roofs are susceptible to the elements along cut edges however the addition of magnesium to the standard zinc/aluminium alloy in MagnaFlow® products provides superior corrosion resistance in this area. As time goes on it allows the protective metal coating to microscopically flow over the cut edge. At this point a sacrificial anticorrosive reaction takes place and a robust seal is created.

Anticorrosive reaction of MagnaFlow® products



### PRODUCT AVAILABILITY - MAGNAFLOW COLOURS



Product	BMT (mm)	Magnaflow Colours ZM8 ***										
		AGY	BCH	MLH	OWH	SLG	GUL	SCM	CFG	HRD	MGN	MBL
<b>Roofing</b>	0.42	Y	POA	Y	Y	Y	CHECK	POA	POA	POA	POA	POA
	0.48	POA	POA	Y	Y	Y	POA	POA	POA	POA	POA	POA
<b>Fascia</b>	0.42	Y	Y	POA	Y	Y	POA	Y	POA	POA	POA	POA
<b>QLD Quad / 150 Half Rnd</b>	0.42	Y	Y	POA	Y	Y	POA	POA	POA	POA	POA	POA
<b>M Gutter</b>	0.42	Y	Y	POA	Y	Y	POA	Y	POA	POA	POA	POA
<b>Quad 175</b>	0.55	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA
<b>Flashings</b>	0.55	Y	Y	Y	Y	Y	POA	POA	POA	POA	POA	POA

### MAGNAFLOW COLOUR NAMES

<b>AGY</b>	Armour Grey	<b>SLG</b>	Slate Grey	<b>HRD</b>	Heritage Red
<b>BCH</b>	Birch	<b>GUL</b>	Gull Grey	<b>MGN</b>	Mist Green
<b>MLH</b>	Monolith	<b>SCM</b>	Smooth Cream	<b>MBL</b>	Mountain Blue
<b>OWH</b>	Off White	<b>CFG</b>	Caulfield Cream		






## ROOFING • CLADDING • ACCESSORIES


Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit
<b>Stramit Mini Corry®</b>  6mm rib height      825 cover 		<b>MK42ZA</b>	ZA	0.42	per m <sup>2</sup>
		<b>**MK42T---</b>	MATT	0.42	per m <sup>2</sup>
		<b>**MK42ZM8---</b>	ZM8	0.42	per m <sup>2</sup>
		<b>MK42X---</b>	COL	0.42	per m <sup>2</sup>
		<b>MK48ZA</b>	ZA	0.48	per m <sup>2</sup>
		<b>MK48X---</b>	COL	0.48	per m <sup>2</sup>
	Packaging charge 10 x 25 Hex Ripple Zip	<b>PACKAGING</b>			each
		<b>S1025HRZIP4</b>	Plain		per 1000

**\*\*Stramit Mini Corry®** also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 30  
Maximum length 6.0m. Minimum length 0.600m. This product is manufactured in NSW – allow additional lead times.  
*Prices are subject to minimum quantity and packaging charges. Additional charges will apply.*



<b>Stramit Minirib®</b>	Rectangular profile	<b>MR42ZA</b>	ZA	0.42	per m <sup>2</sup>
		<b>MR42X---</b>	COL	0.42	per m <sup>2</sup>
		<b>**MR42T---</b>	MATT	0.42	per m <sup>2</sup>
	 4mm rib height      900 cover Packaging charge	<b>PACKAGING</b>			each
<b>**Stramit Minirib®</b> also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 30 This product is manufactured in NSW – allow additional lead times. <i>Prices are subject to minimum quantity and packaging charges. Additional charges will apply.</i>					

Fasteners	 12 x 25 Hex Head type 17 <i>(fix to timber)</i>  10 x 16 Hex Head SD <i>(fix to steel)</i>  10 x 16 Wafer Tek <i>(fix to steel)</i>	<b>S1225H174</b>	Plain		per 500
		<b>S1225H17---4</b>	Colour head		per 500
		<b>S1016HT4</b>	Plain		per 1000
		<b>S1016HT---4</b>	Colour head		per 1000
		<b>S1016WT4</b>			per 1000
Also available in packs of 100 - Please contact your account manager for prices.					

## CLADDING • ACCESSORIES

Product Cladding/Accessories	Details	Code	Finish	BMT	Unit
<b>Stramit K-Panel®</b>  12mm 864mm (±4mm) Cover Acoustic Perforated	Hi-Tensile Steel G550	<b>KP35ZA</b>	ZA	0.35	per m <sup>2</sup>
		<b>KP42ZA</b>	ZA	0.42	per m <sup>2</sup>
		<b>KP35X---</b>	COL	0.35	per m <sup>2</sup>
		<b>KP42X---</b>	COL	0.42	per m <sup>2</sup>
		<b>KP42IOWHP11</b>	COL	0.42	per m <sup>2</sup>
		<b>**KP42T---</b>	MATT	0.42	per m <sup>2</sup>
		<b>KP42GA---</b>	GA	0.42	per m <sup>2</sup>


**\*\*Stramit K-Panel®** also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 30  
Recommended maximum length 6.0m. Minimum length 400mm.

Fasteners	 12 x 25 Hex Head type 17 <i>(fix to timber)</i>  10 x 16 Hex Head SD <i>(fix to steel)</i>	<b>S1225H174</b>	Plain		per 500
		<b>S1225H17---4</b>	Colour head		per 500
		<b>S1016HT4</b>	Plain		per 1000
		<b>S1016HT---4</b>	Colour head		per 1000


Flashings	Corner Mould KPCM	<b>CMFKP7555ZA</b>	ZA	0.55	lin metre
Suit <b>Stramit K-Panel®</b> sheeting		<b>CMFKP7555X---</b>	COL	0.55	lin metre
		<b>CMFKP11055ZA</b>	ZA	0.55	lin metre
		<b>CMFKP11055X---</b>	COL	0.55	lin metre
		<b>CMFKP15055ZA</b>	ZA	0.55	lin metre
		<b>CMFKP15055X---</b>	COL	0.55	lin metre
Maximum length for folded flashings is 8 metres					

Garage Barge	 150 110 75 Minimum length 1.000 metres.	<b>GBZA</b>	ZA	0.40	lin metre
		<b>GBX---</b>	COL	0.40	lin metre

## CLADDING • ACCESSORIES




Product Cladding/Accessories	Details	Code	Finish	BMT	Unit
<b>Stramit Monopanel®</b>  250mm Cover 12.5mm	Hi-Tensile G550	<b>MP48ZA</b>	ZA	0.48	per m <sup>2</sup>
		<b>MP48X---</b>	COL	0.48	per m <sup>2</sup>
		<b>CUTBACKLTH</b>			each
	<i>Recommended maximum length 6.0m, beyond 6.0m at customer responsibility as handling damage is likely</i> <i>Minimum length 700mm</i> <b>CONPACKER</b> <b>Monopanel must have condeck packers at customer's expense</b>				per m <sup>2</sup>

Flashings - Suit **Stramit Monopanel®** Maximum length 3.0 metres for these flashings

 30 23 10 22 15 25 22 45 45 26 24 10	Foot Mould P1	<b>FM155X---</b>	COL*		lin metre
	Foot Mould P2	<b>FM255X---</b>	COL*		lin metre
	Outside Corner Trim P4	<b>OCT55X---</b>	COL*		lin metre
	Inside Corner Trim P5	<b>ICT55X---</b>	COL*		lin metre
	Fixing Batten 6.1 lm	<b>CBTC61</b>	26x24x10	0.42	each
Steel framing sections are cut to length to order. *Non stock items – manufactured to order					
	P3 Starter Clips <i>(for use with <b>Stramit Monopanel®</b> sheeting)</i>	<b>MPSC</b>			each
Minimum issue 100 per size – increments of 100 applicable					




Super Six Profile Sheet	5 corrugations to match Fibro cement super six sheeting	<b>SSRSGA30</b>	GA	0.55	3.0m
<b>NOTE: Product must be kept dry during transport, storage and installation.</b>					
Sheet width 620mm - Sheet cover 430mm, rib height 50mm, rib centres 145mm 3.0 metre lengths only.					

## ROOFING • CLADDING • ACCESSORIES


Product	Details	Cover Width mm	Ordering Code	Finish	BMT mm	Unit
<b>Stramit SharpLine® Direct Fix</b> 	25mm Rib (short)	290	<b>SLS290D55X***</b>	COL	0.55	per m <sup>2</sup>
		490	<b>SLS490D55X***</b>	COL	0.55	per m <sup>2</sup>
	38mm Rib (tall)	265	<b>SLT265D55X***</b>	COL	0.55	per m <sup>2</sup>
		465	<b>SLT465D55X***</b>	COL	0.55	per m <sup>2</sup>
<b>Stramit SharpLine® Clip Fix</b> 	25mm Rib (short)	320	<b>SLS320C55X***</b>	COL	0.55	per m <sup>2</sup>
		520	<b>SLS520C55X***</b>	COL	0.55	per m <sup>2</sup>
	38mm Rib (tall)	285	<b>SLT285C55X***</b>	COL	0.55	per m <sup>2</sup>
		465	<b>SLT465C55X***</b>	COL	0.55	per m <sup>2</sup>
Accessories suit <b>SharpLine® Clip Fix</b>	 Clip (short) 25mm Clip (tall) 38mm		<b>SLSCGA</b> <b>SLTCGA</b>	GA GA		each each

Available in ultra & matt finishes. Minimum length 2000, Maximum length 9000. NB: Lead time 72 hours.

Roof pitches below 7.5° for SharpLine® direct fix and 5.0° for SharpLine® clip fix profiles require sealed side laps. All Roof lengths above 5.0m also require sealed side laps. Refer to Product Technical manual brochure for installation requirements to plywood backing.

Fasteners	 10 x 16 Flathead Needle Point  10 x 16 Wafer Tek (For fixing to steel)  10 x 25 Wafer Type 17 (For fixing to timber)	<b>S1016FNP</b>	Plain		per box 1000
		<b>S1016WT</b>	Plain		per box 1000
		<b>S1025W17</b>	Plain		per box 1000

STRAMIT UNIGUARD™ FIRE RESISTING WALL SYSTEM







**Stramit Uniguard™ Fire resisting wall system** is a superior fire rated wall cladding product that combines the single layer of specialist fireboard **Promina®60** with your choice from **Stramit Monoclad®**, **Stramit Corrugated®** and **Stramit Longspan®** wall cladding products.

The **Stramit Uniguard™ Fire resisting wall system** is suitable for an external wall system for single storey Class 7b and 8 buildings of Type C construction as defined in the Building Code of Australia (BCA96).

Note: System must be designed and installed strictly in accordance with **Stramit Uniguard™ Fire Resisting Wall System Technical Manual**.

Using only the products specified and certified for the application as detailed in the technical manual and/or accreditation report.









Promina® 60 board can not be purchased independently of other Stramit Uniguard™ wall system components.

Product	Size mm	Code	Unit
<b>Promina®60</b>			
	15 x 2400 x 1200	<b>PB601224</b>	each
	*Minimum order quantity of 5 sheets		
	*Allow extra lead time		
	Promaseal Acrylic Sealant	<b>PBSEAL300</b>	
	300ml Cartridge - White		each
	300ml Cartridge - Grey		each
<b>Stramit® Fixing Battens</b>			
	<b>Stock length 6100 - GAL</b>		
	26 x 24 x 10 x 6.1m	<b>CBGA61</b>	each
Note: ZINCALUME® steel Battens cannot be in contact with this system.			
<b>Fasteners</b>			
	10 x 45 Wing Tek	<b>S1045WNGT</b>	per 500
	(For fixing Promina®60 to girts)		
	12 x 55 Hex Head	<b>S1255HT4</b>	per 1000
	(For pan fixing cladding to purlin/girts)		
Also available in packs of 100 - Please contact your account manager for prices.			

NOTES









## INSULATION • ROOFING MESH


Product Insulation/Roofing Mesh	Details	Code	Cover	Unit
<b>All Products Below May Incur A Direct Delivery Charge</b>				
 Aluminium Foil 1.35m x 60m Rolls	439/203 Light Gr. Anti-glare	<b>FLLWAG600</b>	72m <sup>2</sup>	each
	433/233 Med. Gr. Anti-glare	<b>FLMWAG600</b>	72m <sup>2</sup>	each
	456 Foil Ex Heavy Duty Sisal Tuff	<b>FLEHDS600</b>	72m <sup>2</sup>	each
	InsulBubble 100 (4.5mm thick x 1350 wide – Antiglare)	<b>FLBCAG2225</b>	30m <sup>2</sup>	each
 Foam Cell Insulation Tape - 48mm x 500m		<b>FLCCFM84AG2225</b>	30m <sup>2</sup>	each
		<b>FLTAPE48500</b>		each
	Foil Fasteners (Galvanised, in strips)	<b>FLTACKB</b>		per 500
 Glasswool Building Blanket* Plain	55mm x 30m *(R1.3)	<b>BB55PLN300</b>	36m <sup>2</sup>	each
	55mm x 20m *(R1.3)	<b>BB55PLN200</b>	24m <sup>2</sup>	each
	55mm x 15m *(R1.3)	<b>BB55PLN150</b>	18m <sup>2</sup>	each
 R Value Graded PermaSTOP Building Blanket*	Fibreglass Building Blanket Light Weight Foil Adhered			
	55mm x 20m *(R1.3) 1.2m wide	<b>BB55LW200</b>	24m <sup>2</sup>	each
	55mm x 15m *(R1.3) 1.2m wide	<b>BB55LW150</b>	18m <sup>2</sup>	each
	75mm x 15m *(R1.8) 1.2m wide	<b>BB75LW150</b>	18m <sup>2</sup>	each
	100mm x 10m *(R2.5) 1.2m wide	<b>BB100LW100</b>	12m <sup>2</sup>	each
 Fibreglass Building Blanket Medium Weight Foil Adhered	55mm x 20m *(R1.3) 1.2m wide	<b>BB55MW200</b>	24m <sup>2</sup>	each
	55mm x 15m *(R1.3) 1.2m wide	<b>BB55MW150</b>	18m <sup>2</sup>	each
	75mm x 15m *(R1.8) 1.2m wide	<b>BB75MW150</b>	18m <sup>2</sup>	each
	100mm x 10m *(R2.5) 1.2m wide	<b>BB100MW100</b>	12m <sup>2</sup>	each
	*Additional freight charges apply.			
Conversion from m <sup>2</sup> to linear metres is 1.2				
 Wall & Ceiling Batts	Walls W/Batt 1160x430 R1.5 Pk24	<b>BBW430R15</b>		per pack
	Fire Stop Party Wall Batts 1200x168 Pk10	<b>BBWFS168</b>		per pack
	Ceilings C/Batt 1160x430 R2.5 Pk16	<b>BBC430R25</b>	8m <sup>2</sup>	per pack
	C/Batt 1160x430 R3.5 Pk16	<b>BBC430R35</b>	8m <sup>2</sup>	per pack
 Roofing Wire/Mesh	1.8m x 50m Mesh 300mm x 150mm (2.0mm thick)	<b>WMAUS500</b>	90m <sup>2</sup>	each
	Powder coated Ausmesh is available in selected colours at an extra charge Both are subject to additional lead times.			
 Emberguad	25mm x 20m 300mm wide	<b>BB25EG320</b>	24m <sup>2</sup>	per pack (pack of 4)

\* **R-Values** To achieve an R-Value, Sisalation **must** have a minimum 20mm still air gap. R-Values are approximate indicators only and are based on winter values. Actual value ratings will vary with application style, for both wall and roofing purposes. For more information on Victorian Mandatory Installation Codes, or for installation advice, please contact Stramit Building Products or Fletchers Insulation, and refer to Fletchers Insulation booklet *Mandatory Insulation Made Easy*.

## GENERAL ACCESSORIES

Product General Accessories	Details	Code	Finish	Unit
 Fasteners	Pop Rivets 3.2 x 7.5mm (4-3)	<b>PR3275AL</b>	Aluminium	pkt 100
	Pop Rivets 3.2 x 7.5mm (4-3)	<b>PR3275---</b>	Coloured*	pkt 100
	Boxes of 1000 also available*			
 Sealants	Drive Nails 40 x 3.75mm	<b>DN40</b>	Pack 100	per pack
	Silicone Clear	<b>SILCLR</b>		300g tube
	Silicone Grey	<b>SILGRY</b>		300g tube
	Available in boxes of 20			
 Vermin Seal	Vermin and weather proof flashing	<b>VMSEALGRY30</b>	0.55	each
	<b>Sold only in 3.0 lengths</b>			
 Roof Vent	Roof Ventilator 300mm	<b>RV300MF</b>	Mill Finish*	each
	SPARKGUARD	<b>RV300---</b> <b>RVM300SS</b>	COL*	each
	SuperFlow Vents	<b>RVSF300MF</b> <b>RVSF300---</b>	Mill Finish* COL*	each
 Box Gutter Brackets (Adjustable)	250mm - 400mm (size 1)	<b>BGBA1EAZA</b>	24 per box	each
	400mm - 650mm (size 2)	<b>BGBA2EAZA</b>	24 per box	each
	650mm - 1000mm (size 3)	<b>BGBA3EAZA</b>	18 per box	each
 Builders Strapping	32mm x 1.2mm 50M Roll	<b>BST321250</b>	1.2mm	per roll
	32mm x 1.6mm 50M Roll	<b>BST321650</b>	1.6mm	per roll
	38mm x 1.2mm 50M Roll	<b>BST381250</b>	1.2mm	per roll
	38mm x 1.6mm 50M Roll	<b>BST381650</b>	1.6mm	per roll

## P.A. DOOR








Product P.A. Door	Size mm	Code	Finish	Unit
 Deluxe P.A. Door	P.A. Doors in jamb - Refer to ZINCALUME® steel	<b>PADJ2040820ZA</b>	ZA	each
	P.A. Doors in jamb - Colour	<b>PADJ2040820X---</b>	COL	each
	Pre Hung in 4 sided Powdercoated Frame 180° Outward Opening Lever Handle to inside			

\*Item not stocked – available to order – 10 day lead time.




## 38

39

## GUTTER • ACCESSORIES















Product Gutter/Accessories	Details	Code	Finish	Unit
	Corner Angles 90° (External cast)	<b>QV115CAEMF</b>	Plain	each
		<b>QV115CAEX---</b>	Colour	each
		<b>**QV115CAET---</b>	Matt	each
	Corner Angles 90° (Internal cast)	<b>QV115CAIMF</b>	Plain	each
		<b>QV115CAIX---</b>	Colour	each
		<b>**QV115CAIT---</b>	Matt	each
	Corner Angles 90°1 piece (External)	<b>QV115CAE1MF</b>	ZA	each
	(Internal)	<b>QV115CAI1MF</b>	ZA	each
		<b>QV115CAE1X---</b>	COL	each
		<b>QV115CAI1X---</b>	COL	each
	Stop End Plates (LH)	<b>QV115SELGA</b>	GA	each
		<b>QV115SELZA</b>	ZA	each
		<b>QV115SELX---</b>	COL	each
		<b>**QV115SELT---</b>	MATT	each
		<b>**QV115SELZM8---</b>	ZM8	each
	Stop End Plates (RH)	<b>QV115SERGA</b>	GA	each
		<b>QV115SERZA</b>	ZA	each
		<b>QV115SERX---</b>	COL	each
		<b>**QV115SERT---</b>	MATT	each
		<b>**QV115SERZM8---</b>	ZM8	each
	Manuf. Angles (External)	<b>QV115ECZA</b>	ZA	each
		<b>QV115ECX---</b>	COL	each
	Manuf. Angles (Internal)	<b>QV115ICZA</b>	ZA	each
		<b>QV115ICX---</b>	COL	each
	Manuf. Full Stop End (LH) (length 300mm)	<b>QV115FSLZA</b>	ZA	each
		<b>QV115FSLX---</b>	COL	each
	Manuf. Full Stop End (length 300mm)	<b>QV115FSRZA</b>	ZA	each
		<b>QV115FSRX---</b>	COL	each
	Manuf. Full Ret. S/Ends (LH)	<b>QV115FRSELZA</b>	ZA	each
		<b>QV115FRSELX---</b>	COL	each
	Manuf. Full Ret. S/Ends (RH)	<b>QV115FRSERZA</b>	ZA	each
		<b>QV115FRSERX---</b>	COL	each
	Cast Full Stop End (LH)	<b>QV115CFSELMF</b>	Plain	each
	Cast Full Stop End (RH)	<b>QV115CFSERMF</b>	Plain	each
		<b>QV115CFSELX---</b>	COL	each
		<b>QV115CFSERX---</b>	COL	each

## GUTTER • ACCESSORIES








Product Gutter/Accessories	Details	Code	Finish	BMT	Unit
 Also available in slotted 60 125 ECSA = 6200mm <sup>2</sup>	Quad Gutter 125mm	<b>QS125GA</b>	GA	0.55	lin metre
	Cut to length	<b>QS125SGA</b>	GA	0.55	lin metre
		<b>QS125ZA</b>	ZA	0.55	lin metre
		<b>QS125SZA</b>	ZA	0.55	lin metre
		<b>QS125X---</b>	COL	0.55	lin metre
		<b>QS125SX---</b>	COL	0.55	lin metre
	Minimum order quant. 6.000m. Minimum length 1000mm, Maximum length 9.000m.				
	Concealed Bracket	<b>QS125CBZA</b>	ZA		each
	External Bracket	<b>QS125EBGA</b>	GA		each
		<b>QS125EBZA</b>	ZA		each
		<b>QS125EBX---</b>	COL		each
	Stop End Plates (LH/RH)	<b>QS125SELGA</b>	GA		each
		<b>QS125SELZA</b>	ZA		each
		<b>QS125SELX---</b>	COL		each
		<b>QS125SERGA</b>	GA		each
		<b>QS125SERZA</b>	ZA		each
		<b>QS125SERX---</b>	COL		each
	Cast Angles 1 piece (External)	<b>QS125CAE1MF</b>	ZA		each
	(Internal)	<b>QS125CAI1MF</b>	ZA		each
		<b>QS125CAE1X---</b>	COL		each
		<b>QS125CAI1X---</b>	COL		each
 Also available in slotted 60 150 ECSA = 6500mm <sup>2</sup>	Manufactured Angles (External)	<b>QS125ECZA</b>	ZA		each
	(Internal)	<b>QS125ECX---</b>	COL		each
		<b>QS125ICZA</b>	ZA		each
		<b>QS125ICX---</b>	COL		each
	Manufactured Full Stop End (LH or RH)	<b>QS125FSELZA</b>	ZA		each
		<b>QS125FSELX---</b>	COL		each
		<b>QS125FSERZA</b>	ZA		each
		<b>QS125FSERX---</b>	COL		each
	Manuf. Full Return Stop End (LH or RH)	<b>QS125FRSELZA</b>	ZA		each
		<b>QS125FRSELX---</b>	COL		each
		<b>QS125FRSERZA</b>	ZA		each
		<b>QS125FRSERX---</b>	COL		each
	Quad Gutter 150mm	<b>QS150GA</b>	GA	0.42	lin metre
	Cut to length	<b>QS150SGA</b>	GA	0.42	lin metre
		<b>QS150ZA</b>	ZA	0.42	lin metre
		<b>QS150SZA</b>	ZA	0.42	lin metre
		<b>QS150X---</b>	COL	0.42	lin metre
		<b>QS150SX---</b>	COL	0.42	lin metre
	External Bracket	<b>QS150EBGA</b>	GA		each
		<b>QS150EBZA</b>	ZA		each
		<b>QS150EBX---</b>	COL		each
	Stop End Plates (LH/RH)	<b>QS150SELGA</b>	GA		each
		<b>QS150SELZA</b>	ZA		each
		<b>QS150SELX---</b>	COL		each
		<b>QS150SERGA</b>	GA		each
		<b>QS150SERZA</b>	ZA		each
		<b>QS150SERX---</b>	COL		each
	Manufactured Angles (External)	<b>QS150ECZA</b>	ZA		each
	(Internal)	<b>QS150ECX---</b>	COL		each
		<b>QS150ICZA</b>	ZA		each
		<b>QS150ICX---</b>	COL		each
	Manuf. Full Return Stop End (LH or RH)	<b>QS150FRSELZA</b>	ZA		each
		<b>QS150FRSELX---</b>	ZA		each
		<b>QS150FRSERZA</b>	ZA		each
		<b>QS150FRSERX---</b>	ZA		each
	Manuf. Full Stop End (LH or RH)	<b>QS150FSLZA</b>	ZA		each
		<b>QS150FSLX---</b>	COL		each
		<b>QS150FSRZA</b>	ZA		each
		<b>QS150FSRX---</b>	COL		each

NOTE: Larger sizes & accessories in 175mm & 200mm, please allow lead time.





















## GUTTER • ACCESSORIES





Product Gutter/Accessories	Details	Code	Finish	BMT	Unit
<b>Stramit O-Gee™</b> 	Cut to length	<b>OGGA</b>	GA	0.55	lin metre
		<b>OGZA</b>	ZA	0.55	lin metre
		<b>OGX---</b>	COL	0.55	lin metre
	Minimum length 800mm Maximum length 9.500m. <b>NOTE: Larger sizes &amp; accessories available in 125, 150, 175 &amp; 200mm, please allow extra lead time.</b>				
ECSA = 4700mm <sup>2</sup>					
Accessories					
	Concealed Bracket	<b>QV115CBZA</b>	ZA		each
	Bracket Nails	<b>DN40</b>	Pack 100		per pack
	External Bracket	<b>OGEBZA</b>	ZA		each
		<b>OGEBX---</b>	COL		each
	Stiffener Brackets QV115 (for <b>Stramit® Fascia</b> )	<b>QV115HSBZA</b>	ZA		each
	Snap Clips (for <b>Stramit® Fascia</b> )	<b>FBSCZA</b>	Plated		each
	Gutter Spacer	<b>FBGS</b>	COL		each
	Gutter Space Tool	<b>FBGST</b>	GA		each
	BAT overflow clip	<b>BATOC</b>	Plastic		each
	Cast Cnr Angles 90° (Ext)	<b>OGCAEZA</b>	Plain		each
		<b>OGCAEX---</b>	Colour		each
	Cast Cnr Angles 90° (Int)	<b>OGCAIZA</b>	Plain		each
		<b>OGCAIX---</b>	Colour		each
	Stop End Plates (LH)	<b>OGSELGA</b>	GA		each
		<b>OGSELZA</b>	ZA		each
	Stop End Plates (RH)	<b>OGSELX---</b>	COL		each
		<b>OGSERGA</b>	GA		each
		<b>OGSERZA</b>	ZA		each
		<b>OGSERX---</b>	COL		each
	Manufactured Angle (Ext)	<b>OGECZA</b>	GA		each
		<b>OGECX---</b>	COL		each
	Manufactured Angle (Int)	<b>OGICZA</b>	GA		each
		<b>OGICX---</b>	COL		each
	Manuf. Full Stop End (LH) Length 300mm	<b>OGFSELZA</b>	ZA		each
		<b>OGFSELX---</b>	COL*		each
	Manuf. Full Stop End (RH) Length 300mm	<b>OGFSERZA</b>	ZA		each
		<b>OGFSERX---</b>	COL*		each
	Manuf. Full Ret. S/End (LH)	<b>OGFRSELZA</b>	ZA		each
		<b>OGFRSELX---</b>	COL		each
	Manuf. Full Ret. S/End (RH)	<b>OGFRSERZA</b>	ZA		each
		<b>OGFRSERX---</b>	COL		each
<i>*Item not normally stocked – available to order – extended lead time</i>					


















## GUTTER • ACCESSORIES





Product Gutter/Accessories	Details	Code	Finish	BMT	Unit
<b>Stramit® Fascia Gutter</b> Hi Tensile G550 	Cut to length	<b>FGSPGA</b>	GA		lin metre
		<b>FGSPZA</b>	ZA		lin metre
		<b>FGSPX---</b>	COL		lin metre
		<b>FGSPT---</b>	MATT		lin metre
Slotted available CTL Minimum length 550mm Maximum length 9.500m		<b>FGSSGA</b>	GA	0.42	lin metre
		<b>FGSSZA</b>	ZA	0.42	lin metre
		<b>FGSSX---</b>	COL	0.42	lin metre
		<b>FGSST---</b>	MATT		lin metre
ECSA = 8400mm <sup>2</sup> Not compatible with Fascia Board		<b>FGSSZM8---</b>	ZM8		lin metre
Accessories					
	Concealed Bracket	<b>FGSCBZA</b>	ZA		each
	Bracket Nails	<b>DN40</b>	Pack 100		per pack
	Stiffeners to suit M/Clad, L/Span, Ultra	<b>FGSSBZA</b>	ZA		each
	Stop End Plate	<b>FGSEGA</b>	GA		each
		<b>FGSEZA</b>	ZA		each
		<b>FGSEX---</b>	COL		each
		<b>FGSET---</b>	MATT		each
		<b>FGSEZM8---</b>	ZM8		each
<b>Stramit® Fascia Capping</b> (to match <b>Stramit® Fascia Gutter</b> ) 	Cut to Length	<b>FGBCZA</b>	ZA		lin metre
		<b>FGBCX---</b>	COL		lin metre
Minimum length 550mm Maximum length 9.500m					
<b>CONCEALED GUTTER</b>					
Product Concealed Gutter	Details	Code	Finish	BMT	Unit
<b>Concealed Gutter</b> Use with capping below 	Stock length 6.0m	<b>CONGUTZA60</b>	ZA	0.55	each
	Stock length 6.0m	<b>CONGUTGA60</b>	GA	0.55	each
<b>Gutter Capping</b> To suit Concealed Gutter 	Stock length 6.0m	<b>GUTCAPZA60</b>	ZA	0.55	each
	Stock length 6.0m	<b>GUTCAPGA60</b>	GA	0.55	each



HALF-ROUND GUTTER • ACCESSORIES				
Product Gutter/Accessories	Details	Code	Finish	Unit
Additional Lead Time On Items Below - Check When Ordering				
Flatback Gutter	Available to order only	FBG133ZA	ZA	lin metre
		FBG133X---	COL	lin metre
		FBG133SX---	COL	lin metre
		FBG133SZA	ZA	lin metre
		FBG133T---	MATT	lin metre
		FBG133ST---	MATT	lin metre
Minimum order quantity 6.000m				
NOTE: Gutter & accessories also available in 180mm, please allow extra lead time.				
Accessories	Concealed Bracket (to suit Flatback)	FBG133CBZA	ZA	each
	Overstrap Bracket	FBG133SBZA	ZA	each
	Bracket Nails	DN40	Pack 100	per pack
	Cast Angles (Ext)	FBG133CAEMF	ZA	each
	To suit Flatback Gutter	FBG133CAEX---	COL	each
	Cast Angles (Int)	FBG133CAIMF	ZA	each
	To suit Flatback Gutter	FBG133CAIX---	COL	each
	Stop End Plates (LH)	FBG133SELT---	MATT	each
	To suit Flatback Gutter	FBG133SELX---	COL	each
	Stop End Plates (RH)	FBG133SERZA	ZA	each
	To suit Flatback Gutter	FBG133SERX---	COL	each
	Bought as pairs L & R			
		FBG133SELT---	MATT	each
		FBG133SERT---	MATT	each
150mm Half Round	Available to order only	HRG150ZA	ZA	lin metre
		HRG150SZA	ZA	lin metre
		HRG150X---	COL	lin metre
		HRG150SX---	COL	lin metre
		HRG150GA	GA	lin metre
		HRG150SGA	GA	lin metre
		HRG150T---	MATT	lin metre
		HRG150ST---	MATT	lin metre
Minimum order quantity 6.000m				
NOTE: Gutter & accessories also available in 200mm, please allow extra lead time.				
Accessories	External Bracket (to suit 150mm Half Round)	HRG150EBMF		each
		Only in packs of 5		
	Bracket Nails	HRG150EBX---	COL	each
		HRG150EBT---	MATT	each
	Cast Angles (Ext)	DN40	Pack 100	per pack
	To suit Half Round	HRG150CAEMF	ZA	each
		HRG150CAEX---	COL	each
		HRG150CAET---	MATT	each
	Cast Angles (Int)	HRG150CAIMF	ZA	each
	To suit Half Round	HRG150CAIX---	COL	each
		HRG150CAIT---	MATT	each
	Stop End Plates (LH)	HRG150SELZA	ZA	each
	To suit Half Round	HRG150SELX---	COL	each
		HRG150SELT---	MATT	each
		HRG150SERZA	ZA	each
	Stop End Plates (RH)	HRG150SERX---	COL	each
	To suit Half Round	HRG150SERT---	MATT	each
	Only in pairs			
	Nozzle 75 Flatback	HRG75NOZZA	ZA	each
	Halfround	HRG90NOZZA	ZA	each
		HRG100NOZZA	ZA	each
		HRG125NOZZA	ZA	each
		HRG150NOZZA	ZA	each

GUTTER • ACCESSORIES					
Product Gutter/Accessories	Details	Code	Finish	BMT	Unit
Stramit® Easiflow High Tensile G550	Cut to length	EGP42ZA	ZA	0.42	lin metre
		EGPZA	ZA	0.48	lin metre
		EGPX---	COL	0.48	lin metre
		EGGBX---	COL		lin metre
		EGGBZA---	ZA		lin metre
	Slotted available CTL	EGS42ZA	ZA	0.42	lin metre
		EGSZA	ZA	0.48	lin metre
		EGSX---	COL	0.48	lin metre
Minimum length 1000mm Maximum length 9.500m					
Accessories	Concealed Bracket	EGCBZA	ZA		each
	Bracket Nails	DN40	Pack 100		per pack
	Stop End Plates	EGSEZA	ZA		each
		EGSEX---	COL		each
	Stiffener Bracket	EGSB	ZA		each
	(for <b>Stramit® Fascia</b> )				




FASTENERS				
Product Fasteners	Details	Code	Finish	Unit
Timber Fixing				
	12 x 25 Hex Head Type 17	S1225H174	plain	Per 500
		S1225H17---4	Colour	Per 500
	12 x 50 Hex Head Type 17	S1250H174H	plain	Per 100
		S1250H174	plain	Per 1000
		S1250H17---4H	Colour	Per 100
		S1250H17---4	Colour	Per 1000
	12 x 65 Hex Head Type 17	S1265H174	plain	Per 1000
		S1265H17---4	Colour	Per 1000
	6 x 25 Hex Head Type 17	S0625BUGNP	plain	Per 1000
Metal Fixing				
	10 x 16 Hex Head SD	S1016HT4H	plain	Per 100
		S1016HT4	plain	Per 1000
		S1016HT---4H	colour	Per 100
		S1016HT---4	colour	Per 1000
	10 x 16 Wafer Tek	S1016WT4	plain	Per 1000
	10 x 25 Hex Ripple Zip	S1025HRZIP4	plain	Per 1000
	12 x 30 Hex Head SD No Neo	S1230HTNN	plain	Per 1000
	5.5 x 39 Hex Auto Tek	S1239HAT4H	plain	Per 100
		S1239HAT4	plain	Per 1000
		S1239HAT---4H	colour	Per 100
		S1239HAT---4	colour	Per 1000
	5.5 x 50 Hex Auto Tek	S1250HAT4H	plain	Per 100
		S1250HAT4	plain	Per 1000
		S1250HAT---4H	colour	Per 100
		S1250HAT---4	colour	Per 1000
	12 x 55 Hex Head	S1255HT4	plain	Per 1000
Roof Zips (Timber & Metal up to 1.9mm)				
	6 x 25 Roof Zips	S0625HZIP4	plain	Per 500
		S0625HZIP---4	colour	Per 500
	6 x 50 Roof Zips	S0650HZIP4H	plain	Per 100
		S0650HZIP4	plain	Per 1000
		S0650HZIP---4H	colour	Per 100
		S0650HZIP---4	colour	Per 1000
	5.5 x 40 Batten Zips	S1240HMTZIP	plain	Per 1000
		S1240HMTZIPH	plain	Per 100
	6 x 65 Roof Zips	S0665HZIP4H	plain	Per 100
		S0665HZIP4	plain	Per 1000
		S0665HZIP---4H	colour	Per 100
		S0665HZIP---4	colour	Per 1000
Special Purpose				
	12 x 65 Polycarb Screws	TSPC1SHOTPK		Per 50
		TSPC1SHOTT		Per 250
	10 x 45 Wing Tek (for fixing Promina 60)	S1045WNGT	plain	Per 500
Also available in packs of 100 - Please contact your account manager for prices.				

ROUND DOWNPIPE & ACCESSORIES • GA/ZA		
Product Downpipe/Accessories	Size	Code
Stramit® Downpipe Round 	Standard Sizes 0.40 BMT	
	75 x 1800	DP75GA/ZA18
	75 x 2400	DP75GA/ZA24
	Special Sizes 0.40 BMT	
	90 x 1800	DP90ZA18
	90 x 2400	DP90ZA24
	100 x 1800	DP100ZA18
	100 x 2400	DP100ZA24
	125 x 1800	DP125GA/ZA18
	125 x 2400	DP125GA/ZA24
	Offsets (450mm-600mm)	
	75 ex 1800	OS75GA/ZA
	100 ex 1800	OS100GA/ZA
	Special Sizes 0.55 BMT	
	75 x 2400/1800	DP75MGA/ZA24/18
Stramit® Downpipe Round 	90 x 2400/1800	DP90MGA/ZA24/18
	100 x 2400/1800	DP100MGA/ZA24/18
	125 x 2400/1800	DP125MGA/ZA24/18
	150 x 2400/1800	DP150MGA/ZA24/18
	175 x 2400/1800	DP175MGA/ZA24/18
	200 x 2400/1800	DP200MGA/ZA24/18
	225 x 2400/1800	DP225MGA/ZA24/18
	250 x 2400/1800	DP250MGA/ZA24/18
	275 x 2400/1800	DP275MGA/ZA24/18
	300 x 2400/1800	DP300MGA/ZA24/18
ROUND DOWNPIPE & ACCESSORIES • COLOUR		
Stramit® Downpipe Round 	Standard Sizes 0.40 BMT	
	75 x 1800	DP75X---18
	75 x 2400	DP75X---24
	Offsets (450mm-600mm)	
	75 ex 1800	OS75X---
	100 ex 1800	OS100X---
	Special Sizes 0.55 BMT	
	75 x 2400/1800	DP75MX---24/18
Stramit® Downpipe Round 	90 x 2400/1800	DP90MX---24/18
	100 x 2400/1800	DP100MX---24/18
	125 x 2400/1800	DP125MX---24/18
	150 x 2400/1800	DP150MX---24/18
	175 x 2400/1800	DP175MX---24/18
	200 x 2400/1800	DP200MX---24/18
	225 x 2400/1800	DP225MX---24/18
	250 x 2400/1800	DP250MX---24/18
	275 x 2400/1800	DP275MX---24/18
	300 x 2400/1800	DP300MX---24/18



<b>METROPOLITAN &amp; SOUTHERN VICTORIA</b> TEL (03) 9237 6300 FAX (03) 9237 6399	<b>ALBURY</b> TEL (02) 6092 3700 FAX (02) 6092 3766	<b>BENDIGO</b> TEL (03) 5448 6400 FAX (03) 5447 9677
---	---	--

## ROUND DOWNPIPE ACCESSORIES • GA/ZA

Product Downpipe/Accessories	Size	Code
Accessories	<b>Stramit® Astragal (Strap)</b> 75mm 90mm 100mm 125mm 150mm	<b>AST75GA/ZA</b> <b>AST90GA/ZA</b> <b>AST100GA/ZA</b> <b>AST125GA/ZA</b> <b>AST150GA/ZA</b>
	<b>Pop (Nozzle)</b> 50mm 75mm 90mm 100mm 125mm 150mm	<b>NOZ50GA/ZA</b> <b>NOZ75GA/ZA</b> <b>NOZ90GA/ZA</b> <b>NOZ100GA/ZA</b> <b>NOZ125GA/ZA</b> <b>NOZ150GA/ZA</b>
	<b>Shoe (45°)</b> 75mm 90mm 100mm	<b>SHOE75GA/ZA</b> <b>SHOE90GA/ZA</b> <b>SHOE100GA/ZA</b>
	<b>Elbow (90°)</b> 75mm 90mm 100mm	<b>ELB75GA/ZA</b> <b>ELB90GA/ZA</b> <b>ELB100GA/ZA</b>

## ROUND DOWNPIPE ACCESSORIES • COLOUR

Accessories	<b>Stramit® Astragal (Strap)</b> 75mm 90mm 100mm 125mm 150mm	<b>AST75X---</b> <b>AST90X---</b> <b>AST100X---</b> <b>AST125X---</b> <b>AST150X---</b>
-------------	---	---


## SPECIAL SIZE DOWNPIPE

Special Round Downpipes	1.8 & 2.4m In 0.55 & 0.75BMT 100mm to 350mm diameter	<b>DPSPEC</b>
Special Square Downpipes	1.8 & 2.4m In 0.40, 0.55 & 0.75BMT Combinations from 100 x 50mm to 200 x 200mm	<b>DPSPEC</b>




## PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

## RECTANGULAR DOWNPIPE & ACCESSORIES • GA/ZA

Product Downpipe/Accessories	Size	Code
<b>Stramit® Downpipe</b>	Standard Sizes 0.40 BMT	
Rectangular		<b>Plain Face 0.40BMT</b> 100 x 50 x 1800 100 x 50 x 2400 100 x 75 x 1800 100 x 75 x 2400
		<b>DP10050ZA18</b> <b>DP10050ZA24</b> <b>DP10075ZA18</b> <b>DP10075ZA24</b>
		Offsets (400mm-600mm) 100 x 50 ex 1800 100 x 75 ex 1800
		<b>OS10050ZA</b> <b>OS10075ZA</b>

## RECTANGULAR DOWNPIPE & ACCESSORIES • COLOUR

<b>Stramit® Downpipe</b>	Standard Sizes 0.40 BMT	
Rectangular		<b>Plain Face 0.40BMT</b> 100 x 50 x 1800 100 x 50 x 2400 100 x 75 x 1800 100 x 75 x 2400
		<b>DP10050X---18</b> <b>DP10050T---18</b> <b>DP10050X---24</b> <b>DP10050T---24</b> <b>DP10075X---18</b> <b>DP10075T---18</b> <b>DP10075X---24</b> <b>DP10075T---24</b>
		Offsets (400mm-600mm) 100 x 50 ex 1800 100 x 75 ex 1800
		<b>OS10050X---</b> <b>OS10075X---</b>



## RECTANGULAR DOWNPIPE ACCESSORIES • GA/ZA

Product Downpipe/Accessories	Size	Code
Accessories	<b>Stramit® Astragal (Strap)</b> Standard Sizes 100 x 50 100 x 75  Special Sizes 75 x 50 100 x 100 150 x 100 150 x 150	 <b>AST10050GA/ZA</b> <b>AST10075GA/ZA</b>  <b>AST7550GA/ZA</b> <b>AST100100GA/ZA</b> <b>AST150100GA/ZA</b> <b>AST150150GA/ZA</b>
	<b>Stramit® Nozzle (Pop)</b> Standard Sizes 100 x 50 100 x 75  Special Sizes 75 x 50 75 x 75 100 x 100 150 x 100 150 x 150	 <b>NOZ10050GA/ZA</b> <b>NOZ10075GA/ZA</b>  <b>NOZ7550GA/ZA</b> <b>NOZ7575GA/ZA</b> <b>NOZ100100GA/ZA</b> <b>NOZ150100GA/ZA</b> <b>NOZ150150GA/ZA</b>
	<b>Shoe (45°)</b> 100 x 50 100 x 75	 <b>SHOE10050GA/ZA</b> <b>SHOE10075ZA</b>
	<b>Elbow (90°)</b> 100 x 50 100 x 75	 <b>ELB10050ZA</b> <b>ELB10075ZA</b>
	<b>Leaf Guard</b> 100 x 50	 <b>LG10050GA</b>

## RECTANGULAR DOWNPIPE ACCESSORIES • COLOUR

Accessories	<b>Stramit® Astragal (Strap)</b> Standard Sizes 100 x 50 100 x 75  Special Sizes 100 x 100 150 x 100 150 x 150	 <b>AST10050X---</b> <b>AST10050T---</b> <b>AST10075X---</b> <b>AST10075T---</b>  <b>AST100100X---</b> <b>AST150100X---</b> <b>AST150150X---</b>

## CUSTOM FLASHINGS – ORDERING PROCEDURE

### ORDERING PROCEDURE

1. Choose the appropriate profile type, material and finish
2. If Coloured, nominate the side on which colour is required
3. Nominate the dimensions by the letters shown on diagrams
4. Nominate the angles on all bends
5. Nominate the quantity and length of profile

### EXAMPLE

1. Type 4, Pale Eucalypt®
2. Colour on side C
3. A - 100mm, B - 150mm, C - 150mm, D - 15mm
4. AB = 90°, BC = 90°, AD = 45°
5. 1 off, 4.800m

<div>CF 1</div>	<div>CF 2</div>	<div>CF 3</div>	<div>CF 4</div>	<div>CF 5</div>								
<div>CF 6</div>	<div>CF 7</div>	<div>CF 8</div>	<div>CF 9</div>	<div>CF 10</div>								
<div>CF 11</div>	<div>CF 12</div>	<div>CF 13</div>	<div>CF 14</div>	<div>CF 15</div>								
<div>CF 16</div>	<div>CF 17</div>	<div>CF 18</div>	<div>CF 19</div>	<div>CF 20</div>								
<div>CF 21</div>	<div>CF 22</div>	<div>CF 23</div>	<div>CF 24</div>	<div>CF 25</div>								
<div>CF 26</div>	<div>CF 27</div>	<div>CF 28</div>	<div>CF 29</div>	<div>CF 30</div>								
<div>CF 31</div>	<div>CF 32</div>	<div>CF 33</div>	<div>CF 34</div>	<div>CF 35</div>								
<div>CF 36</div>	<div>CF 37 ( TAPERED )</div>	<div>DRIPMOULD (HOOK)</div> <div>SQUASH</div> <div>BREAK</div>										
<div>GAUGES</div> <table><tr><th>IMPERIAL</th><th>METRIC</th></tr><tr><td>26</td><td>45</td></tr><tr><td>24</td><td>60</td></tr><tr><td>22</td><td>80</td></tr></table> <div>Check this conversion chart before ordering your guttering, flashing or downpipes.</div>					IMPERIAL	METRIC	26	45	24	60	22	80
IMPERIAL	METRIC											
26	45											
24	60											
22	80											

ALL AVAILABLE IN GALVANISED, ZINCALUME, COLORBOND, COLORBOND ULTRA, COLORBOND METALLIC, STAINLESS STEEL & COPPER

Metallic, Stainless Steel, & Copper - allow different lead times.

**Maximum flashing length** 8m. Subject to suitability of shape and delivery arrangements. See Delivery Details, page 9.

**Order by Fax** For best results, send your profile details by fax (refer nos. on top of page). Ask for our Stramit Flashing Detail Pad (see page 3).



METROPOLITAN & SOUTHERN VICTORIA  
TEL (03) 9237 6300  
FAX (03) 9237 6399

ALBURY  
TEL (02) 6092 3700  
FAX (02) 6092 3766

BENDIGO  
TEL (03) 5448 6400  
FAX (03) 5447 9677



PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

## CUSTOM FLASHINGS & FLAT SHEET

### GALVANISED 0.55 BMT

Girth Width	No of Bends							
(mm)	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00GA	CF055B01GA	CF055B02GA	CF055B03GA	CF055B04GA	CF055B05GA	CF055B06GA	CF055B07GA
101-150 (C)	CF055C00GA	CF055C01GA	CF055C02GA	CF055C03GA	CF055C04GA	CF055C05GA	CF055C06GA	CF055C07GA
151-200 (D)	CF055D00GA	CF055D01GA	CF055D02GA	CF055D03GA	CF055D04GA	CF055D05GA	CF055D06GA	CF055D07GA
201-250 (E)	CF055E00GA	CF055E01GA	CF055E02GA	CF055E03GA	CF055E04GA	CF055E05GA	CF055E06GA	CF055E07GA
251-300 (F)	CF055F00GA	CF055F01GA	CF055F02GA	CF055F03GA	CF055F04GA	CF055F05GA	CF055F06GA	CF055F07GA
301-350 (G)	CF055G00GA	CF055G01GA	CF055G02GA	CF055G03GA	CF055G04GA	CF055G05GA	CF055G06GA	CF055G07GA
351-400 (H)	CF055H00GA	CF055H01GA	CF055H02GA	CF055H03GA	CF055H04GA	CF055H05GA	CF055H06GA	CF055H07GA
401-500 (J)	CF055J00GA	CF055J01GA	CF055J02GA	CF055J03GA	CF055J04GA	CF055J05GA	CF055J06GA	CF055J07GA
501-600 (L)	CF055L00GA	CF055L01GA	CF055L02GA	CF055L03GA	CF055L04GA	CF055L05GA	CF055L06GA	CF055L07GA
601-700 (N)	CF055N00GA	CF055N01GA	CF055N02GA	CF055N03GA	CF055N04GA	CF055N05GA	CF055N06GA	CF055N07GA
701-800 (P)	CF055P00GA	CF055P01GA	CF055P02GA	CF055P03GA	CF055P04GA	CF055P05GA	CF055P06GA	CF055P07GA
801-900 (R)	CF055R00GA	CF055R01GA	CF055R02GA	CF055R03GA	CF055R04GA	CF055R05GA	CF055R06GA	CF055R07GA
901-1000 (T)	CF055T00GA	CF055T01GA	CF055T02GA	CF055T03GA	CF055T04GA	CF055T05GA	CF055T06GA	CF055T07GA
1001-1100 (V)	CF055V00GA	CF055V01GA	CF055V02GA	CF055V03GA	CF055V04GA	CF055V05GA	CF055V06GA	CF055V07GA
1101-1200 (X)	CF055X00GA	CF055X01GA	CF055X02GA	CF055X03GA	CF055X04GA	CF055X05GA	CF055X06GA	CF055X07GA

### ZINCALUME® STEEL 0.55 BMT

Girth Width	No of Bends							
(mm)	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00ZA	CF055B01ZA	CF055B02ZA	CF055B03ZA	CF055B04ZA	CF055B05ZA	CF055B06ZA	CF055B07ZA
101-150 (C)	CF055C00ZA	CF055C01ZA	CF055C02ZA	CF055C03ZA	CF055C04ZA	CF055C05ZA	CF055C06ZA	CF055C07ZA
151-200 (D)	CF055D00ZA	CF055D01ZA	CF055D02ZA	CF055D03ZA	CF055D04ZA	CF055D05ZA	CF055D06ZA	CF055D07ZA
201-250 (E)	CF055E00ZA	CF055E01ZA	CF055E02ZA	CF055E03ZA	CF055E04ZA	CF055E05ZA	CF055E06ZA	CF055E07ZA
251-300 (F)	CF055F00ZA	CF055F01ZA	CF055F02ZA	CF055F03ZA	CF055F04ZA	CF055F05ZA	CF055F06ZA	CF055F07ZA
301-350 (G)	CF055G00ZA	CF055G01ZA	CF055G02ZA	CF055G03ZA	CF055G04ZA	CF055G05ZA	CF055G06ZA	CF055G07ZA
351-400 (H)	CF055H00ZA	CF055H01ZA	CF055H02ZA	CF055H03ZA	CF055H04ZA	CF055H05ZA	CF055H06ZA	CF055H07ZA
401-500 (J)	CF055J00ZA	CF055J01ZA	CF055J02ZA	CF055J03ZA	CF055J04ZA	CF055J05ZA	CF055J06ZA	CF055J07ZA
501-600 (L)	CF055L00ZA	CF055L01ZA	CF055L02ZA	CF055L03ZA	CF055L04ZA	CF055L05ZA	CF055L06ZA	CF055L07ZA
601-700 (N)	CF055N00ZA	CF055N01ZA	CF055N02ZA	CF055N03ZA	CF055N04ZA	CF055N05ZA	CF055N06ZA	CF055N07ZA
701-800 (P)	CF055P00ZA	CF055P01ZA	CF055P02ZA	CF055P03ZA	CF055P04ZA	CF055P05ZA	CF055P06ZA	CF055P07ZA
801-900 (R)	CF055R00ZA	CF055R01ZA	CF055R02ZA	CF055R03ZA	CF055R04ZA	CF055R05ZA	CF055R06ZA	CF055R07ZA
901-1000 (T)	CF055T00ZA	CF055T01ZA	CF055T02ZA	CF055T03ZA	CF055T04ZA	CF055T05ZA	CF055T06ZA	CF055T07ZA
1001-1100 (V)	CF055V00ZA	CF055V01ZA	CF055V02ZA	CF055V03ZA	CF055V04ZA	CF055V05ZA	CF055V06ZA	CF055V07ZA
1101-1200 (X)	CF055X00ZA	CF055X01ZA	CF055X02ZA	CF055X03ZA	CF055X04ZA	CF055X05ZA	CF055X06ZA	CF055X07ZA

Flat sheets cannot be supplied as a “roll up” and will incur a palletisation charge. \*NOTE: Squash = 2 bends

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.

Order by Fax or Email for best results, send your profile details by fax (order reference numbers on top of page).

Ask for our Stramit Flashing Detail Pad (see page 3).

### FLASHING SERVICE OFFER

GIRTH	MAX LENGTH	
600	up to	8000
700	up to	7500
800	up to	7000
900	up to	6500
1000	up to	6000
1100	up to	5500
1200	up to	5000

## CUSTOM FLASHINGS & FLAT SHEET

### COLORBOND® STEEL 0.55 BMT

Girth Width	No of Bends							
(mm)	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00X---	CF055B01X---	CF055B02X---	CF055B03X---	CF055B04X---	CF055B05X---	CF055B06X---	CF055B07X---
101-150 (C)	CF055C00X---	CF055C01X---	CF055C02X---	CF055C03X---	CF055C04X---	CF055C05X---	CF055C06X---	CF055C07X---
151-200 (D)	CF055D00X---	CF055D01X---	CF055D02X---	CF055D03X---	CF055D04X---	CF055D05X---	CF055D06X---	CF055D07X---
201-250 (E)	CF055E00X---	CF055E01X---	CF055E02X---	CF055E03X---	CF055E04X---	CF055E05X---	CF055E06X---	CF055E07X---
251-300 (F)	CF055F00X---	CF055F01X---	CF055F02X---	CF055F03X---	CF055F04X---	CF055F05X---	CF055F06X---	CF055F07X---
301-350 (G)	CF055G00X---	CF055G01X---	CF055G02X---	CF055G03X---	CF055G04X---	CF055G05X---	CF055G06X---	CF055G07X---
351-400 (H)	CF055H00X---	CF055H01X---	CF055H02X---	CF055H03X---	CF055H04X---	CF055H05X---	CF055H06X---	CF055H07X---
401-500 (J)	CF055J00X---	CF055J01X---	CF055J02X---	CF055J03X---	CF055J04X---	CF055J05X---	CF055J06X---	CF055J07X---
501-600 (L)	CF055L00X---	CF055L01X---	CF055L02X---	CF055L03X---	CF055L04X---	CF055L05X---	CF055L06X---	CF055L07X---
601-700 (N)	CF055N00X---	CF055N01X---	CF055N02X---	CF055N03X---	CF055N04X---	CF055N05X---	CF055N06X---	CF055N07X---
701-800 (P)	CF055P00X---	CF055P01X---	CF055P02X---	CF055P03X---	CF055P04X---	CF055P05X---	CF055P06X---	CF055P07X---
801-900 (R)	CF055R00X---	CF055R01X---	CF055R02X---	CF055R03X---	CF055R04X---	CF055R05X---	CF055R06X---	CF055R07X---
901-1000 (T)	CF055T00X---	CF055T01X---	CF055T02X---	CF055T03X---	CF055T04X---	CF055T05X---	CF055T06X---	CF055T07X---
1001-1100 (V)	CF055V00X---	CF055V01X---	CF055V02X---	CF055V03X---	CF055V04X---	CF055V05X---	CF055V06X---	CF055V07X---
1101-1200 (X)	CF055X00X---	CF055X01X---	CF055X02X---	CF055X03X---	CF055X04X---	CF055X05X---	CF055X06X---	CF055X07X---

### ZINCALUME® STEEL 0.75 BMT

Girth Width	No of Bends							
(mm)	0	1	2	3	4	5	6	7
001-100 (B)	CF075B00ZA	CF075B01ZA	CF075B02ZA	CF075B03ZA	CF075B04ZA	CF075B05ZA	CF075B06ZA	CF075B07ZA
101-150 (C)	CF075C00ZA	CF075C01ZA	CF075C02ZA	CF075C03ZA	CF075C04ZA	CF075C05ZA	CF075C06ZA	CF075C07ZA
151-200 (D)	CF075D00ZA	CF075D01ZA	CF075D02ZA	CF075D03ZA	CF075D04ZA	CF075D05ZA	CF075D06ZA	CF075D07ZA
201-250 (E)	CF075E00ZA	CF075E01ZA	CF075E02ZA	CF075E03ZA	CF075E04ZA	CF075E05ZA	CF075E06ZA	CF075E07ZA
251-300 (F)	CF075F00ZA	CF075F01ZA	CF075F02ZA	CF075F03ZA	CF075F04ZA	CF075F05ZA	CF075F06ZA	CF075F07ZA
301-350 (G)	CF075G00ZA	CF075G01ZA	CF075G02ZA	CF075G03ZA	CF075G04ZA	CF075G05ZA	CF075G06ZA	CF075G07ZA
351-400 (H)	CF075H00ZA	CF075H01ZA	CF075H02ZA	CF075H03ZA	CF075H04ZA	CF075H05ZA	CF075H06ZA	CF075H07ZA
401-500 (J)	CF075J00ZA	CF075J01ZA	CF075J02ZA	CF075J03ZA	CF075J04ZA	CF075J05ZA	CF075J06ZA	CF075J07ZA
501-600 (L)	CF075L00ZA	CF075L01ZA	CF075L02ZA	CF075L03ZA	CF075L04ZA	CF075L05ZA	CF075L06ZA	CF075L07ZA
601-700 (N)	CF075N00ZA	CF075N01ZA	CF075N02ZA	CF075N03ZA	CF075N04ZA	CF075N05ZA	CF075N06ZA	CF075N07ZA
701-800 (P)	CF075P00ZA	CF075P01ZA	CF075P02ZA	CF075P03ZA	CF075P04ZA	CF075P05ZA	CF075P06ZA	CF075P07ZA
801-900 (R)	CF075R00ZA	CF075R01ZA	CF075R02ZA	CF075R03ZA	CF075R04ZA	CF075R05ZA	CF075R06ZA	CF075R07ZA
901-1000 (T)	CF075T00ZA	CF075T01ZA	CF075T02ZA	CF075T03ZA	CF075T04ZA	CF075T05ZA	CF075T06ZA	CF075T07ZA
1001-1100 (V)	CF075V00ZA	CF075V01ZA	CF075V02ZA	CF075V03ZA	CF075V04ZA	CF075V05ZA	CF075V06ZA	CF075V07ZA
1101-1200 (X)	CF075X00ZA	CF075X01ZA	CF075X02ZA	CF075X03ZA	CF075X04ZA	CF075X05ZA	CF075X06ZA	CF075X07ZA

Flat sheets cannot be supplied as a “roll up” and will incur a palletisation charge. \*NOTE: Squash = 2 bends



METROPOLITAN & SOUTHERN VICTORIA  
TEL (03) 9237 6300  
FAX (03) 9237 6399

ALBURY  
TEL (02) 6092 3700  
FAX (02) 6092 3766

BENDIGO  
TEL (03) 5448 6400  
FAX (03) 5447 9677

## CUSTOM FLASHINGS & FLAT SHEET

### GALVANISED 0.95 BMT

Girth Width	No of Bends							
(mm)	0	1	2	3	4	5	6	7
001-100 (B)	CF095B00GA	CF095B01GA	CF095B02GA	CF095B03GA	CF095B04GA	CF095B05GA	CF095B06GA	CF095B07GA
101-150 (C)	CF095C00GA	CF095C01GA	CF095C02GA	CF095C03GA	CF095C04GA	CF095C05GA	CF095C06GA	CF095C07GA
151-200 (D)	CF095D00GA	CF095D01GA	CF095D02GA	CF095D03GA	CF095D04GA	CF095D05GA	CF095D06GA	CF095D07GA
201-250 (E)	CF095E00GA	CF095E01GA	CF095E02GA	CF095E03GA	CF095E04GA	CF095E05GA	CF095E06GA	CF095E07GA
251-300 (F)	CF095F00GA	CF095F01GA	CF095F02GA	CF095F03GA	CF095F04GA	CF095F05GA	CF095F06GA	CF095F07GA
301-350 (G)	CF095G00GA	CF095G01GA	CF095G02GA	CF095G03GA	CF095G04GA	CF095G05GA	CF095G06GA	CF095G07GA
351-400 (H)	CF095H00GA	CF095H01GA	CF095H02GA	CF095H03GA	CF095H04GA	CF095H05GA	CF095H06GA	CF095H07GA
401-500 (J)	CF095J00GA	CF095J01GA	CF095J02GA	CF095J03GA	CF095J04GA	CF095J05GA	CF095J06GA	CF095J07GA
501-600 (L)	CF095L00GA	CF095L01GA	CF095L02GA	CF095L03GA	CF095L04GA	CF095L05GA	CF095L06GA	CF095L07GA
601-700 (N)	CF095N00GA	CF095N01GA	CF095N02GA	CF095N03GA	CF095N04GA	CF095N05GA	CF095N06GA	CF095N07GA
701-800 (P)	CF095P00GA	CF095P01GA	CF095P02GA	CF095P03GA	CF095P04GA	CF095P05GA	CF095P06GA	CF095P07GA
801-900 (R)	CF095R00GA	CF095R01GA	CF095R02GA	CF095R03GA	CF095R04GA	CF095R05GA	CF095R06GA	CF095R07GA
901-1000 (T)	CF095T00GA	CF095T01GA	CF095T02GA	CF095T03GA	CF095T04GA	CF095T05GA	CF095T06GA	CF095T07GA
1001-1100 (V)	CF095V00GA	CF095V01GA	CF095V02GA	CF095V03GA	CF095V04GA	CF095V05GA	CF095V06GA	CF095V07GA
1101-1200 (X)	CF095X00GA	CF095X01GA	CF095X02GA	CF095X03GA	CF095X04GA	CF095X05GA	CF095X06GA	CF095X07GA

### ZINCALUME® STEEL 0.95 BMT

Girth Width	No of Bends							
(mm)	0	1	2	3	4	5	6	7
001-100 (B)	CF095B00ZA	CF095B01ZA	CF095B02ZA	CF095B03ZA	CF095B04ZA	CF095B05ZA	CF095B06ZA	CF095B07ZA
101-150 (C)	CF095C00ZA	CF095C01ZA	CF095C02ZA	CF095C03ZA	CF095C04ZA	CF095C05ZA	CF095C06ZA	CF095C07ZA
151-200 (D)	CF095D00ZA	CF095D01ZA	CF095D02ZA	CF095D03ZA	CF095D04ZA	CF095D05ZA	CF095D06ZA	CF095D07ZA
201-250 (E)	CF095E00ZA	CF095E01ZA	CF095E02ZA	CF095E03ZA	CF095E04ZA	CF095E05ZA	CF095E06ZA	CF095E07ZA
251-300 (F)	CF095F00ZA	CF095F01ZA	CF095F02ZA	CF095F03ZA	CF095F04ZA	CF095F05ZA	CF095F06ZA	CF095F07ZA
301-350 (G)	CF095G00ZA	CF095G01ZA	CF095G02ZA	CF095G03ZA	CF095G04ZA	CF095G05ZA	CF095G06ZA	CF095G07ZA
351-400 (H)	CF095H00ZA	CF095H01ZA	CF095H02ZA	CF095H03ZA	CF095H04ZA	CF095H05ZA	CF095H06ZA	CF095H07ZA
401-500 (J)	CF095J00ZA	CF095J01ZA	CF095J02ZA	CF095J03ZA	CF095J04ZA	CF095J05ZA	CF095J06ZA	CF095J07ZA
501-600 (L)	CF095L00ZA	CF095L01ZA	CF095L02ZA	CF095L03ZA	CF095L04ZA	CF095L05ZA	CF095L06ZA	CF095L07ZA
601-700 (N)	CF095N00ZA	CF095N01ZA	CF095N02ZA	CF095N03ZA	CF095N04ZA	CF095N05ZA	CF095N06ZA	CF095N07ZA
701-800 (P)	CF095P00ZA	CF095P01ZA	CF095P02ZA	CF095P03ZA	CF095P04ZA	CF095P05ZA	CF095P06ZA	CF095P07ZA
801-900 (R)	CF095R00ZA	CF095R01ZA	CF095R02ZA	CF095R03ZA	CF095R04ZA	CF095R05ZA	CF095R06ZA	CF095R07ZA
901-1000 (T)	CF095T00ZA	CF095T01ZA	CF095T02ZA	CF095T03ZA	CF095T04ZA	CF095T05ZA	CF095T06ZA	CF095T07ZA
1001-1100 (V)	CF095V00ZA	CF095V01ZA	CF095V02ZA	CF095V03ZA	CF095V04ZA	CF095V05ZA	CF095V06ZA	CF095V07ZA
1101-1200 (X)	CF095X00ZA	CF095X01ZA	CF095X02ZA	CF095X03ZA	CF095X04ZA	CF095X05ZA	CF095X06ZA	CF095X07ZA

Flat sheets cannot be supplied as a “roll up” and will incur a palletisation charge. \*NOTE: Squash = 2 bends

NOTE:

Stramit® Custom Flashings now sold/invoiced by Finish, Girth and number of bends.

Extra charge for Tapered Cutting per Length (CFTAPER).

Stramit® Custom Flashings available on 24hr lead time

in Metro Area if ordered by 12.30pm.

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.

Minimum flashing length 600mm.

Maximum flashing length 8m.

Subject to suitability of shape and delivery arrangements.

See Delivery Details, page 9.

Order by Fax

For best results, send your profile details by fax  
(refer nos. on top of page).

Ask for our Stramit Flashing Detail Pad (see page 3).



PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

## PREMIUM PRODUCTS • FLASHINGS

### COLORBOND® ULTRA STEEL 0.55 BMT

Girth Width	No of Bends							
(mm)	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00U---	CF055B01U---	CF055B02U---	CF055B03U---	CF055B04U---	CF055B05U---	CF055B06U---	CF055B07U---
101-150 (C)	CF055C00U---	CF055C01U---	CF055C02U---	CF055C03U---	CF055C04U---	CF055C05U---	CF055C06U---	CF055C07U---
151-200 (D)	CF055D00U---	CF055D01U---	CF055D02U---	CF055D03U---	CF055D04U---	CF055D05U---	CF055D06U---	CF055D07U---
201-250 (E)	CF055E00U---	CF055E01U---	CF055E02U---	CF055E03U---	CF055E04U---	CF055E05U---	CF055E06U---	CF055E07U---
251-300 (F)	CF055F00U---	CF055F01U---	CF055F02U---	CF055F03U---	CF055F04U---	CF055F05U---	CF055F06U---	CF055F07U---
301-350 (G)	CF055G00U---	CF055G01U---	CF055G02U---	CF055G03U---	CF055G04U---	CF055G05U---	CF055G06U---	CF055G07U---
351-400 (H)	CF055H00U---	CF055H01U---	CF055H02U---	CF055H03U---	CF055H04U---	CF055H05U---	CF055H06U---	CF055H07U---
401-500 (J)	CF055J00U---	CF055J01U---	CF055J02U---	CF055J03U---	CF055J04U---	CF055J05U---	CF055J06U---	CF055J07U---
501-600 (L)	CF055L00U---	CF055L01U---	CF055L02U---	CF055L03U---	CF055L04U---	CF055L05U---	CF055L06U---	CF055L07U---
601-700 (N)	CF055N00U---	CF055N01U---	CF055N02U---	CF055N03U---	CF055N04U---	CF055N05U---	CF055N06U---	CF055N07U---
701-800 (P)	CF055P00U---	CF055P01U---	CF055P02U---	CF055P03U---	CF055P04U---	CF055P05U---	CF055P06U---	CF055P07U---
801-900 (R)	CF055R00U---	CF055R01U---	CF055R02U---	CF055R03U---	CF055R04U---	CF055R05U---	CF055R06U---	CF055R07U---
901-1000 (T)	CF055T00U---	CF055T01U---	CF055T02U---	CF055T03U---	CF055T04U---	CF055T05U---	CF055T06U---	CF055T07U---
1001-1100 (V)	CF055V00U---	CF055V01U---	CF055V02U---	CF055V03U---	CF055V04U---	CF055V05U---	CF055V06U---	CF055V07U---
1101-1200 (X)	CF055X00U---	CF055X01U---	CF055X02U---	CF055X03U---	CF055X04U---	CF055X05U---	CF055X06U---	CF055X07U---

### COLORBOND® METALLIC STEEL 0.55 BMT

Girth Width	No of Bends							
(mm)	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00M---	CF055B01M---	CF055B02M---	CF055B03M---	CF055B04M---	CF055B05M---	CF055B06M---	CF055B07M---
101-150 (C)	CF055C00M---	CF055C01M---	CF055C02M---	CF055C03M---	CF055C04M---	CF055C05M---	CF055C06M---	CF055C07M---
151-200 (D)	CF055D00M---	CF055D01M---	CF055D02M---	CF055D03M---	CF055D04M---	CF055D05M---	CF055D06M---	CF055D07M---
201-250 (E)	CF055E00M---	CF055E01M---	CF055E02M---	CF055E03M---	CF055E04M---	CF055E05M---	CF055E06M---	CF055E07M---
251-300 (F)	CF055F00M---	CF055F01M---	CF055F02M---	CF055F03M---	CF055F04M---	CF055F05M---	CF055F06M---	CF055F07M---
301-350 (G)	CF055G00M---	CF055G01M---	CF055G02M---	CF055G03M---	CF055G04M---	CF055G05M---	CF055G06M---	CF055G07M---
351-400 (H)	CF055H00M---	CF055H01M---	CF055H02M---	CF055H03M---	CF055H04M---	CF055H05M---	CF055H06M---	CF055H07M---
401-500 (J)	CF055J00M---	CF055J01M---	CF055J02M---	CF055J03M---	CF055J04M---	CF055J05M---	CF055J06M---	CF055J07M---
501-600 (L)	CF055L00M---	CF055L01M---	CF055L02M---	CF055L03M---	CF055L04M---	CF055L05M---	CF055L06M---	CF055L07M---
601-700 (N)	CF055N00M---	CF055N01M---	CF055N02M---	CF055N03M---	CF055N04M---	CF055N05M---	CF055N06M---	CF055N07M---
701-800 (P)	CF055P00M---	CF055P01M---	CF055P02M---	CF055P03M---	CF055P04M---	CF055P05M---	CF055P06M---	CF055P07M---
801-900 (R)	CF055R00M---	CF055R01M---	CF055R02M---	CF055R03M---	CF055R04M---	CF055R05M---	CF055R06M---	CF055R07M---
901-1000 (T)	CF055T00M---	CF055T01M---	CF055T02M---	CF055T03M---	CF055T04M---	CF055T05M---	CF055T06M---	CF055T07M---
1001-1100 (V)	CF055V00M---	CF055V01M---	CF055V02M---	CF055V03M---	CF055V04M---	CF055V05M---	CF055V06M---	CF055V07M---
1101-1200 (X)	CF055X00M---	CF055X01M---	CF055X02M---	CF055X03M---	CF055X04M---	CF055X05M---	CF055X06M---	CF055X07M---

Minimum length 0.600mm.  
Maximum length 8.0 metres.  
Both subject to suitability of profile.

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.



METROPOLITAN & SOUTHERN VICTORIA  
TEL (03) 9237 6300  
FAX (03) 9237 6399

ALBURY  
TEL (02) 6092 3700  
FAX (02) 6092 3766

BENDIGO  
TEL (03) 5448 6400  
FAX (03) 5447 9677

PREMIUM PRODUCTS • FLASHINGS

COLORBOND® STEEL MATT 0.55 BMT

Girth Width	No of Bends							
(mm)	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00T---	CF055B01T---	CF055B02T---	CF055B03T---	CF055B04T---	CF055B05T---	CF055B06T---	CF055B07T---
101-150 (C)	CF055C00T---	CF055C01T---	CF055C02T---	CF055C03T---	CF055C04T---	CF055C05T---	CF055C06T---	CF055C07T---
151-200 (D)	CF055D00T---	CF055D01T---	CF055D02T---	CF055D03T---	CF055D04T---	CF055D05T---	CF055D06T---	CF055D07T---
201-250 (E)	CF055E00T---	CF055E01T---	CF055E02T---	CF055E03T---	CF055E04T---	CF055E05T---	CF055E06T---	CF055E07T---
251-300 (F)	CF055F00T---	CF055F01T---	CF055F02T---	CF055F03T---	CF055F04T---	CF055F05T---	CF055F06T---	CF055F07T---
301-350 (G)	CF055G00T---	CF055G01T---	CF055G02T---	CF055G03T---	CF055G04T---	CF055G05T---	CF055G06T---	CF055G07T---
351-400 (H)	CF055H00T---	CF055H01T---	CF055H02T---	CF055H03T---	CF055H04T---	CF055H05T---	CF055H06T---	CF055H07T---
401-500 (J)	CF055J00T---	CF055J01T---	CF055J02T---	CF055J03T---	CF055J04T---	CF055J05T---	CF055J06T---	CF055J07T---
501-600 (L)	CF055L00T---	CF055L01T---	CF055L02T---	CF055L03T---	CF055L04T---	CF055L05T---	CF055L06T---	CF055L07T---
601-700 (N)	CF055N00T---	CF055N01T---	CF055N02T---	CF055N03T---	CF055N04T---	CF055N05T---	CF055N06T---	CF055N07T---
701-800 (P)	CF055P00T---	CF055P01T---	CF055P02T---	CF055P03T---	CF055P04T---	CF055P05T---	CF055P06T---	CF055P07T---
801-900 (R)	CF055R00T---	CF055R01T---	CF055R02T---	CF055R03T---	CF055R04T---	CF055R05T---	CF055R06T---	CF055R07T---
901-1000 (T)	CF055T00T---	CF055T01T---	CF055T02T---	CF055T03T---	CF055T04T---	CF055T05T---	CF055T06T---	CF055T07T---
1001-1100 (V)	CF055V00T---	CF055V01T---	CF055V02T---	CF055V03T---	CF055V04T---	CF055V05T---	CF055V06T---	CF055V07T---
1101-1200 (X)	CF055X00T---	CF055X01T---	CF055X02T---	CF055X03T---	CF055X04T---	CF055X05T---	CF055X06T---	CF055X07T---

COLORBOND® COOLMAX® STEEL 0.55 BMT

Girth Width	No of Bends							
(mm)	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00KWHN	CF055B01KWHN	CF055B02KWHN	CF055B03KWHN	CF055B04KWHN	CF055B05KWHN	CF055B06KWHN	CF055B07KWHN
101-150 (C)	CF055C00KWHN	CF055C01KWHN	CF055C02KWHN	CF055C03KWHN	CF055C04KWHN	CF055C05KWHN	CF055C06KWHN	CF055C07KWHN
151-200 (D)	CF055D00KWHN	CF055D01KWHN	CF055D02KWHN	CF055D03KWHN	CF055D04KWHN	CF055D05KWHN	CF055D06KWHN	CF055D07KWHN
201-250 (E)	CF055E00KWHN	CF055E01KWHN	CF055E02KWHN	CF055E03KWHN	CF055E04KWHN	CF055E05KWHN	CF055E06KWHN	CF055E07KWHN
251-300 (F)	CF055F00KWHN	CF055F01KWHN	CF055F02KWHN	CF055F03KWHN	CF055F04KWHN	CF055F05KWHN	CF055F06KWHN	CF055F07KWHN
301-350 (G)	CF055G00KWHN	CF055G01KWHN	CF055G02KWHN	CF055G03KWHN	CF055G04KWHN	CF055G05KWHN	CF055G06KWHN	CF055G07KWHN
351-400 (H)	CF055H00KWHN	CF055H01KWHN	CF055H02KWHN	CF055H03KWHN	CF055H04KWHN	CF055H05KWHN	CF055H06KWHN	CF055H07KWHN
401-500 (J)	CF055J00KWHN	CF055J01KWHN	CF055J02KWHN	CF055J03KWHN	CF055J04KWHN	CF055J05KWHN	CF055J06KWHN	CF055J07KWHN
501-600 (L)	CF055L00KWHN	CF055L01KWHN	CF055L02KWHN	CF055L03KWHN	CF055L04KWHN	CF055L05KWHN	CF055L06KWHN	CF055L07KWHN
601-700 (N)	CF055N00KWHN	CF055N01KWHN	CF055N02KWHN	CF055N03KWHN	CF055N04KWHN	CF055N05KWHN	CF055N06KWHN	CF055N07KWHN
701-800 (P)	CF055P00KWHN	CF055P01KWHN	CF055P02KWHN	CF055P03KWHN	CF055P04KWHN	CF055P05KWHN	CF055P06KWHN	CF055P07KWHN
801-900 (R)	CF055R00KWHN	CF055R01KWHN	CF055R02KWHN	CF055R03KWHN	CF055R04KWHN	CF055R05KWHN	CF055R06KWHN	CF055R07KWHN
901-1000 (T)	CF055T00KWHN	CF055T01KWHN	CF055T02KWHN	CF055T03KWHN	CF055T04KWHN	CF055T05KWHN	CF055T06KWHN	CF055T07KWHN
1001-1100 (V)	CF055V00KWHN	CF055V01KWHN	CF055V02KWHN	CF055V03KWHN	CF055V04KWHN	CF055V05KWHN	CF055V06KWHN	CF055V07KWHN
1101-1200 (X)	CF055X00KWHN	CF055X01KWHN	CF055X02KWHN	CF055X03KWHN	CF055X04KWHN	CF055X05KWHN	CF055X06KWHN	CF055X07KWHN

COLORBOND® STEEL COLOUR AVAILABILITY

COLORBOND® ULTRA STEEL		COLORBOND® METALLIC STEEL		COLORBOND® COOLMAX® STEEL		COLORBOND® STEEL MATT	
DUN	DUNE®	ARI	ARIES®	WHN	WHITEHAVEN®	BAS	BASALT® MATT
MON	MONUMENT®	AST	ASTRO®			MON	MONUMENT® MATT
SUR	SURFMIST®	CEL	CELESTIAN®			SUR	SURFMIST® MATT
WLB	WALLABY®	COS	COSMIC®				
WSP	WINDSPRAY®	GLT	GALACTIC®				
WDG	WOODLAND GREY®	RHE	RHEA®				

Minimum length 0.600mm.  
Maximum length 8.0 metres.  
Both subject to suitability of profile.

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.



PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

PREMIUM PRODUCTS • FLASHINGS

MAGNAFLOW 0.55 BMT

Girth Width	No of Bends							
(mm)	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00ZM8---	CF055B01ZM8---	CF055B02ZM8---	CF055B03ZM8---	CF055B04ZM8---	CF055B05ZM8---	CF055B06ZM8---	CF055B07ZM8---
101-150 (C)	CF055C00ZM8---	CF055C01ZM8---	CF055C02ZM8---	CF055C03ZM8---	CF055C04ZM8---	CF055C05ZM8---	CF055C06ZM8---	CF055C07ZM8---
151-200 (D)	CF055D00ZM8---	CF055D01ZM8---	CF055D02ZM8---	CF055D03ZM8---	CF055D04ZM8---	CF055D05ZM8---	CF055D06ZM8---	CF055D07ZM8---
201-250 (E)	CF055E00ZM8---	CF055E01ZM8---	CF055E02ZM8---	CF055E03ZM8---	CF055E04ZM8---	CF055E05ZM8---	CF055E06ZM8---	CF055E07ZM8---
251-300 (F)	CF055F00ZM8---	CF055F01ZM8---	CF055F02ZM8---	CF055F03ZM8---	CF055F04ZM8---	CF055F05ZM8---	CF055F06ZM8---	CF055F07ZM8---
301-350 (G)	CF055G00ZM8---	CF055G01ZM8---	CF055G02ZM8---	CF055G03ZM8---	CF055G04ZM8---	CF055G05ZM8---	CF055G06ZM8---	CF055G07ZM8---
351-400 (H)	CF055H00ZM8---	CF055H01ZM8---	CF055H02ZM8---	CF055H03ZM8---	CF055H04ZM8---	CF055H05ZM8---	CF055H06ZM8---	CF055H07ZM8---
401-500 (J)	CF055J00ZM8---	CF055J01ZM8---	CF055J02ZM8---	CF055J03ZM8---	CF055J04ZM8---	CF055J05ZM8---	CF055J06ZM8---	CF055J07ZM8---
501-600 (L)	CF055L00ZM8---	CF055L01ZM8---	CF055L02ZM8---	CF055L03ZM8---	CF055L04ZM8---	CF055L05ZM8---	CF055L06ZM8---	CF055L07ZM8---
601-700 (N)	CF055N00ZM8---	CF055N01ZM8---	CF055N02ZM8---	CF055N03ZM8---	CF055N04ZM8---	CF055N05ZM8---	CF055N06ZM8---	CF055N07ZM8---
701-800 (P)	CF055P00ZM8---	CF055P01ZM8---	CF055P02ZM8---	CF055P03ZM8---	CF055P04ZM8---	CF055P05ZM8---	CF055P06ZM8---	CF055P07ZM8---
801-900 (R)	CF055R00ZM8---	CF055R01ZM8---	CF055R02ZM8---	CF055R03ZM8---	CF055R04ZM8---	CF055R05ZM8---	CF055R06ZM8---	CF055R07ZM8---
901-1000 (T)	CF055T00ZM8---	CF055T01ZM8---	CF055T02ZM8---	CF055T03ZM8---	CF055T04ZM8---	CF055T05ZM8---	CF055T06ZM8---	CF055T07ZM8---
1001-1100 (V)	CF055V00ZM8---	CF055V01ZM8---	CF055V02ZM8---	CF055V03ZM8---	CF055V04ZM8---	CF055V05ZM8---	CF055V06ZM8---	CF055V07ZM8---
1101-1200 (X)	CF055X00ZM8---	CF055X01ZM8---	CF055X02ZM8---	CF055X03ZM8---	CF055X04ZM8---	CF055X05ZM8---	CF055X06ZM8---	CF055X07ZM8---

COLOUR AVAILABILITY

MAGNAFLOW®


AGY	ARMOUR GREY
BCH	BIRCH
MLH	MONOLITH
OWH	OFF WHITE
SLG	SLATE GREY


Minimum length 0.600mm.  
Maximum length 8.0 metres.  
Both subject to suitability of profile.

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.




RAINWATER CAPS • CRIMPED BENDS • RAINHEADS • SUMPS

Product	Size	Code	Finish	Unit
Rainwater Crimped Bends/Rainheads/Sumps				
<div><div>Crimp Bends</div><div></div></div>	45°			
	100mm	CBG10045GA	GA	each
	125mm	CBG12545GA	GA	each
	150mm	CBG15045GA	GA	each
	200mm	CBG20045GA	GA	each
	90°			
	100mm	CBG10090GA	GA	each
	125mm	CBG12590GA	GA	each
	150mm	CBG15090GA	GA	each
	200mm	CBG20090GA	GA	each
	Allow up to 5 working days			

<div><div>Rainheads</div><div></div></div>	(A x B x C)	RWHSPEC	GA/ZA/COL	each
	Allow extra lead time			


<div><div>Sumps</div><div></div></div>	(A x B x C)	SUMPSPEC	GA/ZA/COL	each
	Allow extra lead time for country and interstate.			

STEEL GAS FLUE COMPONENTS


Product	Gutter/Accessories	Details	Code	Finish	Unit
<div><div>Gas Flue Pipe</div><div></div></div>	75mm x .55mm BMT x 0.9m	1.8m	GFP7555GA0900	GA	each
		2.4m	GFP7555GA1800	GA	each
			GFP7555GA2400	GA	each
	100mm x .55mm BMT x 0.9m	1.8m	GFP10055GA0900	GA	each
		2.4m	GFP10055GA1800	GA	each
			GFP10055GA2400	GA	each
	125mm x .55mm BMT x 0.9m	1.8m	GFP12555GA0900	GA	each
		2.4m	GFP12555GA1800	GA	each
			GFP12555GA2400	GA	each
	150mm x .75mm BMT x 0.9m	1.8m	GFP15075GA0900	GA	each
		2.4m	GFP15075GA1800	GA	each
			GFP15075GA2400	GA	each
	200mm x .75mm BMT x 0.9m	1.8m	GFP20075GA0900	GA	each
		2.4m	GFP20075GA1800	GA	each
			GFP20075GA2400	GA	each
	7 day lead time				

<div><div>Bolted Sleeve</div><div></div></div>	75mm	BS75GA	GA	each
	100mm	BS100GA	GA	each
	125mm	BS125GA	GA	each
	150mm	BS150GA	GA	each

ROOF VENTILATION



Product	Roof Ventilation	Details	Code	Finish	Unit
<div><div>Ventilated Ridge</div><div>Factory Type (Tapered)</div><div></div></div>	Standard 150mm Throat - stock lengths	1.8 lin metre	PURSPECVR	ZA	each
		2.4 lin metre	PURSPECVR	ZA	each
		3.5 lin metre	PURSPECVR	ZA	each
	150mm Throat Standard		PURSPECVR	ZA/COL	lin metre
		225mm Throat	PURSPECVR	ZA/COL	lin metre
		300mm Throat	PURSPECVR	ZA/COL	lin metre
	380mm Throat		PURSPECVR	ZA/COL	lin metre
		Stop Ends 150mm	PURSPECVR	ZA/COL	each
		225mm	PURSPECVR	ZA/COL	each
	All other sizes loose		PURSPECVR	ZA/COL	each
	*Refer to Sales for Vent Ridge packing charge – this will vary with length and quantity. Ventilated Ridge over 300mm throat subject to additional delivery charges – POA Maximum Length 4.5 metres.				
	Type of roof and pitch must be specified.				

## C & Z PURLINS

Product C & Z Purlins	Details	Code	m/tonne	Unit	
Stramit® Purlins and Girts		(all purlins below available in C & Z profile)			
		<b>C10010U</b>	*substitute "U"	565.83	lin metre
		<b>C10012U</b>	with "P" in code	475.09	lin metre
		<b>C10015U</b>	for punched	382.97	lin metre
		<b>C10019U</b>	purlins	304.30	lin metre
		<b>C15012U</b>		346.25	lin metre
		<b>C15015U</b>		279.11	lin metre
		<b>C15019U</b>		221.77	lin metre
		<b>C15024U</b>		176.46	lin metre
		<b>C20015U</b>		222.54	lin metre
		<b>C20019U</b>		174.46	lin metre
		<b>C20024U</b>		138.82	lin metre
		<b>C25019U</b>		153.94	lin metre
		<b>C25024U</b>		122.49	lin metre
	300/400 Series	<b>C30024U</b>		99.15	lin metre
		<b>C30030U</b>		79.63	lin metre
		<b>C35024U</b>		81.98	lin metre
		<b>C35030U</b>		65.84	lin metre
		<b>C40024U</b>		81.98	lin metre
		<b>C40030U</b>		65.84	lin metre
<i>Minimum length 1.7 metre</i>					
<b>C&amp;Z300, 350 and 400 rolled on Friday only</b>					
<b>Cut back fee for lengths under 1.7m      CUTBACKLTH</b>					
<i>Downturn Lip setup charge applies.</i>					
<i>Coating note: Coating supplied is Z350 galvanised.</i>					
<i>Other gauges and coatings of Z450 and Z600 are available under special order – POA.</i>					
<i>Please check availability at time of order.</i>					
Downturn Lip	<i>Note: Downturn Lip available in standard C &amp; Z 100 to 400 purlins – see above</i> <i>Lapped Downturn Lip Z (except for C&amp;Z100) also available on jobs – POA</i>				

Purlin Dimension		C Sections				Z Sections						
Section	Web Depth mm	Flange Width mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m	Section	Web Depth mm	Broad Flange mm	Narrow Flange mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m
C10010	102	51	12.5	1.0	1.77	Z10010	102	53	49	12.5	1.0	1.77
C10012	102	51	13.0	1.2	2.10	Z10012	102	53	49	13.0	1.2	2.10
C10015	102	51	14.0	1.5	2.61	Z10015	102	53	49	14.0	1.5	2.61
C10019	102	51	15.0	1.9	3.29	Z10019	102	53	49	15.0	1.9	3.29
C15010	152	64	14.5	1.0	2.42	Z15010	152	65	61	14.5	1.0	2.42
C15012	152	64	15.0	1.2	2.89	Z15012	152	65	61	15.0	1.2	2.89
C15015	152	64	16.0	1.5	3.58	Z15015	152	65	61	16.0	1.5	3.58
C15019	152	64	17.0	1.9	4.51	Z15019	152	65	61	17.0	1.9	4.51
C15024	152	64	18.5	2.4	5.67	Z15024	152	65	61	18.5	2.4	5.67
C20015	203	76	16.0	1.5	4.49	Z20015	203	79	74	16.0	1.5	4.49
C20019	203	76	19.5	1.9	5.73	Z20019	203	79	74	19.5	1.9	5.73
C20024	203	76	21.0	2.4	7.20	Z20024	203	79	74	21.0	2.4	7.20
C25019	254	76	19.0	1.9	6.50	Z25019	254	79	74	19.0	1.9	6.50
C25024	254	76	20.5	2.4	8.16	Z25024	254	79	74	20.5	2.4	8.16
C30024	300	96	28.0	2.4	10.18	Z30024	300	100	93	28.0	2.4	10.18
C30030	300	96	31.5	3.0	12.68	Z30030	300	100	93	31.5	3.0	12.68
C35024	350	125	29.5	2.4	12.26	Z35024	350	129	122	29.5	2.4	12.26
C35030	350	125	30.0	3.0	15.19	Z35030	350	129	121	30.0	3.0	15.19
C40024	400	96	35.0	2.4	12.26	Z40024	400	100	93	35.0	2.4	12.26
C40030	400	96	33.5	3.0	15.19	Z40030	400	100	93	33.5	3.0	15.19

## C & Z PURLINS - EXACTA RANGE

Product C & Z Purlins	Details	Code	Unit
Stramit® Exacta Purlins			
	'Z' Profile Range	<b>Z15012EXP</b>	* substitute "P" with "U" in lin metre
		<b>Z15015EXP</b>	code for unpunched purlins lin metre
		<b>Z15019EXP</b>	lin metre
		<b>Z15024EXP</b>	lin metre
		<b>Z20012EXP</b>	lin metre
		<b>Z20015EXP</b>	lin metre
		<b>Z20019EXP</b>	lin metre
		<b>Z20024EXP</b>	lin metre
		<b>Z25015EXP</b>	lin metre
		<b>Z25019EXP</b>	lin metre
		<b>Z25024EXP</b>	lin metre
		<b>Z30024EXP</b>	lin metre
		<b>Z30030EXP</b>	lin metre
		<b>Z35024EXP</b>	lin metre
		<b>Z35030EXP</b>	lin metre
Stramit Exacta-Z® purlins are dimensionally optimised for the most commonly used spans, with big improvements in capacity. The associated moment capacity tables have been developed strictly using the Stramit interlocking bridging system.			
	'C' Profile Range	<b>C15012EXP</b>	* substitute "P" with "U" in lin metre
		<b>C15015EXP</b>	code for unpunched purlins lin metre
		<b>C15019EXP</b>	lin metre
		<b>C15024EXP</b>	lin metre
		<b>C20012EXP</b>	lin metre
		<b>C20015EXP</b>	lin metre
		<b>C20019EXP</b>	lin metre
		<b>C20024EXP</b>	lin metre
		<b>C25015EXP</b>	lin metre
		<b>C25019EXP</b>	lin metre
		<b>C25024EXP</b>	lin metre
		<b>C30024EXP</b>	lin metre
		<b>C30030EXP</b>	lin metre
		<b>C35024EXP</b>	lin metre
		<b>C35030EXP</b>	lin metre
Coatings note: Coating supplied is z350 galvanised			
Lengths under 1.7LM incur a cutback charge			CUTBACKLTH
			each

*Lengths under 1.7LM incur a cutback charge*

Downturn Lip setup charge applies.

Stramit Exacta-C® purlins are dimensionally optimised for the most commonly used spans, with big improvements in capacity. The associated moment capacity tables have been developed strictly using the Stramit interlocking bridging system.

STRAMIT EXACTA® C-PURLINS AND GIRTS – Size range			
Section	Web (mm)	Flange (mm)	Thickness (mm)
EC150-10	150	58	1.0
EC150-12	150	58	1.2
EC150-15	150	58	1.5
EC150-19	150	58	1.9
EC150-24	150	58	2.4
EC200-12	200	72	1.2
EC200-15	200	72	1.5
EC200-19	200	72	1.9
EC200-24	200	72	2.4
EC250-15	250	73	1.5
EC250-19	250	73	1.9
EC250-24	250	73	2.4
EC300-24	300	93	2.4
EC300-30	300	93	3.0

STRAMIT EXACTA® Z-PURLINS AND GIRTS – Size range				
Section	Web (mm)	Flange (mm)	Flange (mm)	Thickness (mm)
EZ150-10	150	57	61	1.0
EZ150-12	150	57	61	1.2
EZ150-15	150	57	61	1.5
EZ150-19	150	57	61	1.9
EZ150-24	150	57	61	2.4
EZ200-12	200	69	74	1.2
EZ200-15	200	69	74	1.5
EZ200-19	200	69	74	1.9
EZ200-24	200	69	74	2.4
EZ250-15	250	71	76	1.5
EZ250-19	250	71	76	1.9
EZ250-24	250	71	76	2.4
EZ300-24	300	91	98	2.4
EZ300-30	300	91	98	3.0

**Purlins Ordering** Available to order on approximately 3-5 days lead time subject to delivery days. No extra charge for hole punching.

Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4,5 & 6.

Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4,5 & 6.



New high-tech coating for severe environments

Stramit Building Products now offers the next generation of steel purlin and Condeck HP product manufactured from ZAM coated steel.


ZAM® is a technologically advanced coated steel that allows new installation possibilities in corrosive environments. By replacing the need for post-galvanising, ZAM® products also lower material costs and reduce project lead times.

ZAM® coated steel offers better corrosion protection than conventional galvanised steel (around three times the design life) at a lower cost than products with comparable performance.

ZAM® products perform well in salt or marine atmospheres and are superior to galvanised steel in acid rain, sulphur dioxide or ammonia conditions. They also perform well in alkaline environments. They are appropriate for use near marine environments, in enclosed swimming pool complexes, in poultry, cattle and pig shed environments, as well as in high industrial environments.

The superior scratch resistance of ZAM® products helps corrosion resistance in applications subject to repeated wear. ZAM® coated steel is also concrete compatible, making it an ideal material for steel formwork decking products.

ZAM® is offered by Stramit Building Products with up to a 20 year warranty, subject to standard terms an conditions. Call Stramit Building Products for more information.

ZAM HIGH DURABILITY PURLINS						
Product C & Z Purlins	Details	Code	kg/m	M/tonne	BMT (mm)	Unit
	ZAM High Durability Purlins					
	C & Z 10015 Sections	C/Z10015*IZM	2.635	379	1.5	per metre
	C & Z 10019 Sections	C/Z10019*IZM	3.310	302	1.9	per metre
	C & Z 15015 Sections	C/Z15015*IZM	3.562	281	1.5	per metre
	C & Z 15019 Sections	C/Z15019*IZM	4.488	223	1.9	per metre
	C & Z 15024 Sections	C/Z15024*IZM	5.750	174	2.4	per metre
	C & Z 20015 Sections	C/Z20015*IZM	4.534	221	1.5	per metre
	C & Z 20019 Sections	C/Z20019*IZM	5.705	175	1.9	per metre
	C & Z 20024 Sections	C/Z20024*IZM	7.177	139	2.4	per metre
	C & Z 25019 Sections	C/Z25019*IZM	6.466	155	1.9	per metre
	C & Z 25024 Sections	C/Z25024*IZM	8.134	123	2.4	per metre
	C & Z 30030 Sections	C/Z30030*IZM	12.640	79	3.0	per metre
	* Substitute * for P = PUNCHED U = UNPUNCHED EXP = EXACTA PUNCHED EXU = EXACTA UNPUNCHED Check coil availability - extended lead times may apply Other sizes and gauges may be available subject to mill lead times and quantities Min 1.7m length Cutback fee for lengths under 1.7m - item code is CUTBACKLTH					

**Purlins Ordering** Available to order on approximately 3-5 days lead time subject to delivery days. No extra charge for hole punching Notching and mitre cut charges do apply – POA. Allow 2 extra days.

Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4, 5 & 6.

ZAM Durability Statement  
(Date of issue 15 June 2004)

This statement is issued to Stramit® Building Products Pty Ltd by Nisshin Steel Co., Ltd on 15 June 2004 and states the expected durability of Nisshin Steel Co., Ltd corrosion resistant hot dip coated steel sheeting product ZAM™.

Performance

The corrosion resistance of ZAM coating is a minimum 3 times that of galvanised steel sheet.  
ZAM materials are made in accordance with AS 1397, purlins have a ZM350 coating and Condeck HP a ZM275 coating of protective, zinc, aluminium and magnesium. All ZAM products have the same material strength as normal product, and the normal purlin and Condeck HP load tables are valid when used with the ZAM material.

Typical Application

The superior corrosion resistance of ZAM coating means that it can replace hot dip galvanised steel.  
Applications are whenever severe and corrosive environments exist: intensive farming, agricultural applications, concrete contact and coastal applications.

ZAM, the highly corrosion-resistant hot dip coated steel sheet, is

- A new hot dip coated steel that has a coating layer of zinc, aluminium 6% and magnesium 3%
- The designation “ZAM” comes from the initials of its constituent elements Zinc, Aluminium, and Magnesium.

### CUSTOM SECTIONS

Stramit® Custom Sections

**GENERAL**

At the forefront of technology, Stramit has designed the latest in computer technology roll forming equipment. This technology allows quick and easy profile changes to be made within the production cycle. This allows the production of special purlins or other shapes designed specifically for individual projects giving the best balance in performance and economy.

**SIZE RANGE**

Sections can be produced within the following parameters:

Web size	100mm	–	400mm
Flange size	30mm	–	130mm
Lip size	9mm	–	35mm *
Thickness	1.0mm	–	3.0mm
Material type	G300	–	G550 #

\*Zero lip (i.e. plain channels) also available.  
# May vary dependent upon material thickness.

**MODIFIED PURLINS**

Modified purlins, Z, C or plain channel, use existing strip widths. This advantage of modifying sections within the bounds of existing strip materials allows improvements in performance – either strength or deflection – with ready access to available materials.

Lead times are, particularly if standard flange sizes are used, no more than for normal purlin orders.

**CUSTOM SHAPES**

Designed for specific purposes, these sections may be used for a variety of applications but usually require a specific strip size, which requires extended lead times for ordering and are subject to a minimum order quantity criteria.

**TOOLING**


Contact your local Stramit office for cost estimates for tooling of special flange sizes and any special holes.

**HOLES**

The facility to provide special holes at almost any location is also available.

**LOAD TABLES**

Section properties and load tables for modified or custom profiles may be possible for larger projects by means of the latest in computer programs written for this purpose.



**SIZES AVAILABLE**

**DOWNTURN LIP – Standard & Lapped Z**

These features are available on purlin projects – POA

**Custom Sections** Subject to special enquiry – POA. They are cut to length, custom punched from galvanised material. Alternative materials are available upon request.

Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4, 5 & 6.



## BRIDGING GENERAL

### Stramit® Bridging

#### GENERAL INFORMATION

To enhance performance in longer spans, bridging is generally used. Where wind uplift loading is dominant, greater economy can generally be achieved by using additional bridging in the end spans. The performance of purlins is improved considerably when the roof or wall cladding is attached, so bridging is normally required to ensure easy installation of cladding. Generally, bridging spacing should not exceed 20 times the section's depth, (eg. over 3000mm for a 150mm deep section).

#### CONVENTIONAL BRIDGING/STRUTS

Conventional bridging usually consists of a suitable channel section fitted with end plates which is bolted between parallel purlins.

#### INSTALLATION OF STRAMIT BRIDGING

**Stramit® Bridging** can be installed up or down the roof slope. The system includes adjustable ridge and fascia bridging and boltless intermediate members.

For convenience, start by installing the fascia bridging by bolting to the fascia purlin. Pass the locator end of the bridging through the purlin bridging holes, swing the bridge around to be perpendicular to the web of the purlin and lock any preceeding bridge in place.

Proceed up the slope to the ridge and install the ridge bridging. The adjustable ridge bridge (turnbuckle) allows the purlins to be pulled straight and the adjustment mechanism in the fascia bridging can adjust the fascia purlin for straightness and twist.

Please contact your local Stramit office for details of component assemblies suitable for other installation procedures.


#### HOLING

**Stramit® Purlins and Girts** have standard 18mm x 22mm holes punched to details supplied. Refer to punching schedule below.

Stramit® Purlin/Girt	'A' mm
C100	40 (A)
C150	60 (A) or 70 (VIC)
C200	110 (A)
C250	110 (VIC) or 160 (A)
C300	210 (A)
C350	260 (A)


'A' = A.I.S.C. > Hole Spacing

- NOTE:
1. Non standard hole centres are available.
  2. Holes can be punched anywhere on purlin (including Flange)
  3. Slot 16 x 32mm for diagonal bracing.
  4. Round Ø holes available, contact your local Stramit office for details.



#### SAMPLE LAYOUT

	Mark No.	Overall length	No. Required	Hole Centres (d)							Total Metres
As Drawn	PI	6000	1	40	60	70	110	160	210	260	6
Opp. Hand	PA	6000	1	40	60	70	110	160	210	260	6



Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4, 5 & 6.

## BRIDGING • ACCESSORIES

Product Bridging/Accessories	Details	Code	Unit
------------------------------	---------	------	------


WHEN ORDERING USE STRAMIT DETAIL PAD. SEE P.6 & 7

BRIDGING HOLE CENTRES				HEAVY DUTY BRIDGING			
Bracket Size	Hole Centres	Bracket Size	Hole Centres	Bracket Size	Hole Centres	Bracket Size	Hole Centres
--100	40	--200	110	--300	210	--350	260
--150	60	--250V	110				
--150V	70	--250	160				


#### Stramit® Bridging

Intermediate


Fixed Bridging Assemblies




Locator/Lock Part #001 **BI---** lin metre




Lock/Lock Part #002 **BI---** lin metre



Locator/Bolted Part #003 **BI---** lin metre




Lock/Bolted Part #004 **BI---** lin metre



Bolted/Bolted Part #005 **BI---** lin metre

#### Heavy Duty Bridging

300 Series **BHD300** lin metre  
350 Series **BHD350** lin metre



**Bridging Codes** Start with 'B' and use the part No. and the purlin size. For bridging to suit C/Z 150 add a 'V' for Victorian 70 H/Cs. Maximum bridging length 3.0 metres.

#### Threaded Rod



Sag Rod – Cut to Length  
*fully threaded, 1LM or 3LM* **BSR16ZP** Zinc plated 16mm lin metre




















Stock Sag Rods  
*Fully threaded*  
*(lengths 300-1900 in 50mm increments)*  
*Allow 10 days lead time for non stock sizes and refer Stramit office for prices.* **BSR12ZP----** Zinc plated 12mm lin metre



Starter Clip Part #006 **BSC100** each  
**BSC150** each  
**BVSC150** each  
**BSC200** each  
**BSC250** each





Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4, 5 & 6.

## BRIDGING • ACCESSORIES

Product Bridging/Accessories	Details	Code	Unit	
<div>Stramit® Bridging</div> <div>Ridge/Intermediate</div> <div>Bolted Bridging Assemblies</div> <div>WHEN ORDERING USE STRAMIT DETAIL PAD.</div>				
Adjustable	Fixed	Locator/Lock Part #007	BR--- (Adjustable)	lin metre
		Part #008	BIS--- (Fixed)	lin metre
		Lock/Lock Part #009	BR--- (Adjustable)	lin metre
		Part #010	BIS --- (Fixed)	lin metre
		Locator/Locator Part #011	BR--- (Adjustable)	lin metre
		Part #012	BIS --- (Fixed)	lin metre
		Locator/Bolted Part #013	BR--- (Adjustable)	lin metre
		Part #014	BIS --- (Fixed)	lin metre
		Lock/Bolted Part #015	BR--- (Adjustable)	lin metre
		Part #016	BIS --- (Fixed)	lin metre
		Bolted/Bolted Part #017	BR--- (Adjustable)	lin metre
		Part #018	BIS --- (Fixed)	lin metre
Fascia Bridging Assemblies				
		Locator Part #019	BF---	lin metre
		Lock Part #020	BF---	lin metre
		Locator/Lock Part #021	BF---	lin metre
		Lock/Lock Part #022	BF---	lin metre
		Bolted Part #023	BF---	lin metre

Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4,5 & 6.

## BRIDGING • ACCESSORIES

Product Bridging/Accessories	Details	Code	Unit
<b>Stramit® Bridging</b> Girt Stool/Foot Assemblies			
<b>WHEN ORDERING USE STRAMIT DETAIL PAD.</b>			
	Locator Part #024	<b>BGF---</b>	each
	Lock Part #025	<b>BGF---</b>	each
	Strut & Rod Part #026	<b>BGF---</b>	each
<b>Girt Hanger Assemblies</b> Turnbuckle/Tie Rod			
	Locator Part #027	<b>BGHTB---</b> (Adjustable)	each
	Part #028	<b>BGHTR---</b> (Fixed)	each
	Lock Part #029	<b>BGHTB---</b> (Adjustable)	each
	Part #030	<b>BGHTR---</b> (Fixed)	each
	Strut & Rod – bolted Part #031	<b>BGHTB---</b> (Adjustable)	each
	Part #032	<b>BGHTR---</b> (Fixed)	each

## FASCIA PURLINS

### Fascia Purlins



Fascia Purlin 23019 Flute Pnch  
Fascia Purlin 23019 Flute Unpnch


**FP23019FP**  
**FP23019FU**

lin metre  
lin metre

Allow extra lead time 3-4 weeks.  
punched or unpunched.  
State roof pitch angle when ordering


Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4,5 & 6.

## PURLINS & GIRTS – GENERAL ACCESSORIES

Product	Product Details	Code	Unit
<b>Purlins &amp; Girts – Accessories</b>			
	Tie Rod Angle	<b>BTRA</b>	each
	Bridging Ends Locator	<b>BLR100</b>	each
		<b>BLR150</b>	each
		<b>BVLR150</b>	each
		<b>BLR200</b>	each
		<b>BLR250</b>	each
	Bridging Ends Lock	<b>BLK100</b>	each
		<b>BLK150</b>	each
		<b>BVLK150</b>	each
		<b>BLK200</b>	each
		<b>BLK250</b>	each
	Bridging Ends Bolted	<b>BB0100</b>	each
		<b>BB0150</b>	each
		<b>BVBO150</b>	each
		<b>BB0200</b>	each
		<b>BB0250</b>	each
		<b>BB0HD300</b>	each
	Bridging Channel	<b>BC69GA</b>	lin metre
	Slotted Channel 2 Hole 3 Hole 5 Hole	<b>BSC2HO</b>	each
		<b>BSC3HO</b>	each
		<b>BSC5HO</b>	each
	General Purpose Bracket	<b>BGPB100GA</b>	each
		<b>BGPB150GA</b>	each
		<b>BGPB200GA</b>	each
		<b>BGPB250GA</b>	each
			each
	Angle Connectors	<b>BAC100</b>	each
		<b>BAC150</b>	each
		<b>BAC200</b>	each
		<b>BAC250</b>	each
		<b>BAC300</b>	each
			each
	Clamp Plate	<b>BCP100GA</b>	each
		<b>BCP150GA</b>	each
		<b>BCP200GA</b>	each
		<b>BCP250GA</b>	each
	Raking Girt Bracket	<b>BRGB100</b>	each
	Adaptor Bracket (Right hand shown)	<b>BAB150100L/RGA</b>	each
		<b>BAB200100L/RGA</b>	each
		<b>BAB200150L/RGA</b>	each
		<b>BAB250100L/RGA</b>	each
			each
		<b>BAB250200L/RGA</b>	each
			each
	Purlin & Fascia Bolts M12 x 30 (GR4.6) Flanged M12 x 30 Fascia Bolts	<b>PB1230ZP</b> <b>PBF1230GA</b>	each each

Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4,5 & 6.

## FORMWORK

Product Formwork	Product Details	Code	BMT	Unit
	Hi Tensile steel G550	<b>CONHP75LG</b>	0.75	per m <sup>2</sup>
	300mm effective cover	<b>CONHP90LG</b>	0.90	per m <sup>2</sup>
	Low Glare	<b>CONHP100LG</b>	1.00	per m <sup>2</sup>
	10 x 16 Hex Tekes (no neoprene washers)	<b>S1016HTNN4</b>		per 1000
	For lap fixing refer to <b>Stramit Condeck HP</b> composite decking brochures			


<b>Stramit Condeck HP® ZAM</b>	Hi Tensile steel G550 300mm effective cover	<b>CONHP100IZM</b>	1.00	per m <sup>2</sup>
--------------------------------	--	--------------------	------	--------------------


### ZAM COATED CONDECK HP

The corrosion resistance of ZAM coating is a minimum 3 times that of galvanised steel sheet.

### ZAM, the highly corrosion-resistant hot dip coated steel sheet, is

- A new hot dip coated steel that has a coating layer of zinc, aluminium 6% and magnesium 3%
- The designation “ZAM” comes from the initials of its constituent elements Zinc, Aluminium, and Magnesium.

	Condeck HP® Plus	<b>CONHPP100GA</b>	lin metre
	<i>Product manufactured at Knoxfield – allow extra 1 or 2 days lead time for delivery outside metropolitan area – ask for details</i> <i>Other thicknesses available subject to quantity and lead time POA</i>		

	<b>Stramit® Edgeforma</b>	100mm	<b>CONEF100GA</b>	0.95	lin metre
		125mm	<b>CONEF125GA</b>	0.95	lin metre
		150mm	<b>CONEF150GA</b>	0.95	lin metre
		175mm	<b>CONEF175GA</b>	0.95	lin metre
		200mm	<b>CONEF200GA</b>	0.95	lin metre
		250mm	<b>CONEF250GA</b>	1.20	lin metre

Available cut to length to of 8.0m at listed rates.

\* **Stramit® Edgeforma** can be custom made to slab height.

## FRAMING • BATTENS

Product Framing/Battens	Details	Code	Finish	Size	BMT	Unit
	Stud, Nogging, Plate					
	Standard Stud (red) 75mm	<b>SBS7512UTC</b> <b>SBS7512PTC</b>	TC TC	75x30 75x30	1.2 1.2	per metre per metre
	Standard Plate	<b>SBP7812UTC</b> <b>SBP7812PTC</b>	TC TC	78x28 78x28	1.2 1.2	per metre per metre
	Standard Nogging	<b>SBN7212UTC</b> <b>SBN7212PTC</b>	TC TC	72x32 72x32	1.2 1.2	per metre per metre
	PA Door Stud	<b>SBS6912UTC</b> <b>SBS6912PTC</b>	TC TC	69x33 69x33	1.2 1.2	per metre per metre
	*3 day lead time Steel framing sections are cut to length to order. 32mm diameter holes available at additional cost. Also available punched. Please substitute "U" with "P" in product code when ordering.					

	Roof Batten 6.0m	<b>RBV40TC6000</b>	TC	40x40x15	0.48	each
	Roof Batten 7.5m	<b>RBV40TC7500</b>	TC	40x40x15	0.48	each
	40mm Batten Zip	<b>S1240HMTZIP</b>				per 1000
	Ceiling Batten 6.1m	<b>CBTC61</b>	TC	24x26x10	0.42	each

	30 x 30	<b>TA3012GA</b>	GA		1.2	lin metre
	50 x 50	<b>TA5012GA</b>	GA		1.2	lin metre
	38 x 38	<b>TA3875ZA</b>	ZA		0.75	lin metre
	Minimum length 100mm Maximum length 10.000m					

	<b>Stramit® Top Hat Batten Tapered End</b>	<i>NOTE: Minimum Length 1.500 metres (A x B x C x D)</i>				
	50mm Top Hat (50 x 34 x 20 x 6)	<b>TH5075ZA</b> <b>TH50100ZA</b>	ZA ZA		0.75 1.00	lin metre* lin metre*
	64mm Top Hat (64 x 34 x 20 x 6)	<b>TH6475ZA</b> <b>TH64100ZA</b>	ZA ZA		0.75 1.00	lin metre* lin metre*
	75mm Top Hat (75 x 34 x 20 x 6)	<b>TH7575ZA</b> <b>TH75100ZA</b>	ZA ZA		0.75 1.00	lin metre* lin metre*
	96mm Top Hat (96 x 34 x 20 x 6)	<b>TH9675ZA</b> <b>TH96100ZA</b>	ZA ZA		0.75 1.00	lin metre* lin metre*
	120mm Top Hat (120 x 40 x 25 x 10)	<b>TH12070ZA</b> <b>TH12090ZA</b>	ZA ZA		0.70 0.90	lin metre* lin metre*

Cut to length product available on standard lead times ex Knoxfield.  
120mm (only) Top Hat manufactured in NSW – 10 working day lead time, other sizes available cut to length or in stock sizes.  
Maximum length 7.500 metres.

## FLOORING • ACCESSORIES

floor sheeting  
bearer  
floor joist  
"In Plane" System

Designed to meet the needs of domestic and light commercial construction, **Stramit®** Metal Floor Sections offer an economical, easy to use solution to floor framing and construction.

With a wide range of section sizes offering freedom in design of floor joists, bearers, pier sizes and location, the **Stramit®** Metal Floor Sections adapt to a variety of house designs and conditions.

These new section shapes also offer up to 30% more load capacity or 9% greater spanning performance than conventional C-sections.

The in-plane system saves building height or headroom and reduces brick or cladding costs.






- High tensile steel – for high strength and low weight
- Z350 Galvanised coating – to give long term protection to the steel base. Z350 coating exceeds requirements of the Building Code of Australia for most building areas
- Deeper sections – 235mm and 283mm joists allow for over 100mm pipe penetrations and standard toilet bends under floor
- 235mm joist – matches 3 courses of bricks
- Full range of sections – for economic design
- Designed to resist bounce – uses the latest technology to prevent low frequency vibration in the floor structure
- A complete system – with joists, bearers, brackets and accessories




Product Flooring/Accessories	Details	Code	Unit
	<b>Stramit® Flooring Joists</b>		
	182 x 12	<b>J18212</b>	lin metre
	182 x 15	<b>J18215</b>	lin metre
	182 x 19	<b>J18219</b>	lin metre
	182 x 24	<b>J18224</b>	lin metre
	235 x 15	<b>J23515</b>	lin metre
	235 x 19	<b>J23519</b>	lin metre
	235 x 24	<b>J23524</b>	lin metre
	283 x 19	<b>J28319</b>	lin metre
	283 x 24	<b>J28324</b>	lin metre
	<b>Bearers</b>		
	182 x 19	<b>B18219</b>	lin metre
	182 x 24	<b>B18224</b>	lin metre
	235 x 19	<b>B23519</b>	lin metre
	235 x 24	<b>B23524</b>	lin metre
	283 x 19	<b>B28319</b>	lin metre
	283 x 24	<b>B28324</b>	lin metre
	<b>Angle Brackets</b>		
	FCB1B (for B235/283 only)	<b>FCB1B</b>	each
	FCB1A (Suit B182)	<b>FCB1A</b>	each
	FCB3A 140mm (suit B182)	<b>FCB3A</b>	each
	FCB3B 190mm (suit B235)	<b>FCB3B</b>	each
	Fasteners		
	10 x 16 Hex Head no neo	<b>S1016HTNN4</b>	per 1000
	Floor Screw 10G x 45	<b>S1045WNGT</b>	per 500
	Floor Screw 14G x 22	<b>S1422HTNN4</b>	per 500
	<i>Also available in packs of 100 - please contact your account manager for prices.</i>		

	Post top edge 180mm Fin Plate x 100mm Suit 90mm SHS	<b>FSMPT180100</b>	each
	Post top centre 180mm Fin Plate x 90mm Suit 90mm SHS	<b>FSMPCT90</b>	each
	SHS Stump tube 90x90x2mm 8 mtr	<b>FSMST9013580</b>	each
	Post base fixed 100mm Suit 90mm SHS	<b>FSMPFB100</b>	each



\*A complete flooring system take off service is now available upon request.  
Please contact your Stramit Account Manager






PATIO ROOFING DECKING				
Product	Details	Ordering Code	BMT mm	Unit
Roofing/Cladding/Accessories				
Stramit Sunset®				
	Sunset Decking CLC/Classic Cream™ 80GL	SS42DLCLC		per m²
	Sunset Decking WIL/Classic Cream™ 80GL	SS42DL07		per m²
	Sunset Decking SUR/Dover White 80GL	SS42DL05		per m²
	Sunset Decking PPB/Paperpark® 80GL	SS42DLPPB		per m²
	Sunset Decking WDG/Classic Cream™ 80GL	SS42DL09		per m²
To convert prices to linear metres multiply by cover of sheet (ie 0.290). **Gloss colour is on the bottom. Please confirm at time of order. <b>All Product packaged for maximum protection.</b> Price quoted is an effective cover per square metre price. To suit Stramit Sunset® sheeting (available in opal only)				
Fibreglass		TSWGSS240PL		lin metre
Sunset® Foam Insert				
	Infill strip for Stramit Sunset® sheeting ( 310mm )	SSWS3787		each
Fibreglass Foam Insert				
	Infill strip for Stramit Sunset® fibreglass sheeting ( 290mm )	SSWS3788		each
Sunset® Back Channel				
Available in 3.0 & 5.0m stock lengths only				
		RCSSHCLC30/50		each
		RCSSHDVW30/50		each
		RCSSXPPB30/50		each
		RCSSZA30/50		each
Fasteners				
	10 x 16 Hex Head SDS (for fixing to steel)	S1016HT4	Plain	per pack 1000
		S1016HT---4	Colour	per pack 1000
Also available in packs of 100 - please contact your account manager for prices.				

DOUBLE SIDED ROOFING				
Stramit® Corrugated				
	SUR/Dover White 80GL	C42DL05	0.42	m²
	CLC/Classic Cream™ 80GL	C42DLCLC	0.42	m²
	PPB/Paperbark® 80GL	C42DLPPB	0.42	m²
Stramit® Monoclad				
	SUR/Dover White 80GL	MC42DL05	0.42	m²
	CLC/Classic Cream™ 80GL	MC42DLCLC	0.42	m²
	PPB/Paperbark® 80GL	MC42DLPPB	0.42	m²
Stramit® Longspan				
	SUR/Dover White 80GL	LS42DL05	0.42	m²
	CLC/Classic Cream™ 80GL	LS42DLCLC	0.42	m²
	PPB/Paperbark® 80GL	LS42DLPPB	0.42	m²










Gloss on underside only. This product is manufactured in NSW – allow additional lead time.

COLORBEAM						
Details	Ordering Code	Finish	BMT mm	Flange Thickness mm	Unit	
	Colorbeam 100x50 4.0m	CSB10011LCLC40	Classic Cream™	0.55	1.1	each
	Colorbeam 100x50 4.0m	CBS10011HDVW40	Dover White	0.55	1.1	each
	Colorbeam 100x50 6.0m	CSB10011LCLC60	Classic Cream™	0.55	1.1	each
	Colorbeam 100x50 6.0m	CBS10011HDVW60	Dover White	0.55	1.1	each
	Colorbeam 150x50 4.0m	CSB15015LCLC40	Classic Cream™	0.75	1.5	each
	Colorbeam 150x50 6.0m	CSB15015LCLC60	Classic Cream™	0.75	1.5	each
	Colorbeam 100x50 6.0m	CBS15015HDVW60	Dover White	0.55	1.1	each
	Colorbeam 150x50 8.0m	CSB15015LCLC80	Classic Cream™	0.75	1.5	each
	Colorbeam 100x50 6.0m	CSB15015HDVW80	Dover White	0.55	1.1	each
Lead Time 10 Days for large qty's			10 Units Per Pack			

COLORBEAM

Details	Ordering Code	Finish	Unit
	Colorbeam Framing Bracket 100	<b>CSAFB100LCLC</b>	Classic Cream™ each
	Colorbeam Framing Bracket	<b>CSAFB100HDVW</b>	Dover White each
	Colorbeam Framing Bracket 150	<b>CSAFB150LCLC</b>	Classic Cream™ each
	Colorbeam Framing Bracket	<b>CSAFB150HDVW</b>	Dover White each
	Colorbeam Framing Bracket 200	<b>CSAFB200CLC</b>	Classic Cream™ each
	Colorbeam Frame Bracket 100 22deg	<b>CSAFB10022CLC</b>	Classic Cream™ each
		<b>CSAFB10022HDVW</b>	Dover White each
	Colorbeam Frame Bracket 150 22deg	<b>CSAFB15022CLC</b>	Classic Cream™ each
		<b>SAFB15022HDVW</b>	Dover White each
 (15° and 22.5°)	Colorbeam Angle Bracket AB100 Cream	<b>CSAB100LCLC</b>	Classic Cream™ each
	Colorbeam Angle Bracket AB150 Cream	<b>CSAB150LCLC</b>	Classic Cream™ each
	Colorbeam Angle Bracket AB100 White	<b>CSAB100HDVW</b>	Dover White each
	Colorbeam Angle Bracket AB150 White	<b>CSAB150HDVW</b>	Dover White each
	Colorbeam Corner Bracket CB100 Cream	<b>CSCB100LCLC</b>	Classic Cream™ each
	Colorbeam Corner Bracket CB150 Cream	<b>CSCB150LCLC</b>	Classic Cream™ each
	Colorbeam Corner Bracket CB100 White	<b>CSCB100HDVW</b>	Dover White each
	Colorbeam Corner Bracket CB150 White	<b>CSCB150HDVW</b>	Dover White each
	Colorbeam Posts 90 x90 3 metre	<b>SSP9020LCLC3000</b>	Classic Cream™ each
	Colorbeam Posts 90 x90 3 metre	<b>SSP9020HDVW3000</b>	Dover White each
	Colorbeam Posts 90 x90 4 metre	<b>SSP9020LCLC4000</b>	Classic Cream™ each
	Colorbeam Posts 90 x90 4 metre	<b>SSP9020HDVW4000</b>	Dover White each

FENCING • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit
Fencing/Accessories					
<b>Infill Sheets</b> 	<b>Stramit Monoclad® Fencing</b>				
	Stock Lengths				
	Sheeting 2.090	<b>SFGLCL---2090</b>	COL	0.35	each
	Sheeting 1.790	<b>SFGLCL---1790</b>	COL	0.35	each
	Sheeting 1.490	<b>SFGLCL---1490</b>	COL	0.35	each
Also available Cut to length in all colours					
<b>Infill Sheets</b> 	<b>Sawtooth Fencing</b>				
	Stock Lengths				
	Sheeting 2.090	<b>SFGLST---2090</b>	Colour	0.35	each
	Sheeting 1.790	<b>SFGLST---1790</b>	Colour	0.35	each
	Sheeting 1.490	<b>SFGLST---1490</b>	Colour	0.35	each
This product is not a COLORBOND® steel product					
<b>Rails Top &amp; Bottom</b> 	Rail Top/Bottom 2.370	<b>SFGLR---2370</b>	Colour		each
	Rail Top/Bottom 3.100	<b>SFGLR---3100</b>	Colour		each
	Fence Rail Cap (Cut in two for single caps)	<b>SFGLRC---</b>	Colour		each
<b>Fence Posts</b> 	Post 2.700	<b>SFGLP---2700</b>	Colour		each
	Post 2.400	<b>SFGLP---2400</b>	Colour		each
	Post 2.100	<b>SFGLP---2100</b>	Colour		each
This product is not a COLORBOND® steel product					
<b>Lattice</b> 	Standard Lattice 0.300 x 3.100	<b>SFLFZ300---3100</b>	Colour		each
	Standard Lattice 0.300 x 2.350	<b>SFLFZ300---2350</b>	Colour		each
	Standard Lattice 0.300 x 1.575	<b>SFLFZ300---1575</b>	Colour		each
	Standard Lattice 0.300 x 0.815	<b>SFLFZ300---0815</b>	Colour		each
This product is not a COLORBOND® steel product					
<b>Panel 2.400 x 1.800</b> 	<b>Standard Panel includes</b> -with Monoclad				
	2 x Rails 2.370				
	2 x Fence Posts 2.400				
	3 x Infill Sheets 1.790				
	<b>Total Price Std Panel</b>				
	<b>Standard Panel with Std Lattice includes</b> -with Monoclad				
	3 x Rails 2.370				
	2 x Fence Posts 2.400				
	3 x Infill Sheets 1.490				
	1 x Std Lattice 0.300 x 2.350				
	<b>Total Price Std Panel</b>				
	22 x Screws 10 x 16 Hex Head				
	NB: Price does not include screws or rail caps				
	<b>Std Panel with Premium Lattice includes</b> -with Monoclad				
	4 x Rails 2.370				
	2 x Fence Posts 2.400				
	3 x Infill Sheets 1.490				
	Premium Lattice 0.300 x 2.370				
	<b>Total Price Std Panel</b>				
	23 x Screws 10 x 16 Hex Head				
10 x 16 Hex Tek No Neo Pack 1000 (minimum pack of 100)		<b>S1016HTNN---4</b>	Colour		per 1000

See next page for  
gates, end posts, other  
accessories  
and colour chart








METROPOLITAN & SOUTHERN VICTORIA  
TEL (03) 9237 6300  
FAX (03) 9237 6399

ALBURY  
TEL (02) 6092 3700  
FAX (02) 6092 3766

BENDIGO  
TEL (03) 5448 6400  
FAX (03) 5447 9677

## FENCING • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit
Fencing/Accessories					
<b>Corner/Gate Posts</b>  	Gate Post 65mm x 65mm x 2400mm	<b>SFGP65---2400</b>	Colour		each
	Gate Post 65mm x 65mm x 2700mm	<b>SFGP65---2700</b>	Colour		each
	Gate Post Cap 65mm x 65mm	<b>SFGPC65---</b>	Black or Grey only		each
<b>Post Balls</b> 	Post Ball Single	<b>SFGLPBS---</b>	Colour		each
	Post Ball Double	<b>SFGLPBD---</b>	Colour		each
	Post Ball Single 50 x 50	<b>SFGLPBS50---</b>	Colour		each
	Post Ball Single 65 x 65	<b>SFGLPBS65---</b>	Colour		each
<b>Gate Kits</b>  	<b>Single Gate Frame Kit</b>	<b>SFGKS---1200</b>	Colour	1200	each
		<b>SFGKS---1500</b>	Colour	1500	each
		<b>SFGKS---1650</b>	Colour	1650	each
		<b>SFGKS---1800</b>	Colour	1800	each
	<b>Double Gate Frame Kit</b>	<b>SFGKD---1200</b>	Colour	1200	each
		<b>SFGKD---1500</b>	Colour	1500	each
		<b>SFGKD---1650</b>	Colour	1650	each
		<b>SFGKD---1800</b>	Colour	1800	each
	<b>Fence Gate Support Bkt Lattice</b>	<b>SFGSBLGA</b>			each
	Gate Kit comprises - Gate Styles, Zinc Plated Hinges, Zinc Plated D-Latch set, Gate Caps, Hex Head Tek Screws, and Drop bolts on double gates.				
	<b>Order separately - Infill sheet/s, Rail/s, Gate Posts &amp; Gate Post Caps as required.</b>				
	Specify gate opening width when ordering gate.				

### HOW TO ORDER:

Fence										
Panel Height*	Number of Panels	Profile?	Lattice?		End Posts?		Colour?			
		M=Monoclad S=Sawtooth	Yes/No	S=Standard P=Premium	65x65	Number of End Posts	Infill Sheets	Posts & Rails	Lattice	End Posts
1500					2400					
1800					2400					
2100					2700					

\*Height includes lattice (if required)

Standard Gates										
Gate Height*	Gate Type?	Profile?	Lattice?		Gate Posts?		Colour?			
	S=Single D=Double	M=Monoclad S=Sawtooth	Yes/No	S=Standard P=Premium	65x65	Number of Gate Posts	Infill Sheets	Posts & Rails	Lattice	Gate Posts
1200					2400					
1500					2400					
1650					2400					
1800					2400					
2100					2700					

\*Height includes lattice (if required)

Colour Availability <sup>Use</sup>		Screws
Bluestone®	Mountain Blue	<b>DOC</b>
Domain®	Primrose	<b>CLC</b>
Estate®	Ironbark <b>EST</b>	
Evergreen®	Caulfield Green	<b>CTG</b>
Grey Ridge®	Slate Grey	<b>WDG</b>
Harvest®	Wheat	<b>HAR</b>
Meadow®	Mist Green	<b>PEC</b>
Red Oak®	Heritage Red	<b>MNR</b>
Riversand®	Stone	<b>RSD</b>
Summershade®	Moss Vale Sand	<b>SMS</b>
Terrace®	Merino	<b>PPB</b>
Willow®Rivergum	<b>WIL</b>	
Eclipse®	Ebony	<b>ECL</b>

© Trademarks of BlueScope Steel Limited.

Some colours may be subject to minimum quantities and lead times. Please contact your nearest Stramit sales office.

**Note:** Gates Styles not available in all sizes in stock colours. Please contact your nearest Stramit sales office.



## PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

## TAUREAN® RESIDENTIAL AND COMMERCIAL ROLLER DOOR COLOURS

COLORBOND® STEEL COLOUR NAMES							
BAS	Basalt®	HED	Headland®	PPB	Paperbark®		
CLC	Classic Cream™	IST	Ironstone®	SHG	Shale Grey™		
CTG	Cottage Green®	JAS	Jasper®	SUR	Surfmist®		
COV	Cove®	MGV	Mangrove®	TRN	Terrain®		
DOC	Deep Ocean®	MNR	Manor Red®	WAL	Wallaby®		
DUN	Dune®	MON	Monument®	WDG	Woodland Grey®		
EVH	Evening Haze®	NTS	Night Sky®	WIL	Wilderness®		
GLY	Gully®	PEC	Pale Eucalypt®	WSP	Windspray®		
MATT		COLOURGRAIN		SELF-STORAGE / MINI WAREHOUSE			
BAS	Basalt® Matt	CAO	Caoba®	DVW	Dover White	MAN	Mandarin Orange
MON	Monument® Matt	CCE	Classic Cedar®	LAZ	Lazurite Blue	POP	Poppy Red
SUR	Surfmist® Matt						

### TAUREAN RESIDENTIAL ROLLER DOORS

#### DOMESTIC PR1ME SERIES 'A' AND 'AA', WINDLOCK AND WINDSTRONG

Product Details	Discount Group Code	Finish	Code	Unit
Series A - Standard, WindLock or WindStrong options	7T	ZA	RDAZA	Ea
		COL	RDAhhCOLwww	Ea
Series AA - Standard, WindLock or WindStrong options	7V	ZA	RDAAZA	Ea
		COL	RDAAhCOLwww	Ea

Available in ZA, STD COLORBOND®, Matt and Colourgrain Domestic Roller Door										
Height (mm)	Series 'A' Doors (curtain width in mm)						Series 'AA' Doors (curtain width in mm)			
	Width									
	750 to 1550	1551 to 1850	1851 to 2550	2551 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3750 to 4350	4351 to 5100	5101 to 5400
1200										
2200										^
2500										^
2800										
3100										

^ Not available in WindLock

**ORDERS TO BE PLACED AS DOOR SIZE (not opening width)**

To calculate curtain width, add to opening width -

- 50mm for Series A
- 100mm for WindLock option
- 100mm for Series AA
- 110mm for WindStrong option

### TAUREAN LIGHT INDUSTRIAL ROLLER DOORS

#### LIGHT INDUSTRIAL COMMANDO SERIES 'B', WINDLOCK AND WINDSTRONG

Product Details	Discount Group Code	Finish	Code	Unit
Series 'B' - Standard, WindLock or WindStrong options	7R	ZA	RDBZA	Ea
		COL	RDBCOL	Ea

Available in ZA, COLORBOND® steel, COLORBOND® steel Matt and Colourgrain Domestic Roller Door										
Height (mm)	Series 'B' Doors (curtain width in mm)									
	Width									
	750 to 1550	1551 to 1850	1851 to 2550	2551 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3750 to 4350	4351 to 5100	5101 to 5400
2200										
2500										
2800										
3100										
3500										
3900										
4300										
4600										
5100										

**ORDERS TO BE PLACED AS DOOR SIZE (not opening width)**

To calculate curtain width, add to opening width -

- 50mm for Series A
- 100mm for WindLock option
- 100mm for Series AA
- 110mm for WindStrong option

Product Details	Code	Unit
Planetary Gear Chain System	RDPLANETGEAR	Ea
It is recommended that Planetary Gear Chain operating system be fitted to doors in shaded areas.		
Planetary Gear system MUST NOT be used when an electric operator is fitted.		

## TAUREAN® RESIDENTIAL ROLLER DOORS - KEY POINTS

PR1ME SERIES ROLLER DOOR WINDLOCK CONFIGURATION					Wind Classification N3	MAXIMUM DOOR WIDTH (mm)			
Wind Classification (AS/NZS 4505-2012)		MAXIMUM DOOR WIDTH (mm)				0 - 3650	3651 - 5015	5016 - 5100	
Classification	Ultimate Wind Pressure	0 - 3650	3651 - 5015	5016 - 5100	ABUTMENT FORCES (kN/m)	Fy INWARDS	5.5	6.2	8.2
N1	< 4.0m: inwards 0.69kPa outwards -0.73kPa > 4.0m: inwards 0.69kPa outwards -0.63kPa	WindLock door 2.2 clips/m				Fx INWARDS	17.7	22.7	29.4
N2	< 4.0m: inwards 0.95kPa outwards -1.02kPa > 4.0m: inwards 0.95kPa outwards -0.87kPa					Fy OUTWARDS	9.5	9.5	11.2
N3	< 4.0m: inwards 1.49kPa outwards -1.59kPa > 4.0m: inwards 1.49kPa outwards -1.37kPa					Fx OUTWARDS	26.3	30.7	40.7
			3.9 clips/m	4.1 clips/m					

Taurean Doors Systems certify that this door meets the ultimate wind pressure ratings of Australian Standard AS/NZS 4505 and is fit for purpose in Regions A and B (non-cyclonic areas) of Australia when installed according to instructions.  
See taureands.com.au for details.

### Tapers for Sloping Floors – Roller Doors



Taurean Pr1me Series Roller Doors are available with tapered curtains to suit floors with a slope across the door opening. Minimum and maximum taper sizes apply, please contact Taurean Customer Service on 1800 778 658 or via customerservice@taureands.com.au for further information.

### WINDSTRONG™ Roller Door - Domestic and Medium General Purpose (20,000 cycles) AUSTRALIAN STANDARD 4505 COMPLIANT

Steel Guide Track	ULTIMATE CYCLONIC WIND PRESSURE								Aluminium Guide Track	ULTIMATE CYCLONIC WIND PRESSURE							
Door Width (mm)	2550	2800	3100	3430	3750	4350	5100	5400	Door Width (mm)	s 2550	2800	3100	3430	3750	4350	5100	5400
Inwards Ultimate Wind Pressure Rating (kPa)	6.27	5.76	5.20	4.64	4.17	3.46	2.89	2.76	Inwards Ultimate Wind Pressure Rating (kPa)	6.79	6.13	5.53	4.91	4.38	3.53	2.75	2.53
Outwards Ultimate Wind Pressure rating (kPa)	7.24	6.91	6.50	6.02	5.54	4.59	3.31	2.77	Outwards Ultimate Wind Pressure rating (kPa)	6.79	6.13	5.53	4.91	4.38	3.53	2.75	2.53
Domestic Cyclonic Region Ratings (door width mm)	C4 up to 2770	C3 up to 3660		C2 up to 5100		C2 up to 5400			Domestic Cyclonic Region Ratings (door width mm)	C3 up to 3430		C2 up to 4550		C1 up to 5400			

### TAUREAN ROLLER DOOR INSTALLATION

For further information please refer to the Installation Guides at [www.taureands.com.au](http://www.taureands.com.au) or contact Customer Service 1800 778 658.



Mounting Room - Series A					
Table 1: Mounting Room (mm)					
A	B	C	D	E	
1200	430	265	165	450	
2200	440	270	170	475	
2500	455	275	180	495	
2800	485	295	190	505	
3100	495	300	195	515	


Mounting Room - Series B					
Table 1: Mounting Room (mm)					
A	B	C	D	E	
2200	440	270	170	485	
2500	455	275	180	505	
2800	485	295	190	515	
3100	495	300	195	525	
3900	515	310	205	545	
4600	550	325	225	575	
5100	560	330	230	585	

Mounting Room - Series AA					
Table 1: Mounting Room (mm)					
A	B	C	D	E	
1200	430	265	165	460	
2200	440	270	170	485	
2500	455	275	180	505	
2800	485	295	190	515	
3100	495	300	195	525	

Mounting Room - NovaTaur Commercial					
Table 1: Mounting Room (mm)					
A	B	C	D	E	
2500	485	290	195	500	
3100	520	310	210	540	
3400	520	310	210	540	
4300	555	330	225	575	
5100	585	345	240	610	

Mounting Room - NovaTaur Residential					
Table 1: Mounting Room (mm)					
A	B	C	D	E	
2500	455	290	165	450	

## TAUREAN® RESIDENTIAL SECTIONAL DOORS - CLASSIC RANGE




**Linea:** Grooved / Lined



**Tempo:** Pressed Squares



**Western:** Pressed Rectangles



**Silk:** Flat Panels

AVAILABLE IN COLORBOND® STEEL IN WOODGRAIN, WOODGRAIN TIMBERGRAIN & WOODGRAIN POWDERCOATED COLOURS												
		WIDTH										
Height	# Panels	1820 to 2500	2501 to 2800	2801 to 3200	3201 to 3700	3701 to 4150	4151 to 4450	4451 to 4740	4741 to 4950	4951 to 5510	5511 to 5930	5931 to 6050
1920, 1940, 1960, 1980, 2000, 2020, 2040, 2060, 2080, 2100, 2120, 2140, 2160, 2180	4											
2200, 2225, 2250, 2275	5											
2300, 2325, 2350, 2375, 2400, 2425, 2450	5											
2475, 2500, 2525, 2550, 2575, 2600, 2625, 2650, 2675, 2700, 2725	5											
2760, 2790, 2820, 2850, 2880, 2910, 2940, 2970, 3000	6											

### Tapers for Sloping Floors – Classic Sectional Doors

Taurean Classic Sectional Doors are available with a tapered bottom panel to suit floors with a slope across the door opening. Minimum and maximum taper sizes apply, please contact Taurean Customer Service on 1800 778 658 or via customerservice@taureands.com.au for further information.



### LOW HEADROOM KIT- FRONT MOUNTED ONLY - MINIMUM HEADROOM 2200mm

Product Details	Length	Code	Unit
SD Track Pair LHR 2.591	2591	SDTPRLHRGA2591	Ea
SD Track Pair LHR 2.895	2895	SDTPRLHRGA2895	Ea
SD Track Pair LHR 3.200	3200	SDTPRLHRGA3200	Ea
SD Track Kit Bag LHR		SDTKITBLHR	Ea

Please refer to the Taurean website ([www.taureands.com.au](http://www.taureands.com.au)) or contact Taurean Door Systems Customer Service on 1800 778 658 for assistance.




## TAUREAN® RESIDENTIAL SECTIONAL DOOR INSTALLATION - KEY POINTS



### Check opening height and door size.

- 25-30mm overlap on each side and >10mm at top.
- At least 150mm side room required.



Please refer to the Taurean website ([www.taureands.com.au](http://www.taureands.com.au)) or contact Taurean Door Systems Customer Service on 1800 778 658 for assistance.

## TAUREAN® NOVATAUR ROLLER DOORS

### Taurean NovaTaur Residential Roller Door

Product Details	Finish	Code	Unit
Taurean Novataur Residential Roller Door	Col	RNR25COLwww	Ea

Refer to COLORBOND® steel colours												
	Width											
Height (mm)	2500 to 2550	2551 to 2800	2801 to 3100	3101 to 3600	3601 to 3750	3751 to 4100	4101 to 4350	4351 to 4800	4801 to 5100	5101 to 5400	5401 to 5500	5501 to 6000
2500												

### Taurean NovaTaur Commercial Roller Door

Product Details	Finish	Code	Unit
Taurean Novataur Commercial Roller Door	ZA	RNChhZAwwww	Ea
	Col	RNChhCOLwww	Ea

	Width							
Height (mm)	2500 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3751 to 4350	4351 to 5100	5101 to 5500	5501 to 6000
2500								
3100								
3400								
4300								
5100								

Product Details	Code	Unit
Planetary Gear Chain System	RDPLANETGEAR	Ea

It is recommended that Planetary Gear Chain operating system be fitted to doors in shaded areas.  
Planetary Gear system MUST NOT be used when an electric operator is fitted.

### TAUREAN ROLLER DOOR PACKAGING OPTIONS

Packaging Product Details	Code	Unit
Cardboard Box up to 3430 door width	RDCHRGPACK9	Ea
Cardboard Box up to 3710 door width	RDCHRGPACK10	Ea
Cardboard Box up to 4930 door width	RDCHRGPACK19	Ea
Enviropack 1 single layer cardboard outer up to 3430mm door width	RDCHRGPACK15	Ea
Enviropack 1 single layer cardboard outer up to 3431 - 5400mm door width	RDCHRGPACK16	Ea
Enviropack 2 double layer cardboard outer up to 3430mm door width	RDCHRGPACK17	Ea
Enviropack 2 double layer cardboard outer up to 3431 - 5400mm door width	RDCHRGPACK18	Ea
Metal Wrap Packaging per lineal metre	RDCHRGPACK2	Ea

### TAUREAN PERSONAL ACCESS (PA) DOOR

Pre-Hung Personal Access Door				
	Pre Hung PA Door 2040 x 820mm	ZA	PADJ2040820ZA	Ea
		COL	PADJ2040820X***	Ea
	Pre Hung PA Door 2040 x 920mm	ZA	PADJ2040920ZA	Ea
		COL	PADJ2040920X***	Ea
	Personal Access (PA) Door 2040 x 820mm	ZA	PAD2040820ZA	Ea
		COL	PAD2040820X***	Ea
	Personal Access (PA) Door 2040 x 920mm	ZA	PAD2040920ZA	Ea
		COL	PAD2040920X***	Ea

### SPECIFICATIONS

- Taurean Door Systems standard offer is a single skin metal clad door:
  - 2040mm high x 820mm wide x 37mm thick and 2040mm high x 920mm wide x 37mm thick
- Metal cladding is 0.55mm thick COLORBOND® steel
- Outward swing is standard
- Heavy duty Knob/Knob Lockset as standard (with Pre-Hung Door only), Lever/Knob available upon request
- Chrome cabin hook supplied as standard (with Pre-Hung Door only)
- Pre-Hung version comes with three, 100 x 65 x 2mm high quality colour matched hinges

Please refer to the Taurean website ([www.taureands.com.au](http://www.taureands.com.au)) or contact Taurean Door Systems Customer Service on 1800 778 658 for assistance.



METROPOLITAN & SOUTHERN VICTORIA  
TEL (03) 9237 6300  
FAX (03) 9237 6399

ALBURY  
TEL (02) 6092 3700  
FAX (02) 6092 3766

BENDIGO  
TEL (03) 5448 6400  
FAX (03) 5447 9677

TAUREAN® ROLLER DOOR ACCESSORIES

Product Details	Code	Unit
<b>Roller Door Openers - Merlin</b>		
RD Motor SilntDrv Elite 855BBU..... Max door area = 18m² Max door weight = 120kg	RDMOTORSE855BB	Ea
RD Motor SilntDrv Elite 855MYQ..... Max door area = 18m² Max door weight = 120kg	RDMOTORSE855MQ	Ea
RD Motor SilntDrv Essen 655MYQ ..... Max door area = 16.5m² Max door weight = 100kg	RDMOTORSS655MQ	Ea
RD Motor Weather Drive 550EVO ..... Max door area = 15m² Max door weight = 100kg IP 34 Housing Rating	RDMOTORWD55EVO	Ea
<b>Roller Door Openers - GRIFCO</b>		
RD Motor eDrive 2.0 (ML5102 Kit) Left Hand..... Max door area with 150mm drum = 36m² Max door area 200mm drum = 50m²	RDMOTORED20KL	Ea
RD Motor eDrive 2.0 (ML5102 Kit) Right Hand ..... Max door area with 150mm drum = 36m² Max door area 200mm drum = 50m²	RDMOTORED20KR	Ea
Grifco LR-Drive (GLD-RDO)..... Max door area Standard = 28m² Max door area WindLocked = 22m² Max door weight = 270kg	RDMOTOR1300LRD	Ea
<b>Sectional Door Operators - MERLIN</b>		
SD Motor ComElite 105BBU.....	SDMOTCE105BB	Ea
SD Motor ComElite 105MYQ .....	SDMOTCE105MQ	Ea
SD Motor ComEssen 65MYQ .....	SDMOTCS65MQ	Ea
SD Motor ComUlt 3800MYQ.....	SDMOTCU3800MQ	Ea
SD Motor ComExt 125 2.4C MYQ .....	SDMOTCX125C24	Ea
SD Motor ComExt 125 2.4R BBU.....	SDMOTCX125X24B	Ea
SD Motor ComExt 125 3.0R BBU.....	SDMOTCX125X30B	Ea
SD Motor Whisper Drive 3850EVO .....	SDMOTWD3850EVO	Ea
<b>Operator Accessories</b>		
RD Merlin Evercharge Standby Power Unit.....	RDMERECSPU	Ea
Merlin Battery Backup Kit - Suitable for residential roller & sectional door operators.....	RDMOTORBBU	Ea
RD Merlin handset 3 button Chl.....	RDMERHS3B3C	E
RD Merlin handset Mini 3 button transmitter.....	RDMERHSM3B3C	Ea
4 Button Hand Transmitter.....	RDMERHSM4B52	Ea
RD Merlin Keyed Cable Release Steel .....	RDMERCABRELKSF	Ea
RD Merlin Keypad Wireless S2.0.....	RDMERKPWS2	Ea
RD Merlin Connect Bundle MYQ .....	RDMERCONBMYQ	Ea
RD Merlin Remote Light LED MYQ .....	RDMERLEDMYQ	Ea
Wall Mount Wireless TrioCode .....	RDGDOHSWMW	Ea
TrioCode Wireless Keypad .....	RDGDOKPW	Ea

Please refer to the Taurean website ([www.taureands.com.au](http://www.taureands.com.au)) or  
contact Taurean Door Systems Customer Service on 1800 778 658 for assistance.



PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

TAUREAN® PRODUCT WARRANTY

Stramit Corporation Pty Limited Roller Door Warranty and Exclusion of Liability Statement

This Warranty is given by:  
Stramit Corporation Pty Limited trading as Taurean Door Systems (Taurean)  
1051 Nudgee Road, Banyo, QLD, 4014  
Phone: (03) 9721 8366 | Email: [customerservice@taureands.com.au](mailto:customerservice@taureands.com.au) | Website: [www.taureands.com.au](http://www.taureands.com.au)

On Taurean® roller door kits (Product) for a twelve-month period from the date of purchase of the Product, against defects which is subject to the matters set out below (Warranty).

The Warranty is in addition to your rights and remedies that may be available to consumers under the Australian Consumer Law. If you are a consumer, as defined under the Australian Consumer Law, our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

This Warranty applies only where:

- The purchaser seeking to rely on the Warranty presents proof of purchase to confirm the date of purchase of the Product;
- If the Product has been installed, an authorised Taurean Door reseller or professional roller door installer (Authorised Installer) performed the installation; and
- Taurean determines, in its absolute discretion, that the Product has a defect covered by this Warranty.

Your Product Warranty does not apply to any defect, loss or damage arising through or caused directly or indirectly by, or as a result of:

- Fair wear and tear (e.g. working seals in the inlet and outlet valves, scratching from cleaning, paint rubs or scuffing on the internal wash coat finish or external painted finish etc.);
- Any defects or deterioration of timber, including drying, after installation of the Product;
- Any weakening, cracking, deterioration, or collapse of the structure or surface, during installation or use, to which the Product is (or is intended to be) affixed;
- Incorrect storage or handling of the Product after delivery;
- Failure to properly install, use or maintain the Product, or to follow any instructions or guidelines for installation, use or maintenance of the Product, including carrying out regular servicing or preventative maintenance;
- The continued use or operation of the Product after any defect becomes apparent, or would have become apparent to a reasonably prudent operator or user;
- Installation, adjustment or use of the Product, other than by Taurean or an Authorised Installer;
- Attempted or completed modifications or repairs to the Product carried out by a person who is not authorised by Taurean to carry out such modifications or repairs;
- The use of the Product, within 800 metres of the sea or other body of water of equivalent or greater salt concentration or in an area subject to chemical or industrial fall out, or otherwise than for any application specified on a quote or order form, price book or catalogue issued by Taurean; or
- Any accident or act of God.

To make a valid claim under this Warranty, a person must submit a claim in writing to Taurean at the abovementioned address within twelve months from the date of purchase of the Product. The claim must include:

- A copy of this Warranty;
- A description and evidence of (e.g. photo) how the Product is defective;
- The date on which the person making the claim discovered the defect;
- Proof of the date of purchase of the Product in the form of an invoice or receipt; and
- If the Product has been installed, proof of the date of installation of the Product in the form of an invoice or receipt from an Authorised Installer.

Where a valid Warranty claim is made in accordance with clause 6 above, Taurean will investigate the claim, and requires reasonable and adequate access to Products, to undertake its investigation. If a Warranty service call finds that your Product does not have a genuine manufacturing defect, or the claim is resolved by a regular service (that comes under the responsibility of the purchaser) Taurean reserves the right to charge you a service fee.

To the fullest extent permitted by law, Taurean expressly excludes all conditions, warranties and undertakings in relation to the Products except as set out in this document.

To the fullest extent permitted by law, and subject to and without limiting your consumer rights under the Australian Consumer Law, Taurean expressly limits its liability under this Warranty and under any other statutory guarantee imposed at law to, at its absolute discretion:

- Replacing or repairing the Product;
- The supply of an equivalent Product; or
- The payment of the cost of the Product, or of repairing the Product, or of acquiring an equivalent Product.

This Warranty is not transferrable, and only applies to the original purchaser. Wherever the Product is sold by any person other than Taurean, such person has no authority whatsoever from Taurean to give any express warranty or guarantee on any Taurean producy in addition to this Warranty.



# TERMS AND CONDITIONS OF SALE

EFFECTIVE DATE: 16 SEPTEMBER 2019

By submitting an application for a Credit Account and/or ordering Goods from Us, You agree that the following Terms and Conditions of Sale (“Conditions”) will apply to the supply.

## 1. DEFINITIONS AND INTERPRETATION

- 1.1 In these Conditions:
  - (a) **Anti-Corruption Law** means any law prohibiting or relating to bribery, corruption, kickbacks, secret commissions or money laundering, including without limitation, the Foreign Corrupt Practices Act 1977(US), the Bribery Act 2010 (UK), the Criminal Code Act 1995 (Cth) and any anti-corruption regulations and provisions applicable in the European Union or in any other locations in which We or any member of the We carry on business;
  - (b) **Australian Consumer Law** means the Australian Consumer Law in Schedule 2 of the Competition and Consumer Act 2010 (Cth);
  - (c) **Australian Standards** means the applicable codes and guidelines published from time to time by Standards Australia;
  - (d) **Consumer Contract** has the meaning given to that term in the Australian Consumer Law;
  - (e) **Contract** means the contract for the sale and/or supply of Goods between You and Us that is constituted by these Conditions and any application for a Credit Account;
  - (f) **Credit Account** means the commercial credit account You have with Us under the Contract;
  - (g) **Due Date** means the date You must pay for the Goods as specified on Our invoices;
  - (h) **Force Majeure Event** means any event outside a party's reasonable control which may affect the parties' obligations under the Contract, including acts of Gods, war, terrorism, fire, flood, storm, earthquake, hurricane, cyclone, riot, power failure, industrial action, defaults of manufacturers or suppliers, the inability to obtain equipment, supplies or other facilities that are not caused by a failure to pay labour disputes, theft, criminal actions or any other similar events;
  - (i) **Goods** means all goods, merchandise and/or services requested by You in any Order and/or supplied by Us to You under a Contract from time to time;
  - (j) **GST** and related terms have the meanings given to those terms in A New Tax System (Goods and Services Tax) Act 1999 (Cth);
  - (k) **Insolvency Event** means any action which places an entity or individual under external management in respect of its assets or where an entity or individual makes an assignment, agreement or arrangement in respect of its assets for the benefit of its creditors, including but not limited to the appointment of a liquidator, receiver, manager, administrator or trustee;
  - (l) **Order** means a request by You to Us for the supply of Goods;
  - (m) **PPSA** means the Personal Property Securities Act 2009 (Cth);
  - (n) **Price List** means the price list issued by Us from time to time in the particular State or Territory in which an Order is placed;
  - (o) **Quotation** means the verbal or written estimate given by Us for the cost to supply specified Goods, and includes a Price List issued by Us from time to time;
  - (p) **Small Business Contract** has the meaning given to that term in the Australian Consumer Law;
  - (q) **Special Building Products** means the Goods, materials and/or products which are purchased, produced or supplied by Us in accordance with a particular design, drawing or specification that is requested by You;
  - (r) **“We”, “Us” or “Our”** means Stramit Corporation Pty Limited (ABN 57 005 010 195) and any subsidiaries, associated, related and parent companies or businesses, successors or assigns, including the businesses trading as ‘Stramit Building Products’, ‘Integrated Steel Solutions’ and ‘Taurean Door Systems’.
  - (s) **You or Your** means any individual, company, organisation or any other entity stated in the Contract to whom or to which We supply or offer to supply Goods under these Conditions, including any person, entity or agent acting on their behalf.
- 1.2 Headings are for convenience only and do not form part of these Conditions.
- 1.3 Reference to any legislation includes a modification, revision, amendment, re-enactment of, legislation enacted in substitution for, regulation, order-in-council or any other instrument from time to time issued, enacted or made under that legislation.
- 1.4 Reference to the singular includes the plural and the plural includes the singular.
- 1.5 The words include and including are not terms of limitation.
- 1.6 Terms and expressions used in these Conditions that are defined in the Australian Consumer Law, the GST Act or the PPSA have the same meanings respectively given to those terms and expressions in those Acts.

## 2. GENERAL MATTERS

- 2.1 The Contract constitutes the entire agreement for the sale and/or supply of Goods between the parties. All prior representations, trade custom or previous dealings between the parties are excluded and are not applicable in the interpretation of the Contract. In the event of any inconsistency with any other document including any Quotation, Order or other document You provide us, the terms of the Contract take priority and prevail.
- 2.2 By placing an Order, or accepting delivery of Goods pursuant to any Order, You are deemed to have read, understood and accepted these Conditions as binding on You.
- 2.3 You agree to comply with the Anti-Corruption Law and must not commit any act or omission which causes or would cause You or Us to breach or commit an offence under any Anti-Corruption Law.
- 2.4 We have no obligation to agree to provide or continue to provide any credit facilities to You. You are not entitled to any credit facilities until You receive notice from Us to that effect and We may at any time by notice to You reduce, vary or terminate any such credit facilities at Our discretion. Any credit limit that may apply from time to time in respect of credit facilities is for administrative convenience and solely for the benefit of Us and such credit limit does not constitute a term of these Conditions nor of any Deed of Guarantee, Indemnity and Charge in respect of Your obligations.

## 3. ORDERING AND SUPPLY OF GOODS

- 3.1 You may purchase Goods by placing an Order with Us verbally or in writing. An Order constitutes an offer by You to purchase Goods from Us pursuant to these Conditions.
- 3.2 We may accept or decline, in whole or in part, any Order by notifying You in writing or by delivering to You the Goods the subject of Your Order. The parties acknowledge and agree that acceptance of an Order gives rise to a Contract under these Conditions.
- 3.3 You may not withdraw, cancel or revoke an Order after acceptance without Our written consent.
- 3.4 No Quotation will constitute an offer to supply Goods to You. Any Quotation expires on the date stated or otherwise 30 days after the date the Quotation is issued. We reserve the right to vary or withdraw any Quotation before an Order is accepted.
- 3.5 You must obtain Our written consent if You wish to resell any Goods online.

## 4. PRICES, GST AND OTHER EXPENSES

- 4.1 Unless otherwise agreed in writing between the parties, the price payable for Goods is the price specified in Our invoice plus any duties, fees, taxes (including GST), delivery charges and levies charged or imposed by the Contract.
- 4.2 Unless otherwise expressly stated, all amounts payable by You for Goods are exclusive of GST.
- 4.3 If GST is imposed on any supply of Goods made in accordance with a Contract, You must pay to Us an additional amount equal to the GST payable on or for that taxable supply of Goods. Payment of any GST must be made at the same time as payment for the Goods.

## 5. PAYMENT AND CREDIT

- 5.1 Unless otherwise agreed between the parties, payment for Goods is to be made by You on or before the Due Date.
- 5.2 The parties acknowledge and agree that Our acceptance of an application for a Credit Account gives rise to a Contract under these Conditions.
- 5.3 You authorise Us to open a Credit Account in Your name listed on the application for a Credit Account and to debit the price of the Goods supplied to You and all other amounts owed by You to Us (including fees and interest payable under a Contract).
- 5.4 Any Credit Account granted by Us must only be used by You and cannot be assigned, transferred or made available for use by any other entity or person (including by a subsequent purchaser of You) without Our prior written consent.
- 5.5 If You are in default of any payment, We are entitled to:
  - (a) charge You a reasonable surcharge for processing payments made by credit card, at an amount advised by Us from time to time;
  - (b) charge You interest on all overdue accounts at a rate which is four (4) percent higher than the cash rate last published by the Reserve Bank of Australia as at the Due Date, calculated and payable daily and compounded from the due date until the invoice is paid in full. The parties agree that such interest charge is not a penalty;
  - (c) require the payment of Goods prior to delivery of any further Goods;
  - (d) demand that all of Our invoices issued to You but not yet due and all overdue invoices are immediately due and payable;
  - (e) charge You a reasonable fee where any payment is dishonoured or returned by Your financial provider (or where We are otherwise unable to

process any payment from Your financial provider) at an amount advised by Us from time to time;

- (f) preclude You from participating in any special deals, discounts, bonus payments, redemptions, rebates and all other incentive programs until Your account is no longer overdue.
- 5.6 You agree to indemnify Us for:
  - (a) all reasonable legal costs and other expenses which are incurred by Us or are likely to be incurred by Us as a result of any breach, act or omission by You arising either directly or indirectly from or in connection with these Conditions including legal fees on a solicitor/client basis in the recovery or attempted recovery of any overdue amount for Goods;
  - (b) any stamp duty or other government rates, taxes (including GST) or charges levied on or in connection with the Credit Account, any Contract for the supply of Goods and any deed of guarantee, indemnity and charge; and
  - (c) all costs associated with the registration, maintenance and withdrawal of any Security Interest which secures Your obligations under any part of the Credit Account, Contract and these Conditions.
- 5.7 The parties acknowledge and agree that:
  - (a) We may apply any payment received from You towards any debt owed by You to Us;
  - (b) We may set-off any credit amount that We owe to You against any debt owed by You to Us; and
  - (c) You may not withhold payment of any money in respect of any set-off or claim You might have against us without Our prior written consent.

## 6. DELIVERY

- 6.1 We may make the Goods available for Your collection or deliver the Goods, including delivery by a third-party carrier and delivery by instalments. You will not be entitled to cancel the balance of an Order if We fail to deliver any instalment.
- 6.2 You authorise Us to deliver the Goods to the place nominated by You and to leave the Goods at such place whether or not any person is present to accept delivery. We are not obliged to obtain a signed receipt, signed delivery docket or other acknowledgement of the Goods from any person at the nominated place for delivery, but if such signature or acknowledgement is obtained from a person reasonably believed by Us to hold authority to sign for or otherwise take delivery of the Goods, then such signed receipt, signed delivery docket or other acknowledgement will be conclusive evidence of Your acceptance of the Goods delivered.
- 6.3 You must provide a suitable and safe area at the nominated delivery site to unload the Goods and ensure that Our (or Our agents, employees or contractors) use of the nominated delivery site is compliant with relevant work health and safety legislation.
- 6.4 All delivery times indicated by Us are estimates only and subject to the Goods being available and Our reasonable ability to make the delivery on that date. Failure to deliver within the specified time will not confer a right upon You to cancel or terminate Your Order or refuse to pay for the Goods.
- 6.5 Delivery of the Goods is deemed to occur when they are handed to You or Your representative, are delivered to the premises or site nominated by You, or are collected from Us by You or Your representative, whichever occurs first. We shall not be liable on any basis whatsoever for loss suffered by You after delivery of the Goods to You.
- 6.6 You agree to examine the Goods immediately after delivery.
- 6.7 You must pay and We reserve the right to charge You all costs and fees incurred as a result of:
  - (a) any delay in delivery of the Goods which is caused by You or the conditions of the nominated delivery site or the nature of the Goods being delivered;
  - (b) any unexpected labour or additional costs in connection with the delivery; and
  - (c) any permit or licence or other extraordinary costs of transporting or delivering Goods (including wide or long loads).
- 6.8 If You do not collect the Goods by the nominated collection date or we are unable to deliver the Goods to You, then We reserve the right to store the Goods or deliver the Goods to any nominated delivery site and charge You all costs of storage or delivery (as applicable) incurred by Us for such storage or delivery.
- 6.9 If You are collecting the Goods You acknowledge and agree that entry onto Our premises by You or Your agents, employees, contractors or other representatives is at Your/their own risk and We will not be liable for any loss, damage or injury caused by any act or omission whatsoever whilst on Our premises.
- 6.10 You agree to indemnify and hold Us harmless (or Our agents, employees or contractors) from any and all claims, loss and damage arising out of:
  - (a) delivery of the Goods (including any loss or damage caused by delivering the Goods to an unattended site and any loss or damage suffered by Us as a result of any property damage or personal injury caused by the delivery and unloading the Goods);
  - (b) Your or Your agent, employee, contractor or other representative's attendance at Our premises; and
  - (c) Your failure to provide a safe, suitable and compliant nominated delivery site in accordance with Clause 6.3,

except to the extent that We (or Our agents, employees or contractors) have committed an act of negligence, breach of the law or breach of the Contract.

## 7. RISK, TITLE AND CHARGE

- 7.1 Unless otherwise agreed by the parties in writing, all risk in the Goods passes to You upon delivery or collection of the Goods.
- 7.2 Title to any Goods supplied by Us will not pass to You until all amounts owing by You on any account whatsoever have been received by Us.
- 7.3 Until title in the Goods passes to You, the Goods supplied are held by You for Us as bailee and You must store the Goods separately from Your own Goods and those of any other party in a manner which clearly identifies the Goods as Our property and which ensures the Goods do not become damaged or spoiled.
- 7.4 You may resell any Goods before title in the Goods passes to You, provided that You:
  - (a) resell any such Goods to a third party in the ordinary course of business;
  - (b) act in any such transaction as Our fiduciary agent;
  - (c) hold the proceeds of sale of any such Goods on trust for Us and in a separate account with separate records; and
  - (d) account to Us in respect of those proceeds or any other payment made by a third party for any sale of the Goods and allow us to inspect any records of any payments.
- 7.5 We may repossess any Goods (wherever they are located) if any amount due by You in respect of the Goods remains unpaid after the Due Date or where You suffer an Insolvency Event.
- 7.6 You irrevocably grant to Us or Our agents or any other nominated representative an unrestricted right and licence without notice to enter any premises occupied by You to identify and repossess any of the Goods without in any way being liable to You or any other third party.
- 7.7 You must insure the Goods, and keep the Goods insured, at Your own cost and expense at all times to the full extent of the price paid or payable for those Goods, including (but not limited to) between the time that risk in the Goods passes to You and the date that title in the Goods passes to You.
- 7.8 You must indemnify Us in full for any loss or damage occasioned to the Goods between the time that risk in the Goods passes to You and the time that title in the Goods passes to You.
- 7.9 To secure payment of all monies owed to Us by You for the sale or supply of Goods, You hereby:
  - (a) charge all of Your interest in real and personal property (including all property acquired after the date of the Contract) in favour of Us whether or not a demand has been made on You (“**Charge**”);
  - (b) authorise and consent to Us taking all actions necessary to give effect to the Charge, including the lodgement of a caveat upon any title of Your real property, whether held in Your own right or as trustee of any trust, or any other security document; and
  - (c) irrevocably appoint Us and any person nominated by Us severally as Your attorney, with power to execute, sign and deliver (which delivery may be subject to such terms and conditions as the attorney thinks fit) such caveat or other security document to effect the Charge granted under this part.

## 8. APPLICATION OF THE PPSA

- 8.1 You acknowledge and agree that:
  - (a) these Conditions constitute a security agreement for the purposes of the PPSA (“**Security Agreement**”) and creates a security interest in the Goods supplied by Us from time to time and any proceeds of the sale of the Goods to secure payment for the Goods (“**Security Interest**”);
  - (b) each sale or supply of Goods by Us under these Conditions is subject to the Security Agreement for the purposes of the PPSA; and
  - (c) We may lodge a financing statement on the Personal Property Securities Register (“**PPSR**”) in respect of the Security Interest in the Goods and the proceeds of the sale of the Goods, including as a purchase money security interest (as that term is defined in the PPSA) (“**PMI**”), pursuant to these Conditions.
- 8.2 You must do all such things, provide all such information and sign all such documents as are necessary and reasonably required to enable Us to acquire a perfected Security Interest in the Goods.
- 8.3 You must not change Your name, change Your structure, status or partnership, or assign or sell Your business to another party, or initiate any change to any registered documentation, or act in any manner which would impact on our registered Security Interest without Our prior written consent. No such event shall affect Your liability under these Conditions, as You are named in any applications for credit, until a new application for credit made in Your new entity name as restructured or changed is received and approved by Us in writing.
- 8.4 To the extent permitted by law if the PPSA applies You irrevocably waive Your rights to:
  - (a) receive notices or statements under sections 95, 118, 121(4), 129, 130, 132(2), 132(4) or 135(2);
  - (b) redeem any products under section 142;
  - (c) reinstate any Contract under section 143; or
  - (d) receive a verification statement as defined in the PPSA.



- 8.5 If the law which requires a period of notice or a lapse of time cannot be excluded, but the law provides that the period of notice or lapse of time may be agreed, that period or lapse is one day or the minimum period the law allows to be agreed (whichever is the longer).
- 8.6 You agree not to exercise Your rights to make any request of Us under section 275(6) of the PPSA, to authorise the disclosure of any information under that section or to waive any duty of confidence that would otherwise permit non-disclosure under that section.
- 8.7 The parties shall not disclose information of the kind mentioned in section 275(1) of the PPSA, except in the circumstances where:
- (a) disclosure is required by sections 275(7)(b) to (e) of the PPSA; and/or
- (b) We disclose information of the kind mentioned in section 275(1) of the PPSA to the extent that We are not doing so in response to a request made by an “interested person” (as defined in section 275(9) of the PPSA) pursuant to section 275(1) of the PPSA.
- 8.8 Notwithstanding Clause 8.10(a), You shall only authorise the disclosure of information for the purposes of section 275(7)(c) of the PPSA, or request information under section 275(7)(d) of the PPSA, if We approve such disclosure or request for information in writing.
- 8.9 Nothing in this part will prevent any disclosure of information by Us that We believe is reasonably necessary to comply with any other obligations that We may have under the PPSA.
- 8.10 If You default in the timely performance of any obligation owed to Us, We may enforce the Security Interest by exercising all or any of Our rights under these Conditions, the general law and the PPSA.
- 8.11 Nothing in this Clause 8 limits or is limited by any other provision of these Conditions or any other agreement between the parties.

**9. BUILDING PRODUCTS AND MANUFACTURE**

- 9.1 No sale under these Conditions constitutes a sale by sample, description or specification. You acknowledge and agree that:
- (a) all samples, descriptions, illustrations and any other specification contained in any of Our Price List, product and service guide, catalogue or advertising material are approximate and may vary from the Goods sold, supplied or produced (within Australian Standards);
- (b) You are liable for ensuring that the Goods are suitable for Your intended use; and
- (c) We are not liable to You for any loss, damage, cost or expense suffered by You as a result of Your reliance upon any such description, illustration, specification or any other characteristic of a sample except to the extent that We have committed an act of negligence, breach of law or breach of a Contract.
- 9.2 We are not obliged to accept any materials supplied by You for the manufacture of any Special Building Products. If We do accept such materials on Your request then You acknowledge and agree that:
- (a) We make no warranty or representation as to the quality, fitness for purpose or suitability of such materials supplied by You; and
- (b) We are not liable for any failure, delay, loss or damage caused or in connection with any materials supplied by You or any Special Building Products which are manufactured from materials supplied by You.
- 9.3 Except where the Contract is a Consumer Contract or a Small Business Contract and to the extent permitted by law, You acknowledge and agree that:
- (a) We will not be liable for any lack of fitness for purpose, property damage or personal injury caused by, or any other failure of Special Building Products;
- (b) any skill, judgment, advice, recommendation, information or assistance provided by Us in relation to Special Building Products is so provided in good faith and You do not rely on such skill, judgment, advice, recommendation, information or assistance as to the suitability of any particular purpose of Special Building Products; and
- (c) You will indemnify Us and hold Us harmless from any liability for any loss or damage caused to or suffered by You or any third party as a result of a Special Building Product.
- 9.4 We reserve the right to:
- (a) charge You, or otherwise recover any cost We incur, for any testing or inspection of Special Building Products or Goods which are manufactured using materials supplied by You;
- (b) charge You, or otherwise recover any cost We incur, for Our acquisition and/or use of any tool, equipment, pattern, design, system or any other device of manufacture (“**Manufacturing Tools**”) required to satisfy, complete or perform an Order made by You; and
- (c) hire Manufacturing Tools to You on agreed terms.
- 9.5 You acknowledge and agree that any charges, costs, payment for charges or costs, or agreement for hire does not vest in You any right of title or intellectual property in the Manufacturing Tools and You may not use the Manufacturing Tools without Our prior written consent.
- 9.6 You agree to indemnify Us and hold Us harmless against any claim, demand or suit arising out of any loss, damage or personal injury caused to You, Your agents or employees or any other third party, by a Manufacturing Tool provided by Us except to the extent that We have committed an act of negligence, breach of law or breach of the Contract.

**10. WARRANTIES AND LIMITATION OF LIABILITY**

- 10.1 If You are a Consumer as that term is defined under the Australian Consumer Law, Our Goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are entitled to have the Goods repaired or replaced if the Goods fail to be of acceptable quality and the failure does not amount to a major failure. The benefits provided to You under this Clause 10 are in addition to other rights and remedies available to You under the law.
- 10.2 You must notify Us of any claim in writing in accordance with the following terms:
- (a) for any Goods that do not correspond with the applicable Order, within two (2) days of delivery or collection of those Goods;
- (b) for any Goods which are allegedly defective or damaged, or any services which are allegedly deficient, within two (2) days of delivery/ collection of those Goods or performance of the services (as applicable);
- (c) for any disputed invoice, within fourteen (14) days of receiving that invoice; and
- (d) You must take all steps necessary to mitigate any loss arising as a result of any defect in the Goods provided.
- 10.3 You acknowledge and agree that any failure by You to make a claim in accordance with the terms in Clause 10.2, or to mitigate any loss arising as a result of any defect, may result in Your deemed acceptance of the Goods (including any defects) in compliance with these Conditions.
- 10.4 To the extent permitted by the Australian Consumer Law and any other applicable law, all other conditions, guarantees or warranties (whether implied or otherwise) not set out in this Clause 10 are excluded. Nothing in this Clause 10 is to be interpreted as excluding, restricting or modifying any law or statute applicable to the supply of Goods which cannot be excluded, restricted or modified.
- 10.5 To the extent permitted by law, Our liability arising from the breach of such conditions, guarantees or warranties will (at Our option) be limited to and completely discharged in the case of Goods, either:
- (a) the replacement or cost of replacement of the Goods; or
- (b) the supply or cost of supply of equivalent Goods; or
- (c) the repair or cost of repair of the Goods.
- 10.6 Except where the Contract is a Consumer Contract or Small Business Contract, You acknowledge and agree that We are not liable to You for:
- (a) any indirect, special, economic or consequential loss, cost, damage or expense;
- (b) any other loss of a kind which is reasonably beyond the normal measure suffered by someone in a like situation; and
- (c) any loss of revenue, business profits, loss of expected savings, loss of chance or business opportunity, business interruption, loss or reduction of goodwill or damage to reputation or any loss of value or intellectual property.
- 10.7 Except where the Contract is a Consumer Contract or a Small Business Contract, You agree to indemnify Us for any reasonable loss, cost, damage or expense suffered by Us arising from or in connection with:
- (a) any breach of these Conditions and/or the Contract by You;
- (b) any negligence committed by You under these Conditions and/or the Contract;
- (c) any breach of law by You which is applicable under these Conditions and/or the Contract;
- (d) the death or injury to any person or damage to any property arising from the performance by You of Your obligations under any Contract; and
- (e) any failure to install the Goods in accordance with their applicable installation instructions and manuals provided with the Goods or to operate the Goods in accordance with their applicable operation instructions and manuals provided with the Goods or in connection with Your negligence or the negligence of any third party, including in relation to the installation or operation of the Goods.
- 10.8 To the extent permitted by law, We will not be liable to You for:
- (a) any loss or damage incurred by you as a result of delay in the performance or non-performance of any of Our obligations under these Conditions which is caused by any Force Majeure Event or otherwise occasioned by any cause whatsoever that is beyond Our reasonable control;
- (b) any defects caused by fair wear and tear of Goods; and
- (c) any defect caused by Your failure to:
- (i) install, assemble, handle and/or use Goods in accordance with relevant Australian Standards and standard building practices;
- (ii) follow any instructions which we issue to You on sale or supply of the Goods; or
- (iii) any other instructions for the installation, care and maintenance of Goods that We may issue to You or publish from time to time;
- (d) any failure of materials supplied by You for the purpose of Special Building Products, or any Special Building Products which are manufactured using materials supplied by You; or

- (e) the cost of removing defective Goods (whether installed or otherwise) or the cost of installing replacement Goods.
- 10.9 You agree to bear all costs and expenses associated with making any claim under the Australian Consumer Law, except where We agree that the Goods do not comply with the statutory guarantees provided in that Act, in which case We will refund Your reasonable cost of returning the Goods to Us.

**11. RETURN OF GOODS**

- 11.1 Unless otherwise agreed by Us in writing, We will not accept the return of Goods.
- 11.2 Where We agree to accept return of any Goods, You must provide Your proof of purchase for the Goods to be returned and We reserve the right to charge You reasonable restocking, disposal or repacking charges which may be incurred by Us as a result of the Goods being returned.
- 11.3 You acknowledge and agree that the following Goods cannot be returned:
- (a) any Goods which are not in original or resaleable condition; or
- (b) any Special Building Products, unless faulty. Any manufacturing surcharge for Special Building Products is non-refundable.

**12. VARIATION AND DEFAULT**

- 12.1 We may vary a Contract by notice in writing to You. If the Contract is a Consumer Contract or a Small Business Contract, then You may consider the variation and if not acceptable may elect not to proceed with the purchase of Goods ordered before the date of the variation but which are intended to be subject to the variation. If the Contract is not a Consumer Contract or a Small Business Contract, You agree that Goods delivered and services performed and/or ordered after the date of the notice of variation will be subject to the variation and acceptance of the Goods or services or the placing of the order will be deemed to be an acceptance of such varied terms and conditions.
- 12.2 The Contract (including these Conditions) may not be varied, altered or amended by You unless such variation, alteration or amendment is in writing and signed by or on behalf of Us.
- 12.3 We reserve the right in Our sole discretion to immediately:
- (a) suspend or cancel delivery of Goods or any current Order(s) for the supply of Goods; and/or
- (b) suspend or terminate Your Credit Account; and/or
- (c) require immediate payment of the balance of any Credit Account, invoices or any other amounts due and payable whether or not the Due Date has expired; and/or
- (d) register a default with any credit reporting agency, where applicable; and/or
- (e) enforce Our rights under any Security Interest; and/or
- (f) suspend or terminate the Contract; where any of the following occurs:
- (g) any amounts payable for Goods remain unpaid after the Due Date; and/or
- (h) You exceed the limit of Your Credit Account; and/or
- (i) You breach a material term of the Contract; and/or
- (j) either of the parties suffer a Force Majeure Event which delays or prevents performance of the whole or any part of the Contract; and/or
- (k) You suffer an Insolvency Event; and/or
- (l) You allow distress to be levied or a judgment, order or security to be enforced, or to become enforceable against Your property including under the PPSA; and/or
- (m) any other circumstances where We are of the reasonable opinion that You are unable to pay Your debts as and when they fall due and payable or You have suffered a material adverse change in Your financial circumstances.
- 12.4 You are entitled to immediately terminate or suspend the whole or any part of the Contract, or Your Credit Account, where:
- (a) the Contract is a Consumer Contract or Small Business Contract; and
- (b) We suffer an Insolvency Event and/or suffer a Force Majeure Event which delays or prevents performance of the whole or any part of the Contract and/or We commit a breach of a material term of the Contract.
- 12.5 You acknowledge and agree that on termination of the Contract We may recover from You the reasonable cost of materials or Goods acquired for the purpose of future Orders, delivery or supply of Goods to You.

**13. NOTICES**

- 13.1 Notices to be given by You to Us may be delivered personally or sent to the National Credit Manager at Our address at 1051 Nudgee Road Banyo, QLD, 4014 or sent by email to Credit@stramit.com.au and unless the contrary is proved the notice will be taken as delivered in the case of mail: on the fourth business day following posting and in the case of email: immediately provided no notification of sending error is received by You.
- 13.2 Notices to be given by Us to You may be delivered personally or sent by prepaid post to Your last known address or sent by email to Your last known email address and unless the contrary is proved the notice will be taken as delivered, in the case of mail: on the fourth business

day following posting and in the case of email: immediately provided no notification of sending error is received by Us. Invoices and statements are deemed to be received by You on the third business day after posting.

**14. GOVERNING LAW**

- 14.1 Each Contract will be governed by and construed according to the laws of the State or Territory of the place of delivery of the Goods and the parties submit to the exclusive jurisdiction of the courts of that State or Territory.

**15. SEVERANCE, TRANSFER AND WAIVER**

- 15.1 If any part of these Conditions (including any provision, part, paragraph, phrase or word) is illegal, invalid or unenforceable it will be read down so far as necessary to give it a valid and enforceable operation. If that is not possible, it will be severed from these Conditions without affecting the remaining provisions of these Conditions (which will remain in full force and effect).
- 15.2 Obligations and rights under these Conditions cannot be assigned or transferred to any third party without Our written consent.
- 15.3 The failure, delay or partial exercise of a party in exercising any right or remedy, or the granting of any indulgence by a party in favour of the other, under these Conditions does not prohibit, affect or constitute a waiver of the parties' rights and remedies against each other under these Conditions.

**16. PRIVACY**

- 16.1 You acknowledge and agree that We may collect personal information and credit information about You and Your directors, officers, partners and the Guarantors (each a “**Relevant Party**”).
- 16.2 You warrant to Us that You have obtained the consent of each of the Relevant Parties to the collection, use and disclosure of their personal information and credit information by Us in accordance with this Clause 16 and Our Privacy Policy.
- 16.3 Our Privacy Policy, Credit Reporting Policy and Statement of Notifiable Matters available on our website at [www.stramit.com.au/privacy-policy](http://www.stramit.com.au/privacy-policy) or upon request to Us, forms part of these Conditions.
- 16.4 Our website may be hosted, or some data may be stored, overseas. All personal information and credit information derived from Australia will still be treated in accordance with Our Privacy Policy while being stored overseas.
- 16.5 If We are unable to obtain all Your required personal and credit information, or if You do not provide all of the information that We request, We may reject or delay Your Credit Account application (including any application of a third party such as a guarantor), cease Our commercial relationship with You or choose not to provide You with Goods.

**17. ELECTRONIC EXECUTION**

- 17.1 Each party consents and agrees that this agreement may be executed and delivered:
- (a) by any and all parties by way of electronic signature; and
- (b) by email or other electronic means and this has the same force and affect as delivery of an original document with original signatures.
- 17.2 If this agreement is executed by any party by way of electronic signature it must be considered an original and each party consents and agrees to be legally bound by this agreement's terms and conditions. Each party agrees that no certification authority or other third party verification is necessary to validate its electronic signature and that the lack of such certification or third party verification will not in any way affect the enforceability of its electronic signature or any resulting contract between the parties.
- 17.3 Each party must do all things and execute all documents necessary to give full effect to this agreement.





PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

## NOTES

