

NEW SOUTH WALES



PRODUCT AND SERVICE GUIDE

EFFECTIVE AUGUST 2019

Supersedes May 2018



ERSKINE PARK

Sales 02 9834 0909
Admin 02 9834 0900
Fax 02 9834 0988

CANBERRA

Ph 02 6298 2500
Fax 02 6298 2533

COFFS HARBOUR

Ph 02 6656 3800
Fax 02 6656 3808

NEWCASTLE

Ph 02 4041 3400
Fax 02 4041 3423

ORANGE

Ph 02 6360 9200
Fax 02 6360 9211

stramit.com.au





OUR STEEL-CLAD COMMITMENT TO YOU EVERY TIME YOU WORK WITH US.

Our Declaration of Done is what sets Stramit® apart. It's our set of promises to you that make getting the job done easy. Want on-time delivery? Done. Great quality products? Done. No matter the size of the job, when you work with Stramit, you can Consider It Done.



ON-TIME DELIVERY

We'll deliver in full, on-time and to specification or we'll credit you 5% of the order confirmation value. Give us 2 days' lead time without making a change and we'll double it to 10%.



GREAT QUALITY PRODUCTS

Great quality products every time, or we'll replace them at no cost to you.



BEST STOCK AVAILABILITY

With our most popular items always in stock, we have what you need, when you need it.



AUSTRALIA WIDE COVERAGE

With a national footprint and local teams covering every State and Territory, we'll work together to get your job done.



PERSONAL SERVICE

You'll be supported by an experienced sales team backed by a network of technical experts.



RESPONSIVE SUPPORT

You'll speak to us within 6 rings and we'll always keep you informed.



FAST ORDER CONFIRMATION

Accurate same day order confirmation, allowing an extra day for structural products, or we'll credit you \$50.



ACCURATE INVOICING

Your invoice will be accurate or we'll credit you the difference plus \$50 within 5 days.

INDEX

GENERAL INFORMATION

| | | | |
|---|-----|--|----|
| Index | 1 | Customer Order Form – Bridging | 9 |
| Production Days – Erskine Park | 2 | Customer Order Form – Accessories | 10 |
| Pricing General Information | 3 | Customer Order Form – Purlins & Girt | 11 |
| Product Availability – Roofing (Erskine Park) | 4-5 | Customer Order Form – Fascia Purlins | 12 |
| Product Availability – Rainwater (Erskine Park) | 4-5 | Customer Sales Order Form | 13 |
| Min/Max Product Length Details | 6 | Customer Order Form – Flashing Details Sheet | 14 |
| Selecting Your Product | 7 | Care & Maintenance | 15 |
| Ordering Codes – Standards for Use | 8 | Quick Roof Estimate – Hipped Roof Take-Off | 16 |

ROOFING / CLADDING / INSULATION

| | | | |
|--|-------|---|-------|
| Stramit® Corrugated & Accessories | 17-18 | Stramit Patio Roof Decking | 29-31 |
| Stramit® Curving Quality | 19-20 | Stramit® S Pattern Stiffened Back Gutter & Accessories | 32 |
| Stramit Monoclad® | 21-22 | General Accessories, P.A. Doors | 33 |
| Stramit® CapacityPLUS 660 | 23 | Roof Ventilation / Vented Ridge / Fixed Metal Louvers | 34 |
| Stramit CapacityPLUS 660 & Acoustic Products | 23 | Gripspan Walkway System / Stramit Uniguard™ | 35 |
| Stramit Longspan®, Stramit Megaclad® | 24 | Foil, Insulation Batts | 36 |
| Stramit Speed Deck Ultra® | 25 | Building Blanket, Wire | 37 |
| Stramit K-Panel®, Stramit Minirib®, Stramit Mini Corry® | 26 | | |
| Stramit Monopanel® / BoxGutter | 27 | | |
| Stramit Sunset®, Double Sided Roofing | 28 | | |

RAINWATER

| | | | |
|---|-------|--|----|
| Stramit® Standard Flashings | 38 | Stramit Triline™ Stiffened & Hook Back Gutter & Accessories | 47 |
| Vermin Seal, Builders Strap | 38 | Stramit® 150 Half Round & Flat Back Half Rnd Gutter & Accessories | 48 |
| Stramit® Custom Flashings – Ordering Procedure | 39 | Stramit® Half Round Gutter & Accessories | 49 |
| Stramit® Custom Flashings | 40-41 | Stramit® Ogee Heritage Gutter & Accessories | 50 |
| Stramit® Fascia, Stramit® Fascia Cover & Accessories | 42 | Stramit® Downpipe – Rectangular & Accessories | 51 |
| Stramit® Hi Front Quad 115 Gutter & Accessories | 43 | Stramit® Downpipe – Round & Accessories | 52 |
| Stramit® Quad 115 Gutter, Accessories, Conventional Angles | 44 | Flue and Sewer Accessories | 53 |
| Stramit® Quad 125 Gutter NSW Pattern & Accessories | 45 | Rainwater Heads, Sumps | 54 |
| Stramit® Quad 125 Conventional Angles, Leaf Guard | 45 | Non Standard Rainwater Head Guide | 55 |
| Stramit® M&S Pattern Gutter, Stramit® Fascia Capping | 46 | | |

PREMIUM PRODUCTS

| | | | |
|--|----|--|-------|
| Important Notice – Ordering Premium Products | 56 | Stramit® Quad 115 Gutter & Accessories | 62 |
| Premium Products – Availability | 57 | Stramit® Half Round Copper Gutter | 63 |
| Stramit® MagnaFlow® – Roofing, Cladding, Rainwater | 58 | Stramit® Half Round Unpainted Stainless Steel Gutter | 64 |
| Stramit® Roofing, Cladding & Accessories | 59 | Stramit® Ogee Copper & Unpainted Stainless Steel Gutter | 65 |
| Stramit® Rainwater, Valleys & Ridges | 60 | Stramit® Custom Flashings | 66-67 |
| Stramit® Hi Front Quad 115 Gutter & Accessories | 61 | | |

STRUCTURAL

| | | | |
|--|-------|---|-------|
| Stramit® Modified Purlins, ZAM® | 68 | Stramit® Flooring Joists & Bearers, Brackets Angle & Web | 75 |
| Stramit® Purlin Dimensions, Custom Selections | 69 | Stramit® Flooring & Accessories | 76-77 |
| Stramit® C & Z Purlins, Stramit® Fascia Purlins | 70 | Stramit® Stud Sections, Stramit® Top Hats, | |
| Stramit® C & Z Downturn Lip Purlins | 71 | Battens, Eave Purlins | 78 |
| Stramit® Bridging System & Accessories | 72-73 | Stramit Condeck HP® & Accessories | 79 |
| Speedy Spacer Bridging System, Redback Beams | 74 | | |

SERVICE AND DISTRIBUTION SCHEDULES

| | | | |
|--|----|-------------------------------------|-------|
| Sydney – Standard Delivery Charges | 80 | Orange – Delivery & Service Details | 85 |
| Distribution Schedule Erskine Park | 81 | Sydney – Delivery Information | 86 |
| Coffs Harbour – Delivery & Service Details | 82 | Site Delivery – Instruction Form | 87 |
| Newcastle – Delivery & Service Details | 83 | CPU Loads - Loading Requirements | 88-89 |
| Queanbeyan – Delivery & Service Details | 84 | | |

TERMS AND CONDITIONS OF SALE 94-97

Technical details displayed in this book are a guide only. For further information please consult the relevant Stramit Technical Manual.

Customers – Please note that for your security telephone conversations made to and from Stramit may be recorded at Erskine Park.

PRODUCTION DAYS ERSKINE PARK

TO ORDER

Refer to the schedule below and order before 4.00pm Monday to Friday prior to nominated production day.

*Allow 3 additional days for curving.

NOTE: These are Production Days – delivery would normally be carried out on the next scheduled day.

| Sheeting | Mon | Tues | Wed | Thurs | Fri |
|--------------------------------|-----|------|-----|-------|-----|
| Stramit Speed Deck Ultra® | • | • | • | • | • |
| Stramit® Corrugated | • | • | • | • | • |
| Stramit Monoclad® | • | • | • | • | • |
| Stramit Monoclad® Reverse Roll | • | • | • | • | • |
| Stramit® CapacityPLUS 660 | • | • | • | • | • |
| Stramit Longspan® | | • | | • | |
| Stramit Megaclad® | | • | | | |
| Stramit Minirib® | • | | | | • |
| Stramit K-Panel® | | • | • | • | |
| Stramit Monopanel® | • | | • | | |
| Stramit Sunset® | • | • | • | • | • |
| Stramit® MiniCorry® | • | • | • | • | • |

Stramit® Premium Product Range – Check lead time when ordering.

Rainwater

| | | | | | |
|--------------------------------------|---|---|---|---|---|
| Stramit® Fascia | • | • | • | • | • |
| Stramit® M&S Pattern Gutter | • | • | • | • | • |
| Stramit Triline® SB & HB | • | • | • | • | • |
| Stramit® Fascia Capping | • | • | • | • | • |
| Stramit® Quad 115 Gutter | • | • | • | • | • |
| Stramit® Quad 125 Gutter | • | • | • | • | • |
| Stramit® High Front Quad Gutter | • | • | • | • | • |
| Stramit® Barge Gutter | • | • | • | • | • |
| Stramit® Half Round Gutter 150mm | • | • | • | • | • |
| Stramit® Half Round Flat Back Gutter | • | • | • | • | • |

Other

| | | | | | |
|--|---|---|---|---|---|
| Stramit® Custom Flashings | • | • | • | • | • |
| Stramit® Valley | • | • | • | • | • |
| Stramit® Roll Top Ridge | • | • | • | • | • |
| Stramit® Top Hats | • | • | • | • | • |
| Stramit Condeck HP® composite decking | • | • | • | • | |
| Stramit® Purlins – Refer To Page 70 - 74 | | | | | |

Stramit® Stainless Steel & Copper Products – Check lead time when ordering.

ZAM® - Orders less than 1000lm rolled on Thursday. Orders over 1000lm rolled as per normal Purlin production.

GENERAL INFORMATION

PRICES – 1. All prices shown are ex Sydney, Newcastle, Queanbeyan, Coffs Harbour and Orange Stramit Branches and are subject to a delivery charge.
2. All prices for Manufacture and Delivery of products outside NSW & ACT are strictly POA.

DELIVERY CHARGE – Refer 'Basic Charge Schedule' P.80. Delivery and load details, RTA restrictions please see P.86-89.

ALL ORDERS TO STORE ATTRACT A \$20.00 MINIMUM DELIVERY FEE.

MINIMUM ORDER CHARGE. All orders with a value less than \$100 will attract a \$25 minimum order charge.

Any Customer who has exceeded their credit limit or whose payments are overdue may experience delays in the manufacture and delivery of goods ordered.

RETURN OF STOCK ITEMS – Stock line items may be returned for Credit, subject to the following charges:-

- i) Where goods are returned by Customer a re-stocking fee of 20% (\$20 minimum) is applicable.
- ii) Where goods are picked up by Stramit for return, Standard Delivery charges plus a re-stocking fee of 20% (\$20 minimum) are applicable.


NOTE: Non stock items, such as cut-to-length or specifically purchased products are not returnable to Stramit for credit. Refer to Terms and Condition of Sale inside back cover.

Owner Pick Up - OPU's not picked up within 2 weeks of ordering will be delivered to Account Customers store delivery address, at customers standard store delivery cost.

WARRANTY – Refer to Terms & Conditions of Sale inside back cover.

STANDARD STRAMIT SAFEGUARDS

Some pre-painted steel products are supplied with a removable plastic coating to minimise damage from scuffing and scratching. **Do not leave products exposed to sunlight for extended periods as the coating can deteriorate and become difficult to remove.** Extra packing sheets can be supplied on request, at an additional cost. Price on application. Refer all queries to your Stramit Account Manager.



HANDLING AND STORAGE OF STRAMIT STEEL

Always wear gloves when handling steel sheeting. Ensure gloves are clean to prevent marking. Keep products dry before installation. If packs of sheeting become wet, separate the sheets and dry immediately.

ERSKINE PARK STANDARD PRODUCT OFFER

| PRODUCT – Roofing/Cladding | GAUGE | Galvanised | Zincalume | Basalt | Classic Cream | Cove | Cottage Green | Deep Ocean | Dune | Evening Haze | Gully | Ironstone |
|---------------------------------------|-------|------------|-----------|--------|---------------|------|---------------|------------|------|--------------|-------|-----------|
| Stramit® Corrugated | 0.42 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® Corrugated | 0.48 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® Corrugated – Curving Quality | 0.60 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit Speed Deck Ultra® | 0.42 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit Speed Deck Ultra® | 0.48 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit Monoclad® (Wall Cladding) | 0.35 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit Monoclad® | 0.42 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit Monoclad® | 0.48 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit Megaclad® | 0.42 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® CapacityPLUS 660 | 0.42 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® CapacityPLUS 660 | 0.48 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit Longspan® | 0.42 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit Longspan® | 0.48 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit Minirib® | 0.35 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit Minirib®/Stramit Mini Corry® | 0.42 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit K-Panel® | 0.35 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit K-Panel® | 0.42 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit Monopanel® | 0.48 | | | ✓ | ✓ | | | ✓ | ✓ | | | ✓ |
| Stramit® Sunset | 0.42 | | | | | | | | | | | |

RAINWATER PRODUCTS

| PRODUCT – | GAUGE | Galvanised | Zincalume | Basalt | Classic Cream | Cove | Cottage Green | Deep Ocean | Dune | Evening Haze | Gully | Ironstone | Jasper |
|--------------------------------------|-------|------------|-----------|--------|---------------|------|---------------|------------|------|--------------|-------|-----------|--------|
| Stramit® Roll Top Ridge | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® Valley Plain & Ribbed | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® Flashings | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® Quad 115 NSW | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® Hi Front Quad 115 | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® Quad 125 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® O Gee Gutter 125 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® M Pattern Gutter | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® S Pattern Gutter | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® Half Round Gutter | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® Flat Back Half Round Gutter | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® Fascia Board/Cover | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® Barge Gutter | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® Fascia Capping | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit® Downpipes | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stramit Triline® HB & SB | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

= AVAILABLE
 = NOT AVAILABLE

Other non standard colours may be available subject to minimum order quantities. Please refer to our nearest sales office.

ERSKINE PARK STANDARD PRODUCT OFFER

| | | | | | | | | | | | | | 80% GLOSS | | | |
|--------|----------|-----------|----------|-----------|---------------|-----------|------------|----------|---------|---------------|---------|-----------|--|------------------------------|-----------------------------|--|
| Jasper | Mangrove | Manor Red | Monument | Night Sky | Pale Eucalypt | Paperbark | Shale Grey | Surfmist | Terrain | Woodland Grey | Wallaby | Windspray | Classic Cream/ GLS Classic Cream | Surfmist/ GLS Dover White | Paperbark/ GLS Paperbark | Woodland Grey/ GLS Classic Cream |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | |
| | | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | ✓ |
| | | | | | | | | | | | | | ✓ | ✓ | ✓ | ✓ |

RAINWATER PRODUCTS

| | | | | | | | | | | | | 80% GLOSS | | | |
|----------|-----------|----------|-----------|---------------|-----------|------------|----------|---------|---------------|---------|-----------|---------------|---------------------|------------|---------------|
| Mangrove | Manor Red | Monument | Night Sky | Pale Eucalypt | Paperbark | Shale Grey | Surfmist | Terrain | Woodland Grey | Wallaby | Windspray | Classic Cream | Hammersley Brown | Hunter Red | Thredbo White |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | SB ONLY | SB ONLY | SB ONLY | SB ONLY |

✓ = AVAILABLE [Grey Box] = NOT AVAILABLE













Product exists in several extra gloss colours for rainwater goods. Please refer to our nearest sales office.

MIN/MAX PRODUCT LENGTH DETAILS BY BRANCH

| | ERSKINE PARK | | NEWCASTLE | | CANBERRA | | ORANGE | | COFFS HARBOUR | |
|--------------------------------------|--------------|------------|------------|------------|------------|------------|------------|------------|-------------------------------|-----------------------------|
| PRODUCT | MIN LENGTH | MAX LENGTH | MIN LENGTH | MAX LENGTH | MIN LENGTH | MAX LENGTH | MIN LENGTH | MAX LENGTH | MIN LENGTH | MAX LENGTH |
| Sheeting | | | | | | | | | | |
| Stramit® Speed Deck | 1m | 39m | | | | | | | | |
| Stramit® Corrugated | 0.5m | 17m | 0.5m | 29.2m | 0.5m | 18m | 0.5m | 19m | 0.5m | 24m |
| Stramit® Curving Quality | | | | | | | 0.5m | 17m | | |
| Stramit Monoclad® | 0.5m | 30m | 0.5m | 29.2m | 0.5m | 18m | 0.5m | 19.5m | 0.5m | 27m |
| Stramit Longspan® | 0.5m | 39m | | | | | | | | |
| Stramit Megaclad® | | | 0.5m | 12m | | | | | | |
| Stramit Mimirib® | 0.6m | 8m | | | | | | | | |
| Stramit K-Panel® | 0.6m | 8m | | | | | | | | |
| Stramit Monopanel® | 0.6m | 8m | | | | | | | | |
| Stramit® Sunset Decking | 1.2m | 9m | | | | | | | | |
| Stramit® Mini Corry | 0.6m | 8m | | | | | | | | |
| Rainwater | | | | | | | | | | |
| Stramit® Fascia | 0.5m | 9m | 0.5m | 9m | 0.5m | 9m | 0.5m | 9m | 0.5m | 9m |
| Stramit® M&S Pattern Gutter | 0.5m | 9m | | | | | | | 0.5m <small>M ONLY</small> | 9m <small>M ONLY</small> |
| Stramit® Fascia Capping | 0.5m | 9m | | | | | | | 0.5m | 9m |
| Stramit® Quad 115 Gutter | 0.5m | 9m | | | | | | | | |
| Stramit® Quad 125 Gutter | | | 0.5m | 9m | | | | | | |
| Stramit® High Front Gutter | 0.5m | 9m | 0.5m | 9m | 0.5m | 9m | 0.5m | 9m | 0.5m | 9m |
| Stramit® Barge Gutter | 0.5m | 9m | | | | | | | | |
| Stramit® Flashings | 0.5m | 8m | 1m | 8m | 0.5m | 8m | 0.5m | 8m | 1m | 8m |
| Stramit® Half Round Gutter | 0.5m | 9m | | | | | | | | |
| Stramit® Flat Back Half Round Gutter | 0.5m | 9m | | | | | | | | |
| Other | | | | | | | | | | |
| Stramit® Valley Ribbed | 1.5m | 9m | 0.5m | 8m | | | | | | |
| Stramit® Valley Folded | 0.5m | 8m | 0.5m | 8m | 0.5m | 8m | 0.5m | 8m | 0.5m | 8m |
| Stramit® Roll Top Ridge | 0.5m | 9m | 0.5m | 9m | 1.4m | 9m | | | 0.6m | 9m |
| Stramit® Condeck HP | 0.6m | 16m | | | | | | | | |
| Stramit® Purlins | 1.7m | 18m | | | | | | | | |
| Stramit® Top Hat 64, 96 | 1.7m | 7.5m | | | | | | | | |
| Stramit® Top Hat 120 | 1.5m | 9m | | | | | | | | |
| Stramit® Stud | 0.8m | 7.5m | | | | | | | | |
| Stramit® 40mm Roof Batten | | | 6.1m | 7.5m | | | | | | |

Customers – Please note that for your security telephone conversations made to and from Stramit may be recorded at Erskine Park.

SELECTING YOUR PRODUCT

| Roofing/Cladding | Page | BMT mm | TCT mm | Cover Width | Weight kg/m ² | Minimum Pitch | Roof Span* | | Wall Span* | | |
|--|------|-----------|-----------|----------------|-----------------------------|--------------------------|--|----------------|---|----------------|------------------------------------|
| | | | | | | | Int Span mm | End Span mm | Int Span mm | End Span mm | |
| Stramit® Corrugated  | 17 | 0.42 | 0.47 | 762 | 4.35 | 5 Degrees (1 in 12) | 1200 | 1000 | 2600 | 2150 | |
| | | 0.48 | 0.53 | 762 | 4.93 | | 1600 | 1300 | 2850 | 2350 | |
| | | | | | | | Guide Only – Fixing Screws required per metre square = 5 | | For Premium Finishes refer page 59 | | |
| Stramit® Curving Quality  | 22 | 0.60 | 0.65 | 762 | 6.09 | - | 1200 | 1000 | 2700 | 2250 | |
| | | | | | | | | | Guide Only – Fixing Screws required per metre square = 5 | | For Premium Finishes refer page 59 |
| Stramit Monoclad®  | 21 | 0.35† | 0.40 | 762 | 3.59 | - | - | - | 3000 | 2500 | |
| | | 0.42 | 0.47 | 762 | 4.35 | 2 Degrees (1 in 27) | 1700 | 1400 | 3000 | 2500 | |
| | | 0.48 | 0.53 | 762 | 4.93 | | 2300 | 1900 | 3000 | 2500 | |
| | | | | | | | Guide Only – Fixing Screws required per metre square = 5 | | | | |
| Stramit Longspan®  | 24 | 0.42 | 0.47 | 700 | 4.73 | 1.5 Degrees (1 in 45) | 2100 | 1750 | 3000 | 2500 | |
| | | 0.48 | 0.53 | 700 | 5.37 | | 2700 | 2250 | 3000 | 2500 | |
| | | | | | | | Guide Only – Fixing Screws required per metre square = 5 | | For Premium Finishes refer page 59 | | |
| Stramit Megaclad®  | 24 | 0.42 | 0.47 | 800 | 4.14 | 2 Degrees | 1500 | 1250 | 2550 | 2150 | |
| | | | | | | | | | Guide Only – Fixing Screws required per metre square = 4 | | |
| Stramit CapacityPLUS™ 660  | 23 | 0.42 | 0.47 | 660 | 4.97 | 1 Degree (1 in 60) | 3400 | 2700 | 4500 | 3600 | |
| | | 0.48 | 0.53 | 660 | 5.64 | | 4000 | 3200 | 4500 | 3600 | |
| Stramit Speed Deck Ultra®  | 25 | 0.42 | 0.47 | 700 | 4.73 | 1 Degree (1 in 60) | 2100 | 1750 | 3000 | 2500 | |
| | | 0.48 | 0.53 | 700 | 5.37 | | 2700 | 2250 | 3000 | 2500 | |
| | | | | | | | | | Guide Only – Fixing Clips required per metre square = 1.5 | | For Premium Finishes refer page 59 |
| Stramit K-Panel®  | 26 | 0.35† | 0.40 | 864 | 3.17 | - | - | - | 1500 | 1250 | |
| | | 0.42† | 0.47 | 864 | 3.84 | - | - | - | 1700 | 1400 | |
| | | | | | | | (Vertical garage cladding) Guide Only – Fixing Screws required per metre square = 5 | | | | |
| Stramit Minirib®  | 26 | 0.35† | 0.40 | 900 | 3.05 | - | - | - | 1000 | 750 | |
| | | 0.42† | 0.47 | 900 | 3.68 | - | - | - | 1500 | 1250 | |
| | | | | | | | Guide Only – Fixing Screws required per metre square = 5 | | For Premium Finishes refer page 59 | | |
| Stramit Mini Corry®  | 26 | 0.42† | 0.47 | 825 | 4.01 | - | - | - | 1200 | 1000 | |
| | | 0.48† | 0.53 | 825 | 4.56 | - | - | - | 1300 | 1050 | |
| | | | | | | | Guide Only – Fixing Screws required per metre square = 5 | | | | |
| Stramit Monopanel®  | 27 | 0.48† | 0.53 | 250 | 4.68 | - | - | - | 3000 | 2500 | |
| Stramit Sunset® (Patio Decking)  | 28 | 0.42 | 0.47 | 290 | 5.53 | - | - | - | | | |

**Non trafficable spans up to 4m

TCT = Total Coated Thickness. This is a nominal dimension. It should not be used in specifications due to variances in Coating and paint finish.
 BMT = Base Metal Thickness. This is thickness of steel only and together with minimum yield strength and rolled profile provides the basis for calculation of the structural needs of a system. It should be referred to in specifications followed by the letters BMT.

† NOT suitable for roofing or cyclonic conditions.


* For N1 wind conditions and normal duty foot traffic.

* Masses are for Colorbond.

ORDERING CODES – STANDARDS FOR USE

Ordering Codes are used in this Product and Service Guide and should be used when ordering products from your local branch.

Ordering Codes for Cut to Length Product ONLY the Order Code comprises three (3) separate categories.



Therefore the Ordering Code for
Stramit Monoclad® sheeting
0.42mm BMT XRW Surfmist

MC42XSUR

| CODE | COLOURS XRW | CODE | COLOURS XRW | CODE | COLOURS (Ultra) | CODE | COLOURS (Metallic) |
|------|----------------------------------|--|-----------------------------|--------------------------------|-------------------------------|--|--------------------|
| BAS | Basalt® | PPB | Paperbark® (Merino) | DUN | Dune® | Please check colour availability at time of order. | |
| CLC | Classic Cream™ (Smooth Cream) | SHG | Shale Grey™ (Gull Grey) | MON | Monument® | CODE COLOURS (Magnaflow) | |
| COV | Cove™ | SUR | Surfmist® (Off White) | SUR | Surfmist® | AGY | Armour Grey |
| CTG | Cottage Green® (Caulfield Green) | TRN | Terrain® | WDG | Woodland Grey® | BCH | Birch |
| DOC | Deep Ocean® (Mountain Blue) | WDG | Woodland Grey® (Slate Grey) | WLB | Wallaby® | MLH | Monolith |
| DUN | Dune® (Birch) | WLB | Wallaby® | WSP | Windspray® | OWH | Off White |
| EVH | Evening Haze® | WSP | Windspray® (Armour Grey) | CODE GLOSS DOUBLE SIDED | | SLG | Slate Grey |
| GLY | Gully™ | CODE GLOSS COLOURS | | DL05 | Dover White / Surfmist® | CODE COLOURS (Matt) | |
| IST | Ironstone® | Please check colour availability at time of order. | | DL09 | Classic Cream™/Woodland Grey® | BAS | Basalt |
| JAS | Jasper® | | | DLCLC | Classic Cream™/Classic Cream™ | MON | Monument |
| MGV | Mangrove® | | | DLPPB | Paperbark® / Paperbark® | SUR | Surfmist |
| MNR | Manor Red® (Heritage Red) | | | | | CODE SPECIAL MATERIAL | |
| MON | Monument® | | | | | SS | Stainless Steel |
| NTS | Night Sky® | | | | | CU | Copper |
| PEC | Pale Eucalypt® (Mist Green) | | | | | | |

Customers – Please note that for your security telephone conversations made to and from Stramit may be recorded at Erskine Park. For colour selection of Premium Products – see page 59.

Bridging

Customer _____
 Job Address _____

Page _____ Of _____ Area _____

Drafting Office _____ Order No. _____ Order Date _____ Plan No. _____

Instructions _____ Delivery Date _____ Roof Pitch _____

| ASSEMBLY ARRANGEMENTS | END BRACKETS | Nominate Purlin Size and Select Bridging Bracket Type for Each End | | |
|-----------------------|---|--|--|--|
| | <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <p>Fascia (FB)</p> </div> <div style="text-align: center;"> <p>Bolted (BO)</p> </div> <div style="text-align: center;"> <p>Lock (LK)</p> </div> <div style="text-align: center;"> <p>Locator (LR)</p> </div> <div style="text-align: center;"> <p>Angle Connector (AC)</p> </div> </div> | | | |

| ASSEMBLY TYPES | ASSEMBLY PREFIX | LH/DOWN SIZE/END | RH/UP SIZE/END | QTY | PURLIN CENTRE LENGTH | MARK No. |
|---|-----------------|------------------|----------------|-----|----------------------|----------|
| <p>Ridge Bridging (Prefix BR)</p> | | | | | | |
| <p>Swivel Bridging (Prefix BS)</p> | | | | | | |
| <p>Intermediate Bridging (Prefix BI)</p> | | | | | | |
| <p>Fascia Bridging (Prefix BF)</p> | | | | | | |
| <p>Girt Hanger - Turnbuckle (BGHTB)</p> | | | | | | |
| <p>Girt Hanger - Tie Rod (BGHTR)</p> | | | | | | |
| <p>Girt Foot (Prefix BGF)</p> | | | | | | |


Accessories





Customer _____





Job Address _____

Page _____ Of _____ Area _____

| | | | |
|-----------------|-----------|---------------|------------|
| Drafting Office | Order No. | Order Date | Plan No. |
| Instructions | | Delivery Date | Roof Pitch |

| ASSEMBLY | ASSEMBLY PREFIX | DIAM | QTY | O/ALL LENGTH O/A = PURLIN CENTRE + 80MM | MARK No. |
|--|-----------------|------|-----|--|----------|
|  <p>Tie Rod (Prefix BTR)</p> | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| ACCESSORY | CODE | QTY |
|---|-----------|-----|
|  <p>General Purpose Brkt</p> | BGPB100GA | |
| | BGPB150GA | |
| | BGPB200GA | |
| | BGPB250GA | |
|  <p>Angle Connector</p> | BAC 100 | |
| | BAC 150 | |
| | BAC 200 | |
| | BAC 250 | |
|  <p>Clamp Plate</p> | BCP100GA | |
| | BCP150GA | |
| | BCP200GA | |
| | BCP250GA | |
|  <p>Raking Girt Brkt</p> | BRGB100 | |
| BOLTS | CODE | QTY |
| M12 x 30 STD Z/P and GALV | PB1230ZP | |
| | PB1230GA | |

| ACCESSORY | CODE | QTY |
|--|------------|-----|
|  <p>Starter Clip</p> | BSC 100 | |
| | BSC 150 | |
| | BSC 200 | |
| | BSC 250 | |
|  <p>Lock</p> | BLK 100 | |
| | BLK 150 | |
| | BLK 200 | |
| | BLK 250 | |
|  <p>Locator</p> | BLR 100 | |
| | BLR 150 | |
| | BLR 200 | |
| | BLR 250 | |
|  <p>Tie Rod Angle</p> | BTRA | |
| BOLTS | CODE | QTY |
| M12 x 30 FASCIA GALV | PBF | |
| M16 x 45 STD Z/P | PB1645ZP | |
| M16 x 45 HS Z/P | PB1645HSZP | |

Customer _____ Project _____
 Delivery Address _____

| | | | |
|---------------|---------|---------------|------|
| Delivery Date | Coating | Cust. Contact | Date |
|---------------|---------|---------------|------|

40/60/110/160/210/260
END VIEW

35 35

QTY. AS DRN. Mk. No
 QTY. OPP. HAND O.A.L. Mk. No

Purlin Selection

Standard C/Z

Exacta C/Z

40/60/110/160/210/260
END VIEW

35 35

QTY. AS DRN. Mk. No
 QTY. OPP. HAND O.A.L. Mk. No

Purlin Selection

Standard C/Z

Exacta C/Z

40/60/110/160/210/260
END VIEW

35 35

QTY. AS DRN. Mk. No
 QTY. OPP. HAND O.A.L. Mk. No

Purlin Selection

Standard C/Z







Exacta C/Z

Indicate web, flange holes and dimensions from hole to hole Standard holes: 18mm x 22mm slots

Maximum hole sets = 30 Maximum length = 18m Minimum length = 1.7m *Contact your local Stramit office about part cut.

| | | |
|------------------------|---------------|------------------|
| Customer _____ | Project _____ | Roof Pitch _____ |
| Delivery Address _____ | | Pitch _____ |

| | | | |
|---------------|---------|---------------|------|
| Delivery Date | Coating | Cust. Contact | Date |
|---------------|---------|---------------|------|



| | |
|---|-----------------------------------|
| Indicate web, flange holes and dimensions from hole to hole | Standard holes: 18mm x 22mm slots |
|---|-----------------------------------|

Note: Top flange up only, no negative pitch Maximum length = 12m Minimum length = 1.7m

| Customer Account No | | Stramit | | | | | SALES ORDER FORM | | | | | Order Type | CO Number | |
|---------------------|------------------------------|---------------------------|-------------|---------------|----------------------------|-------------------|-------------------------|----------------------------------|----------|-----|-------------------|------------|-----------|------------------------|
| | | Date Ordered | Time | Date Required | Your Ref | Our Ref | Contact Method | Contact No | | | | | | Receipt NO (cash sale) |
| Customer Name | | Delivery to Suburb: | | | SITE/STORE | | | Special (del spec) Instructions: | | | | | | |
| | | Street Address: | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| AGREEMENT REF NO: | | SITE TIME / VEHICLE TYPE: | | | SITE ACCESS: GOOD/FAIR/BAD | | | | | | | | | |
| QUOTE REF NO: | | MAP REF: | | | UNLOADING METHOD: | | | | | | | | | |
| No. | Whs | Line Type | Description | Product Code | Qty | Ship Via/Route No | Length | Bundle No. | Mark No. | R/B | Lm/m ² | Price | % | Value |
| 1 | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | | | |
| 15 | FREIGHT | | | | | | | | | | | | | |
| 16 | MIN. ORDER QUANTITY S/CHARGE | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | TOTAL |



ERSKINE PARK
Sales (02) 9834 0909
Fax (02) 9834 0988

COFFS HARBOUR
(02) 6656 3800
Fax (02) 6656 3808

NEWCASTLE
(02) 4041 3400
Fax (02) 4041 3423

CANBERRA
(02) 6298 2500
Fax (02) 6298 2533

ORANGE
(02) 6360 9200
Fax (02) 6360 9211

| Customer Account No | | CUSTOM FLASHING ORDER DETAIL SHEET | | | | | | Order Type | | CO Number | | | | | |
|------------------------------|--|---|------|-----------------------------|----------|----------------------------------|----------------|-----------------------------|------------------------|-----------------------------|--|-----------------------------|--|-----------------------------|--|
| Customer O/N: | | Date Ordered | Time | Date Required | Your Ref | Our Ref | Contact Method | Contact No | Receipt NO (cash sale) | | | | | | |
| Customer Name | | Delivery to Suburb: | | SITE/STORE | | Special (del spec) Instructions: | | | | | | | | | |
| | | Street Address: | | | | | | | | | | | | | |
| AGREEMENT REF NO: | | SITE TIME / VEHICLE TYPE: | | SITE ACCESS: GOOD/FAIR/BAD | | | | | | | | | | | |
| QUOTE REF NO: | | MAP REF: | | Ship Via/Route No | | UNLOADING METHOD: | | | | | | | | | |
| Product Code | | Product Code | | Girth Bends | | Qty | | Length | | Mark No. | | Price | | Value | |
| Line | | Whs Type | | Girth Bends | | Qty | | Length | | Mark No. | | Price | | Value | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| Description Colour / Finish | | Description Colour / Finish | | Description Colour / Finish | | Description Colour / Finish | | Description Colour / Finish | | Description Colour / Finish | | Description Colour / Finish | | Description Colour / Finish | |
| FREIGHT | | | | | | | | | | | | | | | |
| MIN. ORDER QUANTITY S/CHARGE | | | | | | | | | | | | | | | |

COLORBOND STEEL - CARE • MAINTENANCE

Hints and tips to achieve maximum life from your Colorbond® Steel product.

- Colorbond® steel used in areas not washed by rainfall should be cleaned down at regular intervals.
- Brick cleaning acid must not be allowed to contact steel fascia, gutter or roofing.
- Never immerse Colorbond® steel in sand, soil or concrete.
- Do not use “touch-up” paint systems on Colorbond® steel.
- Avoid metal debris from cutting and/or drilling.
- Keep material dry when in bundles prior to installation.
- Contact with dissimilar metals and run-off from dissimilar metals such as Copper, lead, etc must be avoided.
- Roofing and guttering need to be free draining and free from the accumulation of dirt or leaves.

QUICK ROOFING ESTIMATE – HIPPED ROOF TAKE-OFF

The table of Roof Slope Factors below allows quick calculations of roof area, sheet length and hip length.

These methods are for quick estimating purposes only. Accurate measurements must be taken from the actual roof frame before ordering roofing and rainwater products.

As an example, take a typical hipped roof where all four roof sections have the same slope (30°) and all hips are of equal length.

ROOF AREA

First determine the area of the roof plan by multiplying the length of the roof by the width. Before making the calculation, add gutter overhangs of 50mm. In this case, there are gutters on all four sides. To find the area of the hipped roof, simply multiply this plan area by the Roof Slope Factor for Roof Area. The same method is used for gable roofs.

$$\underline{19.1 \times 8.1 = 154.7 \times 1.155 = 178.7}$$

Therefore, roughly 179m² of sheeting will be needed to cover the roof. On complex roof shapes, extra may need to be added to allow for wastage.

SHEET LENGTH

On the roof plan, measure the distance from the line of the ridge to the outside edge of the fascia, which in the example is half the span or 4000mm. Multiply this measurement by the Sheet Length Roof Slope Factor to find the length of the sheet required to span from the ridge to the fascia. Note that all roof sheeting must extend at least 50mm beyond the fascia line to provide gutter overhang.

$$\underline{4000 + 50 \times 1.155 = 4678\text{mm}}$$

HIP CAPPING

To find the length of ridge capping required to cover one hip, measure the distance from the ridge line to the fascia on the roof plan (here 4000mm) add the gutter overhang and multiply by the Hip Length Roof Slope Factor for 30°. Multiply by 4.


$$\underline{4000 + 50 \times 1.528 \times 4 = 24.8\text{m}}$$

RIDGE CAPPING

For hipped roofs where all sides have the same slope, the length of the top ridge is equal to the length of the roof plan minus the width, regardless of slope. Add 5% to all capping to allow for laps.

$$\underline{19 - 8 = 11 + 5\% = 11.55\text{m}}$$

Typical hipped roof (roof slope = 30°)



ROOF SLOPE FACTORS







| Roof Slope (degrees) | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Roof Area/Sheet Length | 1.000 | 1.001 | 1.001 | 1.002 | 1.004 | 1.006 | 1.008 | 1.010 | 1.012 | 1.015 | 1.019 | 1.022 | 1.026 | 1.031 | 1.035 |
| Hip Length | 1.414 | 1.415 | 1.415 | 1.416 | 1.417 | 1.418 | 1.420 | 1.421 | 1.423 | 1.425 | 1.428 | 1.430 | 1.433 | 1.436 | 1.439 |

| Roof Slope (degrees) | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Roof Area/Sheet Length | 1.040 | 1.046 | 1.051 | 1.058 | 1.064 | 1.071 | 1.079 | 1.086 | 1.095 | 1.103 | 1.113 | 1.122 | 1.133 | 1.143 | 1.155 |
| Hip Length | 1.443 | 1.447 | 1.451 | 1.456 | 1.460 | 1.465 | 1.471 | 1.477 | 1.483 | 1.489 | 1.496 | 1.503 | 1.511 | 1.519 | 1.528 |

| Roof Slope (degrees) | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Roof Area/Sheet Length | 1.167 | 1.179 | 1.192 | 1.206 | 1.221 | 1.236 | 1.252 | 1.269 | 1.287 | 1.305 | 1.325 | 1.346 | 1.367 | 1.390 | 1.414 |
| Hip Length | 1.537 | 1.546 | 1.556 | 1.567 | 1.578 | 1.590 | 1.602 | 1.616 | 1.630 | 1.644 | 1.660 | 1.677 | 1.694 | 1.712 | 1.732 |












| Roof Slope (degrees) | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Roof Area/Sheet Length | 1.440 | 1.466 | 1.494 | 1.524 | 1.556 | 1.589 | 1.624 | 1.662 | 1.701 | 1.743 | 1.788 | 1.836 | 1.887 | 1.942 | 2.000 |
| Hip Length | 1.753 | 1.775 | 1.798 | 1.823 | 1.849 | 1.877 | 1.907 | 1.939 | 1.973 | 2.010 | 2.049 | 2.091 | 2.136 | 2.184 | 2.236 |

ROOFING • CLADDING • ACCESSORIES

| Product | Details | Ordering Code | Finish | BMT mm | Unit | |
|--|---|--|--|--------------------|--------------------|------|
| Roofing/Cladding/Accessories | | | | | | |
|  <p>762 Cover Overall sheet width 855mm</p> <p>16 High</p> <p>Lengths under 1.2m incur a cutting charge Minimum 3 sheet order Note: Maximum standard pack weight is 500kg. Price quoted is an effective cover per square metre price.</p> | Stramit® Corrugated Hi-Tensile | C42ZA | ZA | 0.42 | per m ² | |
| | C42GA | GA | 0.42 | per m ² | | |
| | C42X*** | CB | 0.42 | per m ² | | |
| | C48ZA | ZA | 0.48 | per m ² | | |
| | C48X*** | CB | 0.48 | per m ² | | |
| | CD60ZA | ZA | 0.60 | per m ² | | |
| | CD60GA | GA | 0.60 | per m ² | | |
| | CD60X*** | CB | 0.60 | per m ² | | |
| | | | To convert Price to linear metres multiply by 0.762. Please specify if end lapping with Curving Quality material. Also available in premium finishes. Refer page 59 for details. Perforated – Limited stock coil available with 11% perforation in surfmist only. | | | |
| |  | Sheeting Cutback | CUTBACKLTH | (0.5m - 1.2m) | | each |
| Infill Strips (930mm) | | CEFS | | | each | |
| | | CEFSFR | Fire Rated | | each | |
|  | Fibreglass Roof Sheeting | To suit Stramit® Corrugated profile | | | | |
| | Clear | TSFGC24CLR | 2400gsm Fibreglass | | lin metre | |
| | Colour | TSFGC24*** | 2400gsm Fibreglass | | lin metre | |
| | | Colours Available: Opal and Haze Green. | | | | |
|  | Fasteners for fixing Fibreglass | TSFG1465WW32 | Plain | | per box 500 | |
| | M6.5 (14g) - 14 x 65mm | | | | | |
| | Hex Washer Face with 32mm Weatherlock Washer | | | | | |
| | Weatherlock Washers | TSFGWW32H | | | per pack 100 | |
| | | Check delivery charge for lengths over 8.1 metres. NOTE: Allow 3 working days for delivery. Fibreglass may be delivered to site separate of other order items. Install with weatherlock washers. | | | | |
|  | Polycarbonate Roof Sheeting | To suit Stramit® Corrugated profile | | | | |
| | | TSPCC***18 | Polycarbonate Col/Clr | | 1.800 metre | |
| | | TSPCC***21 | Polycarbonate Col/Clr | | 2.100 metre | |
| | | TSPCC***24 | Polycarbonate Col/Clr | | 2.400 metre | |
| | | TSPCC***27 | Polycarbonate Col/Clr | | 2.700 metre | |
| | | TSPCC***30 | Polycarbonate Col/Clr | | 3.000 metre | |
| | | TSPCC***33 | Polycarbonate Col/Clr | | 3.300 metre | |
| | | TSPCC***36 | Polycarbonate Col/Clr | | 3.600 metre | |
| | | TSPCC***39 | Polycarbonate Col/Clr | | 3.900 metre | |
| | | TSPCC***42 | Polycarbonate Col/Clr | | 4.200 metre | |
| | | TSPCC***48 | Polycarbonate Col/Clr | | 4.800 metre | |
| | | TSPCC***54 | Polycarbonate Col/Clr | | 5.400 metre | |
| | | TSPCC***60 | Polycarbonate Col/Clr | | 6.000 metre | |
| | | TSPCC***72 | Polycarbonate Col/Clr | | 7.200 metre | |
| | | TSPCC***81 | Polycarbonate Col/Clr | | 8.100 metre | |
| | | Colours Available: Opal, Grey, Light Bronze, Dark Tint, Clear, Smooth Cream | | | | |
|  | Fasteners for fixing Polycarbonate | TSPC1450DW26 | Plain | | per box 250 | |
| | 14 x 50mm | TSPC0650DW26PK | Plain | | per pack 50 | |
| | Hex Washer Face with 26mm EPDM Seal | | | | | |
| | | Polycarbonate sheet lengths shorter than standard lengths will be invoiced at stock length price. For example order 3.100m invoiced for 3.300m. | | | | |

NOTE: For other flashing profiles see Custom Flashings on page 39. All fasteners comply with Australian Standard AS3566.

ROOFING • CLADDING • ACCESSORIES

| Product | Details | Ordering Code | Finish | BMT mm | Unit |
|---|--|--|--------|--------|--------------|
| Roofing/Cladding/Accessories | | | | | |
| Fasteners - Class 3  | 12 x 35 Hex Head SDS (for crest fixing to steel) | S1235HTH | Plain | | per pack 100 |
| | | S1235HT | Plain | | per box 1000 |
| | | S1235HT***H | Colour | | per pack 100 |
| | | S1235HT*** | Colour | | per box 1000 |
| NOTE: Class 4 screws available on request. | | | | | |
| Fasteners - Class 4 Roof Zip Screws  | M6 x 25 Hex Head SDS (for valley fixing to timber and steel) | S0625HZIP***4H | Colour | | per pack 100 |
| | | S0625HZIP***4 | Colour | | per box 500 |
| | | S0650HZIP4H | Plain | | per pack 100 |
| | | S0650HZIP4 | Plain | | per box 1000 |
|  | M6 x 50 Hex Head SDS (for crest fixing to timber and steel) (up to 1.9mm steel) | S0650HZIP***4H | Colour | | per pack 100 |
| | | S0650HZIP***4 | Colour | | per box 1000 |
| | | S1250H174H | Plain | | per pack 100 |
| | | S1250H174 | Plain | | per box 1000 |
|  | 12 x 50 Hex Head SDS type 17 (for crest fixing to timber) | S1250H17***4H | Colour | | per pack 100 |
| | | S1250H17***4 | Colour | | per box 1000 |
| | | S1016HT4H | Plain | | per pack 100 |
| | | S1016HT4 | Plain | | per box 1000 |
|  | 10 x 16 Hex Head SDS (for valley fixing to steel) | S1016HT***4H | Colour | | per pack 100 |
| | | S1016HT***4 | Colour | | per box 1000 |
| | | S1025HDH***4 | Colour | | per box 1000 |
| | | 10 x 25 Hex Head Designer Head (for Valley fixing to timber and steel) | | | |
| Fasteners - Class 5 Roof Zip Screws | M6 x 50 Hex Head SDS Climaseal 5 (for fixing to timber and steel) | S0650HZIP***5 | Colour | | per box 1000 |
| Flashings | | | | | |
|  | Roll Top Ridge (antiscatch edge Erskine Park, Orange, Queanbeyan, Newcastle) | RTRA55ZA | ZA | 0.55 | lin metre |
| | | RTRA55GA | GA | 0.55 | lin metre |
| | | RTRA55X*** | CB | 0.55 | lin metre |
| | | RTR55ZA | ZA | 0.55 | lin metre |
| | | RTR55X*** | CB | 0.55 | lin metre |
| Maximum length roll top ridge manufactured is 9.0m. | | | | | |
|  | Valley (Ribbed) | VRIB40ZA | ZA | 0.40 | lin metre |
| | | VRIB40GA | GA | 0.40 | lin metre |
| | | VRIB55X*** | CB | 0.55 | lin metre |
|  | Valley (Plain) † | VPFL55ZA | ZA | 0.55 | lin metre |
| | | VPFL55GA | GA | 0.55 | lin metre |
| | | VPFL55X*** | CB | 0.55 | lin metre |
| Maximum length valley manufactured is 9.0m Ribbed, 8.0m Plain. | | | | | |
|  | Barge/Edge Roll 2.4m | ER38ZA24 | ZA | | each |
| | | ER38GA24 | GA | | each |
| | | ER38X***24 | CB | | each |
|  | Spear Point | SPZA | ZA | | each |
| | | SPGA | GA | | each |
| | | SPX*** | CB | | each |
|  | Ridge † | RFCC55ZA | ZA | 0.55 | lin metre |
| | | RFCC55GA | GA | 0.55 | lin metre |
| | | RFCC55X*** | CB | 0.55 | lin metre |

NOTE: For other flashing profiles see Custom Flashings on page 39. All fasteners comply with Australian Standard AS3566.

ROOFING • CLADDING • ACCESSORIES

| Product | Details | Ordering Code | Finish | BMT mm | Unit |
|-------------------------------------|------------------|---------------|--------|--------|-----------|
| Roofing/Cladding/Accessories | | | | | |
| | Barge † | BFC55ZA | ZA | 0.55 | lin metre |
| | | BFC55GA | GA | 0.55 | lin metre |
| | | BFC55X*** | CB | 0.55 | lin metre |
| | Under Flashing † | UFC55ZA | ZA | 0.55 | lin metre |
| | | UFC55GA | GA | 0.55 | lin metre |
| | | UFC55X*** | CB | 0.55 | lin metre |

† Note: Cut to length available in all Flashings to a Maximum Length of 8.000m unless noted.




CURVED ROOFING • TANK IRON • ACCESSORIES

| Product | Details | Ordering Code | Finish | BMT mm | Unit |
|---|---|----------------------------|----------|--------------|--|
| Curved Roofing/Tank Iron/Accessories | | | | | |
| | Stramit® Curving Quality NOTE: Curved product other than standard bullnose roofing may incur additional freight costs depending on size and shape. Price on application. Check before ordering. If also ordering straight sheet to end lap with Curving Quality (see page 20), please specify at point of ordering. Add curving cost to material cost for total price. Price quoted is an effective cover per square metre price. | CQ60ZA | ZA | 0.60 | per m ² |
| | | CQ60GA | GA | 0.60 | per m ² |
| | | CQ60X*** | CB | 0.60 | per m ² |
| | | | | | |
| Aquaplate® (Tank Iron) | 8 corrugations 10 corrugations | CT61060AQGA CT72060AQGA | GA GA | 0.60 0.60 | per m ² per m ² |
| Curving Costs | Sheet lengths up to 3.5m | CURV0035 | | | per curve |
| | Sheet lengths 3.5m & over | CURV3570A | | | per curve |

Bullnosing & Curving NOTE: Minimum radius for curving is 300mm.

Please supply template & all information wherever possible. For curving purposes it is necessary to produce a sheet with a minimum straight section into gutter (A) of 100mm. This section will be charged in the price of the sheet.

NOTE: If using a template it is the customers responsibility to supply the total sheet length.



NOTE: Dimensions for A,B,C & D must be supplied with every order.

Bullnosing











- A Straight section into gutter (min 100mm) _____ mm
- B Radius of curve _____ mm
- C Angle of roof pitch _____ degrees
- D Wall to fascia _____ mm
- Number of sheets required _____
- Direction of laying (left to right/right to left) _____
- Colour _____
- Other information (eg. docking, endlapping) _____

NOTE: Dimensions C,F,G & X must be supplied with orders.

Concave & Convex

- E Wall to fascia _____ mm
- F Height _____ mm
- G Total sheet length _____ mm
- X Radius _____ mm
- Type of curve (concave/convex) _____
- Number of sheets required _____
- Colour _____
- Other information (eg. docking, endlapping) _____

CURVED ROOFING • TANK IRON • ACCESSORIES

| Product | Details | Ordering Code | Finish | Unit | | |
|---|---|--|-------------------------------|----------------------|--------|------|
| Curved Roofing/Tank Iron/Accessories | | | | | | |
| Fibreglass Flashings | To suit Stramit® Curved or Stramit® Corrugated sheeting | | | | | |
|  | Fib Curved Apron 300 Radius | CAFIBCA300*** | Colour | each | | |
| | Fib Curved Apron 300 Radius | CAFIBCA300ZA | Plain | each | | |
| | Fib Curved Apron 400 Radius | CAFIBCA400*** | Colour | each | | |
| | Fib Curved Apron 400 Radius | CAFIBCA400ZA | Plain | each | | |
| | Fib Curved Apron 500 Radius | CAFIBCA500*** | Colour | each | | |
| | Fib Curved Apron 500 Radius | CAFIBCA500ZA | Plain | each | | |
| | Fib Curved Apron 600 Radius | CAFIBCA600*** | Colour | each | | |
| | Fib Curved Apron 600 Radius | CAFIBCA600ZA | Plain | each | | |
| |  | Fib Curved Barge 300 Radius | CAFIBCB300*** | Colour | each | |
| | | Fib Curved Barge 300 Radius | CAFIBCB300ZA | Plain | each | |
| | | Fib Curved Barge 400 Radius | CAFIBCB400*** | Colour | each | |
| | | Fib Curved Barge 400 Radius | CAFIBCB400ZA | Plain | each | |
| | | Fib Curved Barge 500 Radius | CAFIBCB500*** | Colour | each | |
| | | Fib Curved Barge 500 Radius | CAFIBCB500ZA | Plain | each | |
| |  | Fib Curved Barge 600 Radius | CAFIBCB600*** | Colour | each | |
| | | Fib Curved Barge 600 Radius | CAFIBCB600ZA | Plain | each | |
| | |  | Fib Curved Hip 300 Radius 90° | CAFIBCH300*** | Colour | each |
| | | | Fib Curved Hip 300 Radius 90° | CAFIBCH300ZA | Plain | each |
| Fib Curved Hip 400 Radius 90° | | | CAFIBCH400*** | Colour | each | |
| Fib Curved Hip 400 Radius 90° | | | CAFIBCH400ZA | Plain | each | |
| Fib Curved Hip 500 Radius 90° | CAFIBCH500*** | | Colour | each | | |
| Fib Curved Hip 500 Radius 90° | CAFIBCH500ZA | | Plain | each | | |
|  | Fib Curved Hip 600 Radius 90° | CAFIBCH600*** | Colour | each | | |
| | Fib Curved Hip 600 Radius 90° | CAFIBCH600ZA | Plain | each | | |
| |  | Fib Curved Hip 300 Radius 45° | CAFIBCH30045*** | Colour | each | |
| | | Fib Curved Hip 300 Radius 45° | CAFIBCH30045ZA | Plain | each | |
| | | Fib Curved Hip 400 Radius 45° | CAFIBCH40045*** | Colour | each | |
| | | Fib Curved Hip 400 Radius 45° | CAFIBCH40045ZA | Plain | each | |
| Fib Curved Hip 500 Radius 45° | | CAFIBCH50045*** | Colour | each | | |
| Fib Curved Hip 500 Radius 45° | | CAFIBCH50045ZA | Plain | each | | |
|  | Fib Curved Hip 600 Radius 45° | CAFIBCH60045*** | Colour | each | | |
| | Fib Curved Hip 600 Radius 45° | CAFIBCH60045ZA | Plain | each | | |
| |  | Fib Curved Valley 300 Radius 90° | CAFIBCV300*** | Colour | each | |
| | | Fib Curved Valley 300 Radius 90° | CAFIBCV300ZA | Plain | each | |
| | | Fib Curved Valley 400 Radius 90° | CAFIBCV400*** | Colour | each | |
| | | Fib Curved Valley 400 Radius 90° | CAFIBCV400ZA | Plain | each | |
| Fib Curved Valley 500 Radius 90° | | CAFIBCV500*** | Colour | each | | |
| Fib Curved Valley 500 Radius 90° | | CAFIBCV500ZA | Plain | each | | |
|  | Fib Curved Valley 600 Radius 90° | CAFIBCV600*** | Colour | each | | |
| | Fib Curved Valley 600 Radius 90° | CAFIBCV600ZA | Plain | each | | |
| Metal Flashings  | Metal Straight Apron XRW 2.5M | CAMETSAX***25 | CB | each | | |
| | Metal Straight Apron ZA 2.5M | CAMETSAZA25 | ZA | each | | |
| | Metal Straight Ridge XRW 2.5M | CAMETSRX***25 | CB | each | | |
| | Metal Straight Ridge ZA 2.5M | CAMETSZA25 | ZA | each | | |
| | Metal Straight Valley XRW 2.5M | CAMETSVX***25 | CB | each | | |
| | Metal Straight Valley ZA 2.5M | CAMETSVZA25 | ZA | each | | |
| | Metal Straight Barge XRW 2.3M | CAMETSBX***23 | CB | each | | |
| | Metal Straight Barge ZA 2.3M | CAMETSBZA23 | ZA | each | | |


NOTE: For other flashing profiles see Custom Flashings on page 39. All fasteners comply with Australian Standard AS3566.

ROOFING • CLADDING • ACCESSORIES

| Product | Details | Ordering Code | Finish | BMT mm | Unit |
|--|--|-------------------|------------|--------|--------------------|
| Roofing/Cladding/Accessories | | | | | |
| <p>Stramit MonoClad®</p> | | MC42ZA | ZA | 0.42 | per m ² |
| | | MC42GA | GA | 0.42 | per m ² |
| | | MC42X*** | CB | 0.42 | per m ² |
| | | MC42RRX*** | Reverse RI | 0.42 | per m ² |
| | | MC48ZA | ZA | 0.48 | per m ² |
| | | MC48X*** | CB | 0.48 | per m ² |
| | | MC48RRX*** | Reverse RI | 0.48 | per m ² |
| Minimum 3 sheet order | | | | | |
| Note: Maximum standard pack weight is 500kg. | | | | | |
| | Sheeting Cutback | | | | |
| | Infill Strips for Stramit MonoClad® sheeting | | | | |
| | Tops (970mm) | MCEFSTOP | | | each |
| | Bottoms(960mm) | MCEFSBTM | | | each |

Also available in premium finishes. Refer page 60 for details.
 To convert prices to lin metres multiply by cover of sheet (ie. x 0.762).
 Price quoted is an effective cover per square metre price.
CUTBACKLTH (0.5m - 1.2m) each

NEW PRODUCT



MC MonoLap 73mm 7.62m
 (10 sheets per roll)
 12x68 Hex Tek Cls4
 – only suitable for MC MonoLap above
 (40 screws per roll – including plate & washer)

Plain
 SUR ^

MCMONOLAP76 Roll
S1268HTMC4 Pack
S1268HTMCSUR4 Pack

MC MonoLap Stop End Tool

MCMONOLAPSETD each

^ NOTE: Other colours subject to lead time. Please contact your Stramit representative for further information.

| | | | | |
|----------------------|------------------------|------------|-------------------|----------------|
| <p>Wall cladding</p> | 0.35 | ZA | MC35ZA | m ² |
| | 0.35 | CB | MC35X*** | m ² |
| | Short Length Surcharge | (Under 1m) | CUTBACKLTH | sheet |

| | | | | |
|---------------------------------|---------------------------------|---|--|-----------------------------------|
| <p>Fibreglass Roof Sheeting</p> | Suit Stramit MonoClad® sheeting | 2400gsm | TSFGMC24CLR/OPA | lin metre |
| | | Polycarbonate | TSPCMC** | lin metre |
| | | Sizes: 1.8, 2.1, 2.4, 2.7, 3.0, 3.6, 4.2, 4.8, 5.4, 6.0, 8.1 Available in: CLR-Clear, DKT-Dark Tint, GRY-Grey, LBZ-Light Bronze, OPL-Opal. | | |
| | 32mm Weather Seal Washer | Cool Lite Wonderglass Wonderglass | TSWGCLMC24WHI TSWGMC24OPL TSFGWW32H | lin metre lin metre per 100 |

Fasteners for fixing Fibreglass **TSFG1465WW32** Plain per box 500



14 x 65mm
 Hex Washer Face with 32mm Weatherlock Washer










Fasteners for fixing Polycarbonate **TSPC1450DW26** Plain per box 250
TSPC0650DW26PK Plain per pack 50



14 x 50mm
 Hex Washer Face with 26mm EPDM Seal

NOTE: For other flashing profiles see Custom Flashings on page 39. All fasteners comply with Australian Standard AS3566.

ROOFING • CLADDING • ACCESSORIES

| Product | Details | Ordering Code | Finish | BMT mm | Unit |
|--|--|---|-----------------|--------|------------------------------|
| Roofing/Cladding/Accessories | | | | | |
| Fasteners for fixing Fibreglass | 12 x 68 Hex Head (for fixing to metal) | S1268HT4 | | | per box 1000 |
| | Weatherlock Washers | TSGWW32H | | | per pack 100 |
| Fasteners - Class 3  | 12 x 65 Hex Head SDS type17 (for crest fixing to timber) | S1265H17H | Plain | | per pack 100 |
| | | S1265H17 | Plain | | per box 1000 |
| | | S1265H17***H | Colour | | per pack 100 |
| | | S1265H17*** | Colour | | per box 1000 |
| NOTE: Class 4 screws available on request. | | | | | |
| Fasteners - Class 4 AutoTek | 12 x 50 Hex AutoTek (for crest fixing to steel) | S1250HAT4 S1250HAT***4 | Plain Colour | | per box 1000 per box 1000 |
| Roof Zip Screws  | M6 x 65 Hex Head SDS (for crest fixing to timber and steel) | S0665HZIP4H | Plain | | per pack 100 |
| | | S0665HZIP4 | Plain | | per box 1000 |
| | | S0665HZIP***4H | Colour | | per pack 100 |
| | | S0665HZIP***4 | Colour | | per box 1000 |
|  | 10 x 16 Hex Head SDS (for valley fixing to steel) | S1016HT4H | Plain | | per pack 100 |
| | | S1016HT4 | Plain | | per box 1000 |
| | | S1016HT***4H | Colour | | per pack 100 |
| | | S1016HT***4 | Colour | | per box 1000 |
| Note: Not all colours kept in stock please check availability at time of order. | | | | | |
| Flashings | Common to Stramit Monoclad®, Stramit Megaclad® sheeting, Stramit Longspan® sheeting. | | | | |
|  | Valley (Ribbed) | VRIB40ZA | ZA | 0.40 | lin metre |
| | | VRIB40GA | GA | 0.40 | lin metre |
| | | VRIB55X*** | CB | 0.55 | lin metre |
| Maximum length ribbed valley manufactured is 9.0m | | | | | |
| (Plain)  | Valley (Plain) † | VPFL55ZA | ZA | 0.55 | lin metre |
| | | VPFL55GA | GA | 0.55 | lin metre |
| | | VPFL55X*** | CB | 0.55 | lin metre |
|  | Ridge † | RFMC55ZA | ZA | 0.55 | lin metre |
| | | RFMC55GA | GA | 0.55 | lin metre |
| | | RFMC55X*** | CB | 0.55 | lin metre |
|  | Barge † | BFMC55ZA | ZA | 0.55 | lin metre |
| | | BFMC55GA | GA | 0.55 | lin metre |
| | | BFMC55X*** | CB | 0.55 | lin metre |
|  | Tile Flashing † | TFMC55ZA | ZA | 0.55 | lin metre |
| | | TFMC55GA | GA | 0.55 | lin metre |
| | | TFMC55X*** | CB | 0.55 | lin metre |
|  | Underflashing † | UFMC55ZA | ZA | 0.55 | lin metre |
| | | UFMC55GA | GA | 0.55 | lin metre |
| | | UFMC55X*** | CB | 0.55 | lin metre |

† NOTE: Cut to length available in all flashing to a maximum length of 8.0m unless noted.

NOTE: For other flashing profiles see Custom Flashings on page 39. All fasteners comply with Australian Standard AS3566.

NEW PRODUCT

ROOFING • ACCESSORIES

| Product Roofing/Accessories | Product Details | BMT mm | Finish | Code | Unit |
|--------------------------------------|-----------------|--------|--------|----------|--------------------|
| Stramit CapacityPLUS™ 660 | | 0.42 | ZA | CP42ZA | per m ² |
| | | 0.42 | CB | CP42X*** | per m ² |
| | | 0.48 | ZA | CP48ZA | per m ² |
| | | 0.48 | CB | CP48X*** | per m ² |

Tolerance +5, -10mm

Note: Project profile + minimum order quantities apply. Please contact your Stramit representative for further information.

| Fibreglass Sheeting | Suit Stramit® Capacity Plus Sheeting | | | |
|---------------------|--------------------------------------|---------|----------------------------|------------------------|
| | | 2400gsm | TSFGCP24CLR TSFGCP24OPA | lin metre lin metre |
| | | 3050gsm | TSFGCP30CLR TSFGCP30OPA | lin metre lin metre |

| | | | | |
|----------------------------|--|----------|-----------------------|-------------|
| Fasteners Class 4 (AS3566) | 12 x 80 Hex Head Tek's Hi Grip (for crest fixing to steel) | Plain | S1280HT4 | per box 500 |
| | | Surfmist | S1280HTSUR4 | per box 500 |
| | | Plain | S1280HTB254 | per box 500 |
| | | Colour | S1280HTB25***4 | per box 500 |



ACOUSTIC PRODUCTS







| Product Perforated Sheeting | Product Details | Code | Finish | BMT mm | Unit |
|--------------------------------|-----------------------------|-------------|--------|--------|--------------------|
| Stramit Monoclad® | Perforated Acoustic Pattern | MC42IOWHP11 | COL | 0.42 | per m ² |
| Stramit® Corrugated | Perforated Acoustic Pattern | C42IOWHP11 | COL | 0.42 | per m ² |
| Stramit Longspan® | Perforated Acoustic Pattern | LS42IOWHP11 | COL | 0.42 | per m ² |

ROOFING • CLADDING • ACCESSORIES

| Product | Details | Ordering Code | Finish | BMT mm | Unit | |
|---|---|--|-------------------|--------------|--------------------|-----------|
| Roofing/Cladding/Accessories | | | | | | |
| | Stramit Longspan® | LS42ZA | ZA | 0.42 | per m ² | |
| | | LS42GA | GA | 0.42 | per m ² | |
| | | LS42X*** | CB | 0.42 | per m ² | |
| | | LS48ZA | ZA | 0.48 | per m ² | |
| | | LS48X*** | CB | 0.48 | per m ² | |
| | | CUTBACKLTH (0.5m - 1.2m) | | | | each |
| Minimum 3 sheet order Note: Maximum standard pack weight is 500kg. | | Also available in premium finishes. Refer page 60 for details. To convert prices to linear metres multiply by cover of sheet (ie. x 0.700). Price quoted is an effective cover per square metre price. | | | | |
| | | Infill Strips for Stramit Longspan® sheeting Tops (700mm) LSEFSTOP (900mm) each Bottoms (700mm) LSEFSBTM (910mm) each | | | | |
| | Stramit Megaclad® | MEG42ZA | ZA | 0.42 | per m ² | |
| | | MEG42X*** | CB | 0.42 | per m ² | |
| | CUTBACKLTH (0.5m - 1.2m) | | | | each | |
| Overall Sheet Width 875 Minimum 3 sheet order Note: Maximum standard pack weight is 500kg. | | To convert prices to linear metres multiply by cover of sheet (ie. x 0.800). Price quoted is an effective cover per square metre price. | | | | |
| | | Infill Strips for Stramit Megaclad® sheeting Tops (800mm) MEGEFSTOP each Bottoms(790mm) MEGEFSBTM each | | | | |
| Fibreglass Roof Sheeting | Suit Stramit Longspan® sheeting | | | | | |
| | Clear | TSFGLS24CLR | 2400gsm | | lin metre | |
| | Colour (Opal) | TSFGLS24*** | 2400gsm | | lin metre | |
| | Suit Stramit Megaclad® sheeting | | | | | |
| | Clear | TSFGMEG24CLR | 2400gsm | | lin metre | |
| | Colour | TSFGMEG24*** | 2400gsm | | lin metre | |
| NOTE: Allow 3 working days for delivery. Fibreglass may be delivered to site separate of other order items. | | | | | | |
| Fasteners for fixing Fibreglass | 12 x 68 Hex Head (for fixing to metal) | S1268HT4 | | | per box 1000 | |
| | 12 x 65 Hex Head type 17 (for fixing to timber) | S1265H17H | | | per pack 100 | |
| | Weatherlock Washers | TSFGWW32H | | | per pack 100 | |
| | | | | | | |
| Fasteners - Class 3 | 12 x 65 Hex Head | S1265H17H | Plain | | per pack 100 | |
| | SDS type17 (for crest fixing to timber) | S1265H17 | Plain | | per box 1000 | |
| | | S1265H17***H | Colour | | per pack 100 | |
| | | S1265H17*** | Colour | | per box 1000 | |
| | | | | | | |
| NOTE: Class 4 screws available on request. | | | | | | |
| Fasteners - Class 4 AutoTek | 12 x 50 Hex AutoTek (for crest fixing to steel) | S1250HAT4 | Plain | | per box 1000 | |
| | | S1250HAT***4 | Colour | | per box 1000 | |
| | 10 x 16 Hex Head SDS (for valley fixing to steel) | S1016HT4H | Plain | | per pack 100 | |
| | | S1016HT4 | Plain | | per box 1000 | |
| | | S1016HT***4H | Colour | | per pack 100 | |
| | S1016HT***4 | Colour | | per box 1000 | | |
| Flashings | | Ridge † | RFMC55ZA | ZA | 0.55 | lin metre |
| | | | RFMC55X*** | CB | 0.55 | lin metre |
| | | Barge | BFMC55ZA | ZA | 0.55 | lin metre |
| | | | BFMC55X*** | CB | 0.55 | lin metre |
| | | Tile Flashing † | TFMC55ZA | ZA | 0.55 | lin metre |
| | | | TFMC55X*** | CB | 0.55 | lin metre |
| | | Underflashing † | UFMC55ZA | ZA | 0.55 | lin metre |
| | | | UFMC55X*** | CB | 0.55 | lin metre |
| † NOTE: Cut to length available in all flashings to a maximum length of 8.0m unless noted | | | | | | |








NOTE: For other flashing profiles see Custom Flashings on page 39. All fasteners comply with Australian Standard AS3566.

ROOFING • ACCESSORIES













| Product | Details | Ordering Code | Finish mm | BMT | Unit | |
|--|---|--|--------------------|-------|------------------------|--|
| Roofing/Accessories | | | | | | |
|  <p>Overall Sheet Width 715 Infill Strip Top</p> | Stramit Speed Deck Ultra® | UD42ZA | ZA | 0.42 | per m ² | |
| | | UD42X*** | CB | 0.42 | per m ² | |
| | | UD48ZA | ZA | 0.48 | per m ² | |
| | | UD48X*** | CB | 0.48 | per m ² | |
| | | CUTBACKLTH (1.0m - 1.2m) | | | each | |
| | | UDEFSSTOP (940mm) | | | each | |
| | | UDEFSBTM (940mm) | | | each | |
| | | (for fixing to metal with threads to underside of head) | | | | |
| | | Also available in premium finishes. Refer page 59 for details. | | | | |
| | | To convert Price to linear metres multiply by 0.700. | | | | |
| | ** Can not be inlapped with Fibreglass sheeting. | | | | | |
| | Price quoted is an effective cover per square metre price. | | | | | |
| Minimum 3 sheet order | | | | | | |
| Note: Maximum standard pack weight is 500kg. | | | | | | |
|  | Fibreglass Sheeting | Suit Stramit Speed Deck Ultra® decking | | | | |
| | | Clear | TSFGUD24CLR | | 2400gsm lin metre | |
| | | Clear | TSFGUD30CLR | | 3050gsm lin metre | |
| | | Colour (Opal) | TSFGUD24*** | | 2400gsm lin metre | |
| | | Colour (Opal) | TSFGUD30*** | | 3050gsm lin metre | |
| | NOTE: Allow 3 working days for delivery. Fibreglass may be delivered to site separate of other order items. Check delivery charge for lengths over 12 metres. | | | | | |
|  | Fasteners for fixing Fibreglass | 12 x 68 Hex Head for fixing to metal | S1268HT4 | | per box 1000 | |
| | | Weatherlock Washers | TSFGWW32H | | per pack 100 | |
| | | NOTE: Allow 3 working days for delivery. | | | | |
|  | Fixing Clips | Fixing Clips | UDFC | GA | each | |
| | | Preloaded Fixing Clips | UDFCPL | GA | each | |
| | | Available in boxes of 40 (Preloaded for steel fixing only) | | | | |
| | | Farlap Expansion Joint | UDFARLAP | | each | |
| | | Farlap in Rolls (7m roll) | UDFARLAP70 | | | |
| | | SkyLap Joint System | UDSKYLAP | | each | |
| | | 85mm Roof Razor Insulation Spacer | RRZISGA | GA | per box 6 | |
| | | 115mm Roof Razor Insulation Spacer | RRZIS115GA | GA | per box 6 | |
| | | 75mm Roof Rack Insulation Spacer | RRISGA | GA | per box 20 | |
| | | 100mm Roof Rack Insulation Spacer | RRIS100GA | GA | per box 20 | |
| | SDU only | | | | | |
|  | Fasteners | 12 x 50 Hex Head SDS type 17 (for fixing to timber) | S1250H174H | Plain | per pack 100 | |
| | | | S1250H174 | Plain | per box 1000 | |
| | | 12 x 30 Hex Head self drilling, self tapping | S1230HTNNH | Plain | per pack 100 | |
| | | | S1230HTNN | Plain | per box 1000 | |
| | These fasteners are suitable for a wide variety of applications with or without insulation, and comply to Aust. Std. AS3566 | | | | | |
|  | Flashings | Ridge† | RFSD55ZA | ZA | 0.55 lin metre | |
| | | | RFSD55X*** | CB | 0.55 lin metre | |
| | | Barge† | BFSD55ZA | ZA | 0.55 lin metre | |
| | | | BFSD55X*** | CB | 0.55 lin metre | |
| | | Underflashing† | UFSD55ZA | ZA | 0.55 lin metre | |
| | | | UFSD55X*** | CB | 0.55 lin metre | |
| | | Tile Flashing† | TFSD55ZA | ZA | 0.55 lin metre | |
| | | | TFSD55X*** | CB | 0.55 lin metre | |
| | †NOTE: Cut to length available in all flashings to a maximum length of 8.0m. | | | | | |

NOTE: For other flashing profiles see Custom Flashings on page 39.








ROOFING • CLADDING • ACCESSORIES

| Product | Details | Ordering Code | Finish | BMT mm | Unit |
|---|---|---|------------------------------------|--|--|
| Roofing/Cladding/Accessories | | | | | |
| Stramit K-Panel® (Vertical garage cladding) | | | | | |
|  | | KP35ZA KP35X*** KP42ZA KP42X*** KP42IOWHP11 | ZA CB ZA CB Perf | 0.35 0.35 0.42 0.42 0.42 | per m ² per m ² per m ² per m ² per m ² |
| Minimum 3 sheet order Note: Maximum standard pack weight is 500kg. | | CUTBACKLTH (0.6m - 1.2m) each To convert prices to linear metres multiply by cover of sheet (ie 0.864). Price quoted is an effective cover per square metre price. | | | |
| Stramit Minirib® | | | | | |
|  | | MR35ZA MR35X*** MR42ZA MR42GA MR42X*** MR42IOWHP11 | ZA CB ZA GA CB Perf | 0.35 0.35 0.42 0.42 0.42 0.42 | per m ² per m ² per m ² per m ² per m ² per m ² |
| Minimum 3 sheet order Acoustic Sheeting Also available in premium finishes. Refer page 60 for details. To convert prices to linear metres multiply by cover of sheet (ie 0.900). Price quoted is an effective cover per square metre price. | | CUTBACKLTH (0.6 - 1.2m) each | | | |
| Stramit Mini Corry® | | | | | |
|  | | MK42ZA MK42X*** MK42XSURP11 MK48ZA MK48X*** | ZA CB Perf ZA CB | 0.42 0.42 0.42 0.48 0.48 | per m ² per m ² per m ² per m ² per m ² |
| Minimum 3 sheet order Note: Maximum standard pack weight is 500kg. | | CUTBACKLTH (0.6 - 1.2m) each To convert prices to linear metres multiply by cover of sheet (ie 0.825). Packing charges may apply for delivery outside metro Sydney. Price quoted is an effective cover per square metre price. Check leadtime on Perforated at time of order. | | | |
| Fasteners - Class 4 | | | | | |
|  | 10 x 25 Hex Ripple (for fixing to timber & steel) | S1025HRZIP4H S1025HRZIP4 | Plain Plain | | per pack 100 per box 1000 |
| Roof Zip Screws | | S1025HRZIP***4H S1025HRZIP***4 | Colour Colour | | per bag 100 per box 1000 |
| Fasteners | | | | | |
|  | 12 x 25 Hex Head Type 17 (for fixing to timber) | S1225H17H S1225H17 S1225H17***H S1225H17*** | Plain Plain Colour Colour | | per pack 100 per box 500 per pack 100 per box 500 |
|  | NOTE: Class 4 screws available on request. 10 x 16 Hex Head SDS (for fixing to steel) | S1016HT4H S1016HT4 S1016HT***4H S1016HT***4 | Plain Plain Colour Colour | | per pack 100 per box 1000 per pack 100 per box 1000 |
| All fasteners comply with Australian Standard AS3566. | | | | | |
| Super Six Repair Strip .6mm | | | | | |
| 3 metre Sheet 5 Corrugated Wide for Repair of "SUPER SHEET SIX" Asbestos Roofing Sheet | | SSRSGA30 | GAL | 0.55 | 3 mtr length |
|  | | Sheet width 625mm Sheet cover 430mm | | | |




CLADDING • ACCESSORIES

| Product | Details | Ordering Code | Finish | BMT mm | Unit |
|--|---|--|----------------|--------------|---|
| Cladding/Accessories | | | | | |
| Stramit Monopanel®  <p>250 Cover 12.5 Overall Sheet Width 295</p> | Limited Colour Range – Please Check To convert prices to linear metres multiply by cover of sheet (ie 0.250). | MP48X*** | CB | 0.48 | per m ² |
| Minimum 3 sheet order Minimum Length 600mm Note: Maximum standard pack weight is 500kg. | | CUTBACKLTH (0.6 - 1.2m) | | | each |
| | | | | | Price quoted is an effective cover per square metre price. Max. recommended length 6.0m, maximum length 8.0m. Supply Ex Erskine Park – set rolling days, please confirm at time of order. Maximum Length 8.0m |
| Fasteners | Type17 (for fixing to timber) | S1025W17 | Plain | | per box 1000 |
| |  10 x 16 Wafer Head SDS (for fixing to steel) | S1016WTH S1016WT | Plain Plain | | per pack 100 per box 1000 |
| Accessories |  Starter Clips (For use with Stramit Monopanel® cladding) | MPSC | | | each |
| Flashings NOTE: For other flashing profiles see Custom Flashings on page 42. / Non stock item made to order 48 hours lead time. | | | | | |
|  | P2 Foot Mould | FM255X*** | CB | 0.55 | lin metre |
|  | P4 Outside Corner Trim | OCT10855X*** | CB | 0.55 | lin metre |
|  | P5 Inside Corner Trim | ICT10855X*** | CB | 0.55 | lin metre |
|  | P6 "U" Trim | UT55X*** | CB | 0.55 | lin metre |
|  | P7 Parapet Capping | PC55X*** | CB | 0.55 | lin metre |
|  | P8 Fixing Purlin 3.6m | FP55GA36 | GA | 0.55 | each |
|  | Edge Corner | ECT55X*** | CB | 0.55 | lin metre |
| Box Gutter Board 4.5m & 6.0m only | | | | | |
|  | 600mm width | LSGBZA4500 LSGBZA6000 | ZA ZA | 0.42 0.42 | each each |
| Adjustable Box Gutter Brackets | | | | | |
|  | 250-400 (A) | BGBA1EZA (Box Qty 24) | ZA | | each |
| | 401-650 (B) | BGBA2EZA (Box Qty 24) | ZA | | each |
| | 651-1000 (C) | BGBA3EZA (Box Qty 18) | ZA | | each |

PATIO ROOFING DECKING

| Product | Details | Ordering Code | BMT mm | Unit |
|---|---|--|--|--|
| Roofing/Cladding/Accessories | | | | |
| Stramit Sunset® | | | | |
|  <p>Overall Sheet Width 335</p> | Sunset Decking Classic Crm/GLS Classic Crm | SS42DLCLC | | per m ² |
| | Sunset Decking SUR/GLS Dover White | SS42DL05 | | per m ² |
| | Sunset Decking PPB/GLS Paperbark | SS42DLPPB | | per m ² |
| | Sunset Decking WDG/GLS ClassicCrm | SS42DL09 | | per m ² |
| <p>To convert prices to linear metres multiply by cover of sheet (ie 0.290). Supply ex Erskine Park. **Gloss colour is on the bottom. Please confirm at time of order. All Product packaged for maximum protection. Price quoted is an effective cover per square metre price.</p> | | | | |
| Fibreglass | | | | |
|  <p>300mm Cover</p> | Wonderglass to suit Sunset® (opal only) | TSWGS240PL | | lin metre |
| Sunset® Foam Insert | | | | |
|  <p>(310mm)</p> | Infill strip for Stramit Sunset® sheeting | SSWS3787 | | each |
| Fibreglass Foam Insert | | | | |
|  <p>(290mm)</p> | Infill strip for Stramit Sunset® fibreglass sheeting | SSWS3788 | | each |
| Stramit® Receiver Channel | | | | |
| Available in 3.000m and 5.000m stock lengths only | | | | |
|  <p>To suit Monoclad/Longspan</p> | TO SUIT | RCSHCLC30/50 | | each |
| | SUNSET | RCSHDVW30/50 | | each |
|  <p>To suit SunSet</p> | TO SUIT | RCSXPPB30/50 | | each |
| | MONOCLAD/ LONGSPAN | RCSSZA30/50 | | each |
| | TO SUIT | RCMCLSHCLC30/50 | | each |
| | TO SUIT | RCMCLSHDVW30/50 | | each |
| | TO SUIT | RCMCLXPPB30/50 | | each |
| | TO SUIT | RCMCLZA30/50 | | each |
| Stramit® Receiver Channel Foam Insert | | | | |
| | Available in 5.000m stock lengths only | TO SUIT SUNSET TO SUIT Monoclad/Longspan | SSBCFI5000 MCLSBCFI5000 | each each |
| Fasteners - Class 4 | | | | |
|  | 10 x 16 Hex Head SDS (for fixing to steel) Fasteners comply with AS3566 | S1016HT4H S1016HT4 S1016HT***4H S1016HT***4 | Plain Plain Colour Colour | per pack 100 per pack 1000 per pack 100 per pack 1000 |

DOUBLE SIDED ROOFING

| | | | | |
|---|-----------------------------------|------------------|------|----------------|
| Stramit® Corrugated | | | | |
|  | Gloss Dover White/Surfmist | C42DL05 | 0.42 | m ² |
| | Gloss Classic Cream/Classic Cream | C42DLCLC | 0.42 | m ² |
| | Gloss Paperbark/Paperbark | C42DLPPB | 0.42 | m ² |
| Stramit® Monoclad | | | | |
|  | Gloss Dover White/Surfmist | MC42DL05 | 0.42 | m ² |
| | Gloss Classic Cream/Classic Cream | MC42DLCLC | 0.42 | m ² |
| | Gloss Paperbark/Paperbark | MC42DLPPB | 0.42 | m ² |
| Stramit® Longspan | | | | |
|  | Gloss Dover White/Surfmist | LS42DL05 | 0.42 | m ² |
| | Gloss Classic Cream/Classic Cream | LS42DLCLC | 0.42 | m ² |
| | Gloss Paperbark/Paperbark | LS42DLPPB | 0.42 | m ² |
| Price quoted is an effective cover per square metre price. | | | | |














PATIO ROOF DECKING

| | Details | Ordering Code | Finish | Unit |
|-----------------------|-----------------------|------------------|--------------|------|
| | Colorbeam 100x50 4.0m | CSB10011GA40 | GA | each |
| | Colorbeam 100x50 4.5m | CSB10011GA45 | GA | each |
| | Colorbeam 100x50 5.0m | CSB10011GA50 | GA | each |
| | Colorbeam 100x50 5.5m | CSB10011GA55 | GA | each |
| | Colorbeam 100x50 6.0m | CSB10011GA60 | GA | each |
| | Colorbeam 100x50 6.5m | CSB10011GA65 | GA | each |
| | Colorbeam 100x50 7.0m | CSB10011GA70 | GA | each |
| | Colorbeam 100x50 7.5m | CSB10011GA75 | GA | each |
| | Colorbeam 100x50 8.0m | CSB10011GA80 | GA | each |
| | Colorbeam 100x50 4.0m | • CSBS10011***40 | CLC/HDVW | each |
| | Colorbeam 100x50 4.5m | CSB10011CLC45 | CLC | each |
| | Colorbeam 100x50 5.0m | CSB10011CLC50 | CLC | each |
| | Colorbeam 100x50 5.5m | CSB10011CLC55 | CLC | each |
| | Colorbeam 100x50 6.0m | • CSBS10011***60 | CLC/HDVW/PPB | each |
| | Colorbeam 100x50 6.5m | CSB10011CLC65 | CLC | each |
| | Colorbeam 100x50 7.0m | CSB10011CLC70 | CLC | each |
| | Colorbeam 100x50 7.5m | CSB10011CLC75 | CLC | each |
| | Colorbeam 100x50 8.0m | CSB10011CLC80 | CLC | each |
| | Colorbeam 150x50 4.0m | CSB15015GA40 | GA | each |
| | Colorbeam 150x50 4.5m | CSB15015GA45 | GA | each |
| | Colorbeam 150x50 5.0m | CSB15015GA50 | GA | each |
| | Colorbeam 150x50 5.5m | CSB15015GA55 | GA | each |
| | Colorbeam 150x50 6.0m | CSB15015GA60 | GA | each |
| | Colorbeam 150x50 6.5m | CSB15015GA65 | GA | each |
| | Colorbeam 150x50 7.0m | CSB15015GA70 | GA | each |
| | Colorbeam 150x50 7.5m | CSB15015GA75 | GA | each |
| | Colorbeam 150x50 8.0m | CSB15015GA80 | GA | each |
| | Colorbeam 150x50 4.0m | • CSBS15015***40 | CLC/HDVW/PPB | each |
| | Colorbeam 150x50 4.5m | CSB15015CLC45 | CLC | each |
| | Colorbeam 150x50 5.0m | CSB15015***50 | CLC/HDVW/PPB | each |
| | Colorbeam 150x50 5.5m | CSB15015CLC55 | CLC | each |
| | Colorbeam 150x50 6.0m | • CSBS15015***60 | CLC/HDVW/PPB | each |
| | Colorbeam 150x50 6.5m | CSB15015CLC65 | CLC | each |
| | Colorbeam 150x50 7.0m | CSB15015CLC70 | CLC | each |
| | Colorbeam 150x50 7.5m | CSB15015CLC75 | CLC | each |
| | Colorbeam 150x50 8.0m | CSB15015***80 | CLC/HDVW/PPB | each |
| | Colorbeam 200x50 4.0m | CSB20020GA40 | GA | each |
| | Colorbeam 200x50 5.0m | CSB20020GA50 | GA | each |
| | Colorbeam 200x50 6.0m | CSB20020GA60 | GA | each |
| | Colorbeam 200x50 7.0m | CSB20020GA70 | GA | each |
| | Colorbeam 200x50 8.0m | CSB20020GA80 | GA | each |
| | Colorbeam 200x50 4.0m | CSB20020CLC40 | CLC | each |
| | Colorbeam 200x50 5.0m | CSB20020CLC50 | CLC | each |
| | Colorbeam 200x50 6.0m | CSB20020CLC60 | CLC | each |
| Colorbeam 200x50 7.0m | CSB20020CLC70 | CLC | each | |
| | Colorbeam 200x50 8.0m | • CSBS20020***80 | CLC/HDVW/PPB | each |

CTL and other colours available. Check for lead time & colours at time of order.

• Stock item Erskine Park - leadtime Ex Erskine Park 48 hours, other beams listed leadtime 5-11 days.

PATIO ROOF DECKING

| | Details | Ordering Code | Finish | Unit |
|--|--|------------------------|--------------|------|
|  | Colorbeam Framing Bracket 100 | CSAFB100GA | GA | each |
| | Colorbeam Framing Bracket 150 | CSAFB150GA | GA | each |
| | Colorbeam Framing Bracket 200 | CSAFB200GA | GA | each |
|  | Colorbeam Framing Bracket 100 | • CSAFB100*** | CLC/HDVW/PPB | each |
| | Colorbeam Framing Bracket 150 | • CSAFB150*** | CLC/HDVW/PPB | each |
| | Colorbeam Framing Bracket 200 | • CSAFB200*** | CLC/HDVW/PPB | each |
|  | Colorbeam Frame Bracket 100 15deg | CSAFB10015GA | GA | each |
| | Colorbeam Frame Bracket 150 15deg | CSAFB15015GA | GA | each |
| | Colorbeam Frame Bracket 200 15deg | CSAFB20015GA | GA | each |
|  | Colorbeam Frame Bracket 100 15deg | • CSAFB10015*** | CLC/HDVW/PPB | each |
| | Colorbeam Frame Bracket 150 15deg | • CSAFB15015*** | CLC/HDVW/PPB | each |
| | Colorbeam Frame Bracket 200 15deg | CSAFB20015CLC | CLC | each |
|  (15° and 22.5°) | Colorbeam Frame Bracket 100 22.5deg | CSAFB10022GA | GA | each |
| | Colorbeam Frame Bracket 150 22.5deg | CSAFB15022GA | GA | each |
| | Colorbeam Frame Bracket 200 22.5deg | CSAFB20022GA | GA | each |
|  | Colorbeam Frame Bracket 100 22.5deg | • CSAFB10022*** | CLC/HDVW/PPB | each |
| | Colorbeam Frame Bracket 150 22.5deg | • CSAFB15022*** | CLC/HDVW/PPB | each |
| | Colorbeam Frame Bracket 200 22.5deg | CSAFB20022CLC | CLC | each |
|  (15° and 22.5°) | Colorbeam Apex 100 15deg | CSAB10015GA | GA | each |
| | Colorbeam Apex 150 15deg | CSAB15015GA | GA | each |
| | Colorbeam Apex 200 15deg | CSAB20015GA | GA | each |
|  | Colorbeam Apex 100 22.5deg | CSAB10022GA | GA | each |
| | Colorbeam Apex 150 22.5deg | CSAB15022GA | GA | each |
| | Colorbeam Apex 200 22.5deg | CSAB20022GA | GA | each |
|  | Colorbeam Apex Plate Cover 100 15deg | CSACP10015GA | GA | each |
| | Colorbeam Apex Plate Cover 150 15deg | CSACP15015GA | GA | each |
| | Colorbeam Apex Plate Cover 200 15deg | CSACP20015GA | GA | each |
|  | Colorbeam Apex Plate Cover 100 22.5deg | CSACP10022GA | GA | each |
| | Colorbeam Apex Plate Cover 150 22.5deg | CSACP15022GA | GA | each |
| | Colorbeam Apex Plate Cover 200 22.5deg | CSACP20022GA | GA | each |
|  | Colorbeam Suspension Bracket 100 | CSSB100GA | GA | each |
| | Colorbeam Suspension Bracket 150 | CSSB150GA | GA | each |
| | Colorbeam Suspension Bracket 200 | CSSB200GA | GA | each |
|  | Colorbeam Suspension Bracket 100 | • CSSB100*** | CLC/HDVW/PPB | each |
| | Colorbeam Suspension Bracket 150 | • CSSB150*** | CLC/HDVW/PPB | each |
| | Colorbeam Suspension Bracket 200 | • CSSB200*** | CLC/HDVW/PPB | each |
|  | Colorbeam Corner Bracket 100 | CSCB100GA | GA | each |
| | Colorbeam Corner Bracket 150 | CSCB150GA | GA | each |
| | Colorbeam Corner Bracket 200 | CSCB200GA | GA | each |


Brackets available in other colours. Check for lead time & colours at time of order.
 •Stock item Erskine Park - leadtime Ex Erskine Park 48 hours.
 Other brackets listed leadtime 5-11 days

PATIO ROOF DECKING

| Details | Ordering Code | Finish | Unit | |
|--|--------------------------------------|------------------|-------------|------|
| | Collar Tie Bracket 15deg | CSCTB10015GA | GA | each |
| | Collar Tie Bracket 15deg | CSCTB15015GA | GA | each |
| | Collar Tie Bracket 15deg | CSCTB20015GA | GA | each |
| | Collar Tie Bracket 22deg | CSCTB10022GA | GA | each |
| | Collar Tie Bracket 22deg | CSCTB15022GA | GA | each |
| | Collar Tie Bracket 22deg | CSCTB20022GA | GA | each |
| | Angle Bracket | CSAB100GA | GA | each |
| | Angle Bracket | CSAB150GA | GA | each |
| | Angle Bracket | CSAB200GA | GA | each |
| | Sunset Support Post 65 x 65 x 2.440 | •SSP6516GA2440 | GA | each |
| | | •SSP6516H***2440 | CLC/DVW/PPB | each |
| | Sunset Support Post 65 x 65 x 3.660 | •SSP6516GA3660 | GA | each |
| | | •SSP6516H***3660 | CLC/DVW/PPB | each |
| | Sunset Support Post 90 x 90 x 3.000 | •SSP9020GA3000 | GA | each |
| | | •SSP9020H***3000 | CLC/DVW/PPB | each |
| <p>*Posts stocked at erskine Park – 48 hour leadtime. Other colours available check leadtime at time of order.</p> | | | | |
| | Free Standing Post Connector 65 x 65 | SSPCFS6565GA | GA | each |
| | Free Standing Post Connector 90 x 90 | SSPCFS9090GA | GA | each |
| | Post Connector 65 x 65 | SSPC6565GA | GA | each |
| | Post Connector 90 x 90 | SSPC9090GA | GA | each |
| | Post Skirt 65 x 65 | SSPS6565 | | each |
| | Post Skirt 90 x 90 | SSPS9090 | | each |
| | Sunset Box Gutter Support Bracket | SSBGSB | | each |
| | Patio Rafter Bracket | PRBGA | | each |
| | Sunset Box Bracket | SSRBAL | ALUM | each |

•Stock item Erskine Park - leadtime Ex Erskine Park 48 hours.


TRILINE GUTTER

| Product | Details | Ordering Code | Finish | BMT | Unit |
|---|---------|---------------|--------|------|-----------|
| Gutters/Accessories | | | | | |
|  | Plain | TGSBPH*** | Gloss | 0.42 | lin metre |
| | Slotted | TGSBSH*** | Gloss | 0.42 | lin metre |

Note: Maximum length manufactured is 9.0m.
Check Branch for colour and stock availability.

ECSA 7700mm²

Accessories




Gutter Stiffener
Overstrap

TGSBZA

ZA

each



Stop End Plate

TGSELH***

Gls


each

TGSERH***

Gls

each

Stramit® S Pattern Stiffened Back



Plain

FGSPH***

Gloss

0.42

lin metre

Slotted

FGSSH***

Gloss

0.42

lin metre

Note: Maximum length manufactured is 9.0m.
Check Branch for colour and stock availability.

ECSA 7900mm²

Accessories




Concealed Bracket
(50/box)

FGSCBZA

ZA

each




Gutter Stiffener
Overstrap

FGSSBZA

ZA

each





Stop End Plate

FGSEH***


Gls

each






GENERAL ACCESSORIES

| Product | Details | Ordering Code | Unit |
|--|--|----------------|--------------|
| General Accessories | | | |
| Sealants  | Silicone Clear | SILCLR - Clear | each |
| | | SILGRY - Grey | each |
| Rivets (3.2 diameter) | Steel with Aluminium Rivet (4.3mm reach) | | |
| | Plain Bags | PR3275 | per pack 100 |
| | Coloured Bags | PR3275*** | per pack 100 |
| | Plain Boxes | PR3275ALBX | per box 1000 |
| | Coloured Boxes | PR3275***BX | per box 1000 |
| Tools | | | |
| Tools  (Not Returnable) | Stop Ending Tool | MCSETD | each |
| | Stramit Monoclad® sheeting | UDSETD | each |
| | Stramit Speed Deck Ultra® deck Stramit Farlap | UDFARLAPSETD | each |

P.A. DOOR

| Product | Size mm | Code | Finish | Unit |
|--|--|-----------------|--------|------|
| P.A. Door | | | | |
| P.A. Door  | 2040 x 820 x 40 | PAD2040820ZA | ZA | each |
| | 54mm Hole Back Set 60mm | PAD2040820X*** | CB | each |
| | NB: No Jambes, Hinges or Lock assembly provided. Lead Time minimum 9 working days. Price includes packaging. | | | |
| Larnec P.A. Door Deluxe | 2040 x 820 x 35 Pre-hung ready to fit NB: Lead time minimum 9 days | PADJ2040820X*** | CB | each |



ROOF VENTILATION

| Details | Ordering Code | Finish | Unit |
|--|--|----------------|--------------|
| Roof Ventilation  | 300mm Domestic Rotary Vent RV300MF RV300*** | Mill Colour | each each |
| *Aluminium Powdercoated | | | |
|  | 300mm Domestic Superflow Rotary Vent RVSF300MF RVSF300*** | Mill Colour | each each |
|  | 450mm Industrial Rotary Vent RV1450MF RV1450*** | Mill Colour | each each |
|  | 600mm Industrial Rotary Vent RV1600MF RV1600*** | Mill Colour | each each |
|  | 900mm Industrial Rotary Vent RV1900MF RV1900*** | Mill Colour | each each |

Please Note: Other diameters available on request.

Industrial ventilators are available standard in Mill Finish and Powder coated units, 10 day Lead time.

VENTED RIDGE / FIXED METAL LOUVRES

| Product | Product Details | Code | Unit |
|--|---|--|--|
| Vented Ridge | | | |
| |  | | |
| |  | | |
| Quad Ventilated ridge | 300mm Throat 450mm Throat 600mm Throat 750mm Throat 900mm Throat 1200mm Throat | VENTRUDZA/X VENTRUDZA/X VENTRUDZA/X VENTRUDZA/X VENTRUDZA/X VENTRUDZA/X | lin metre lin metre lin metre lin metre lin metre lin metre |
| Dual Ventilated Ridge - Downflow Closed Top | 300mm Throat 450mm Throat 600mm Throat | VENTRADZA/X VENTRADZA/X VENTRADZA/X | lin metre lin metre lin metre |


Note: Stop ends included in kit

Under certain circumstances Vented Ridge may mist

Maximum length 8.0m

Allow lead time 5 -7 working days.


Fixed Metal Louvres



100mm Single Stage
 150mm Single Stage
 Available in Zinc or Colorbond

GRIPSPAN WALKWAY

| Description | Ordering Code | Finish | Unit |
|---|---------------|--------|------|
| 600mm Gripspan Roof-Tread Walkway System. | RWS600GA60 | GA | each |





- Gripspan Roof Tread 600™** walkway system consists of:
- 2x Gripspan G51/2G/300 x 6000mm long planks supplied loose
 - 5x M8 x 20mm joining bolts
 - 5x Galvabond Support Channels - 800mm long
 - 10x Neoprene rawnut + stainless steel set screws
 - 10x Anchor Device Clips
 - 10x 14-10 x 75mm Tek Screws

• Handrails + Accessories available on request
 Price on application.
 Refer all queries to your Stramit Account Manager.

Gripspan Roof Tread 600™ planking is designed to provide a safe and simple roof walkway system, that can be used with or without handrails. The Gripspan Roof Tread system has a walkway width of 600mm, to comply with AS1657:1992, and is supplied in stock lengths of 6 metres. Gripspan is particularly suited to incline walkways, offering superior traction. Allow up to 10 working days for delivery.

STRAMIT UNIGUARD™ FIRE RESISTING WALL SYSTEM



Stramit Uniguard™ Fire resisting wall system is a superior fire rated wall cladding product that combines the single layer of specialist fireboard **Promina®60** with your choice from **Stramit Monoclad®**, **Stramit Corrugated®** and **Stramit Longspan®** wall cladding products.

The **Stramit Uniguard™** Fire resisting wall system is suitable for an external wall system for single storey Class 7b and 8 buildings of Type C construction as defined in the Building Code of Australia (BCA96).

Note: System must be designed and installed strictly in accordance with **Stramit Uniguard™ Fire Resisting Wall System Technical Manual**.


| Product | Size mm | Code | Unit |
|---------|---------|------|------|
|---------|---------|------|------|

Promina®60






15 x 2400 x 1200

PB601224




each




FOIL • INSULATION BATTS

| Product | Details | Ordering Code | Cover | Unit |
|---|--|-------------------------------------|---------------------|----------|
| Foil | | | | |
| Aluminium Foil 1.35m x 60m Rolls | 439/203 Light Anti-glare | FLLWAG600 | 81m ² | each |
| | 433/233 Medium Anti-glare | FLMWAG600 | 81m ² | each |
|  | Foil Insulmist 650 | FLIM6502225 | 30m ² | each |
| | Foil Insulmist 650 AG | FLIM650AG2225 | 30m ² | each |
| | Foil Ex Heavy Duty Sisal Tuff | FLEHDST300 | 40.5m ² | each |
| | Foil Ex Heavy Duty Sisal Tuff | FLEHDST600 | 81m ² | each |
|  | Insolbubble 100 (4.5mm thick x 1350wide) (Antiglare) | FLIB100AG2225 | 30m ² | each |
| | Foil Reflecta Cell (7mm thick x 1500mm wide) | FLRC150200 | 30m ² | each |
|  | Foil Reflecta Guard (13mm thick x 1500mm wide) | FLRG15200 | 30m ² | each |
| | Foil Tape | Foil Tape (48mm wide x 50m long) | FLTAPE48500 | each |
| Ceiling Batts | | | | |
|  | R2.5 x 1160 Pack of 16 (115mm thick x 430mm wide) | BBC430R25 | 8m ² | each |
| | R3.0 x 1160 Pack of 16 (140mm thick x 430mm wide) | BBC430R30 | 9m ² | each |
| | R3.5 x 1160 Pack of 16 (160mm thick x 430mm wide) | BBC430R35 | 9m ² | each |
| | R2.5 x 1160 Pack of 16 (115mm thick x 580mm wide) | BBC580R25 | 12.2m ² | each |
| | R3.0 x 1160 Pack of 16 (140mm thick x 580mm wide) | BBC580R30 | 12.2m ² | each |
| | R3.5 x 1160 Pack of 10 (160mm thick x 580mm wide) | BBC580R35 | 7.6m ² | each |
| Wall Batts | | | | |
|  | R1.5 x 1160 Pack of 24 (65mm thick x 430mm wide) | BBW430R15 | 11.97m ² | each |
| | R1.5 x 1160 Pack of 24 (65mm thick x 580mm wide) | BBW580R15 | 16.15m ² | each |
| | Fire Stop Party Wall Batts 1200x168 Pk 10 | BBWFS168 | | per pack |


BUILDING BLANKET • WIRE

| Product | Details | Ordering Code | Roll Size | Unit | |
|---|--|--------------------------------------|------------------|------------------|------|
| Blanket/Wire | | | | | |
| R Value Graded Permastop Building Blanket  | Lightweight foil adhered R1.3 x 20m (55mm thick x 1.2m wide) *18m ² Avail. on Request* | BB55LW200 | 24m ² | each | |
| | | BB55LW150 | 18m ² | each | |
| | R1.3 Cut to Length (55mm thick x 1.2m wide) Minimum of 10 rolls for CTL product. | BB55LW | CTL | lin metre | |
| | R1.8 x 15m (75mm thick x 1.2m wide) | BB75LW150 | 18m ² | each | |
| | R2.5 x 10m (100mm thick x 1.2m wide) | BB100LW100 | 12m ² | each | |
| | R3.0 x 10M (130mm thick x 1.2m wide) | BB130LW100 | 12m ² | each | |
| | Medium weight foil adhered R1.3 x 20m (55mm thick x 1.2m wide) | BB55MW200 | 24m ² | each | |
| | *18m ² Avail. on Request* | BB55MW150 | 18m ² | each | |
| | R1.8 x 15m (75mm thick x 1.2m wide) | BB75MW150 | 18m ² | each | |
| | Heavy weight foil adhered R1.3 x 20m (55mm thick x 1.2m wide) | BB55HW200 | 24m ² | each | |
| | *18m ² Avail. on Request* | BB55HW150 | 18m ² | each | |
| | R1.8 x 15m (75mm thick x 1.2m wide) | BB75HW150 | 18m ² | each | |
| | Allow 3 day lead time for Cut to Length Blanket. Conversion from m ² to lineal metres is 1.2. | | | | |
| | Building Blanket Plain  | *18m ² Avail. on Request* | BB55PLN150 | 18m ² | each |
| R1.8 x 15m (75mm thick x 1.2m wide) | | BB75PLN150 | 18m ² | each | |
| Roof Safety Mesh  | 1.8m x 50m (300 x 150 x 2.0) | WMAUS500 | 90m ² | each | |
| | 2.25m CTL (300 x 150 x 2.0) | WM225AUS | CTL | lin metre | |
| | 2.25m x 50m (300 x 150 x 2.0) | WM225AUS500 | | each | |
| | 2.4m CTL (300 x 150 x 2.0) | WM240AUS | CTL | lin metre | |
| | 1.8m CTL (300 x 150 x 2.0) | WMAUS | CTL | lin metre | |

STANDARD FLASHINGS


| Product Standard Flashings | Details | Ordering | Finish | BMT | Unit | Code |
|---|-----------|--------------|--------|------|-----------|------|
|  | 50 x 50 | AF5055ZA | ZA | 0.55 | lin metre | |
| | | AF5055GA | GA | 0.55 | lin metre | |
| | 75 x 75 | AF7555ZA | ZA | 0.55 | lin metre | |
| | | AF7555GA | GA | 0.55 | lin metre | |
| | 100 x 100 | AF10055ZA | ZA | 0.55 | lin metre | |
| | | AF10055GA | GA | 0.55 | lin metre | |
| | 100 x 150 | AF10015055GA | GA | 0.55 | lin metre | |
| | 150 x 150 | AF15055GA | GA | 0.55 | lin metre | |

Stramit® Corner Mould (0.55 bmt)




| | | | |
|---------------|----|------|-----------|
| CMFC10055ZA | ZA | 0.55 | lin metre |
| CMFC10055X*** | CB | 0.55 | lin metre |

Stramit® Barge Angle (0.55 bmt)




| | | | |
|-----------|----|------|-----------|
| BA255ZA | ZA | 0.55 | lin metre |
| BA255X*** | CB | 0.55 | lin metre |

Stramit® Corner Mould (0.55 bmt)



| | | | |
|---------------|----|------|-----------|
| CMFC15055ZA | ZA | 0.55 | lin metre |
| CMFC15055X*** | CB | 0.55 | lin metre |


Barge Capping



| | | | | | |
|--------|------------|----|------|--------|--|
| BC 9 | | | | | |
| 1800mm | BC955ZA18 | ZA | 0.55 | length | |
| 2400mm | BC955ZA24 | ZA | 0.55 | length | |
| 1800mm | BC955GA18 | GA | 0.55 | length | |
| 2400mm | BC955GA24 | GA | 0.55 | length | |
| BC 10 | | | | | |
| 1800mm | BC1055ZA18 | ZA | 0.55 | length | |
| 2400mm | BC1055ZA24 | ZA | 0.55 | length | |
| 1800mm | BC1055GA18 | GA | 0.55 | length | |
| 2400mm | BC1055GA24 | GA | 0.55 | length | |

Please Note: All flashing this page maximum length 8.0m.

BUILDERS STRAP

| Product Builders Strap/ Folded Trays | Details | Ordering Code | Finish | BMT | Unit |
|---|---|------------------|--------|------|------|
|  | Vermin and weather proof flashing Sold only in 3.0 lengths | VMSEALGRY30 | | 0.55 | each |
| Builders Strap | Coil | | | | |
| | 50 x 32 x 1.2 | BST321250 | GA | | each |
| | 50 x 32 x 1.6 | BST321650 | GA | | each |
| | 50 x 38 x 1.6 | BST381650 | GA | | each |
| | 50 x 50 x 1.2 | BST501250 | GA | | each |

NOTE: Most products on this page available ex Sydney and subject to lead time. Check when placing order.

CUSTOM FLASHINGS – ORDERING PROCEDURE

ORDERING PROCEDURE

1. Choose the appropriate profile type, material and finish
2. If Colour, nominate the side on which colour is required
3. Nominate the dimensions by the letters shown on diagrams
4. Nominate the angles on all bends
5. Nominate the quantity and length of profile

EXAMPLE

1. Type 4, Colour Surfmist
2. Colour on side C
3. A – 15mm, B – 100mm, C – 150mm, D – 150mm
4. CB = 90°, CD = 90°, AB = 65°
5. 1 off, 2550mm

Custom Flashing orders must be faxed, Custom Flashings will not be taken over the phone.

Refer to page 14 for Custom Flashing Detail Sheet.

Internal Bends minimum 15mm.

Maximum length manufactured is 8.000m.

| | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <p>Type 1</p> | <p>Type 2</p> | <p>Type 3</p> | <p>Type 4</p> | <p>Type 5</p> | <p>Type 6</p> |
| <p>Type 7</p> | <p>Type 8</p> | <p>Type 9</p> | <p>Type 10</p> | <p>Type 11</p> | <p>Type 12</p> |
| <p>Type 13</p> | <p>Type 14</p> | <p>Type 15</p> | <p>Type 16</p> | <p>Type 17</p> | <p>Type 18</p> |
| <p>Type 19</p> | <p>Type 20</p> | <p>Type 21</p> | <p>Type 22</p> | <p>Type 23</p> | <p>Type 24</p> |
| <p>Type 25</p> | <p>Type 26</p> | <p>Type 27</p> | <p>Type 28</p> | <p>Type 29</p> | <p>Type 30</p> |

NOTE: These products are made to order, NON RETURNABLE

CUSTOM FLASHINGS

COLORBOND® 0.55 BMT

Ordering Code: CF055 _ _ X***

| Girth Width (mm) | No of Bends | | | | | | | | |
|---------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 001-100 (B) | CF055B00X*** | CF055B01X*** | CF055B02X*** | CF055B03X*** | CF055B04X*** | CF055B05X*** | CF055B06X*** | CF055B07X*** | CF055B08X*** |
| 101-150 (C) | CF055C00X*** | CF055C01X*** | CF055C02X*** | CF055C03X*** | CF055C04X*** | CF055C05X*** | CF055C06X*** | CF055C07X*** | CF055C08X*** |
| 151-200 (D) | CF055D00X*** | CF055D01X*** | CF055D02X*** | CF055D03X*** | CF055D04X*** | CF055D05X*** | CF055D06X*** | CF055D07X*** | CF055D08X*** |
| 201-250 (E) | CF055E00X*** | CF055E01X*** | CF055E02X*** | CF055E03X*** | CF055E04X*** | CF055E05X*** | CF055E06X*** | CF055E07X*** | CF055E08X*** |
| 251-300 (F) | CF055F00X*** | CF055F01X*** | CF055F02X*** | CF055F03X*** | CF055F04X*** | CF055F05X*** | CF055F06X*** | CF055F07X*** | CF055F08X*** |
| 301-350 (G) | CF055G00X*** | CF055G01X*** | CF055G02X*** | CF055G03X*** | CF055G04X*** | CF055G05X*** | CF055G06X*** | CF055G07X*** | CF055G08X*** |
| 351-400 (H) | CF055H00X*** | CF055H01X*** | CF055H02X*** | CF055H03X*** | CF055H04X*** | CF055H05X*** | CF055H06X*** | CF055H07X*** | CF055H08X*** |
| 401-500 (J) | CF055J00X*** | CF055J01X*** | CF055J02X*** | CF055J03X*** | CF055J04X*** | CF055J05X*** | CF055J06X*** | CF055J07X*** | CF055J08X*** |
| 501-600 (L) | CF055L00X*** | CF055L01X*** | CF055L02X*** | CF055L03X*** | CF055L04X*** | CF055L05X*** | CF055L06X*** | CF055L07X*** | CF055L08X*** |
| 601-700 (N) | CF055N00X*** | CF055N01X*** | CF055N02X*** | CF055N03X*** | CF055N04X*** | CF055N05X*** | CF055N06X*** | CF055N07X*** | CF055N08X*** |
| 701-800 (P) | CF055P00X*** | CF055P01X*** | CF055P02X*** | CF055P03X*** | CF055P04X*** | CF055P05X*** | CF055P06X*** | CF055P07X*** | CF055P08X*** |
| 801-900 (R) | CF055R00X*** | CF055R01X*** | CF055R02X*** | CF055R03X*** | CF055R04X*** | CF055R05X*** | CF055R06X*** | CF055R07X*** | CF055R08X*** |
| 901-1000 (T) | CF055T00X*** | CF055T01X*** | CF055T02X*** | CF055T03X*** | CF055T04X*** | CF055T05X*** | CF055T06X*** | CF055T07X*** | CF055T08X*** |
| 1001-1100 (V) | CF055V00X*** | CF055V01X*** | CF055V02X*** | CF055V03X*** | CF055V04X*** | CF055V05X*** | CF055V06X*** | CF055V07X*** | CF055V08X*** |
| 1101-1200 (X) | CF055X00X*** | CF055X01X*** | CF055X02X*** | CF055X03X*** | CF055X04X*** | CF055X05X*** | CF055X06X*** | CF055X07X*** | CF055X08X*** |

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

COLORBOND® GLOSS 0.55 BMT

Ordering Code: CF055 _ _ H***

| Girth Width (mm) | No of Bends | | | | | | | | |
|---------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 001-100 (B) | CF055B00H*** | CF055B01H*** | CF055B02H*** | CF055B03H*** | CF055B04H*** | CF055B05H*** | CF055B06H*** | CF055B07H*** | CF055B08H*** |
| 101-150 (C) | CF055C00H*** | CF055C01H*** | CF055C02H*** | CF055C03H*** | CF055C04H*** | CF055C05H*** | CF055C06H*** | CF055C07H*** | CF055C08H*** |
| 151-200 (D) | CF055D00H*** | CF055D01H*** | CF055D02H*** | CF055D03H*** | CF055D04H*** | CF055D05H*** | CF055D06H*** | CF055D07H*** | CF055D08H*** |
| 201-250 (E) | CF055E00H*** | CF055E01H*** | CF055E02H*** | CF055E03H*** | CF055E04H*** | CF055E05H*** | CF055E06H*** | CF055E07H*** | CF055E08H*** |
| 251-300 (F) | CF055F00H*** | CF055F01H*** | CF055F02H*** | CF055F03H*** | CF055F04H*** | CF055F05H*** | CF055F06H*** | CF055F07H*** | CF055F08H*** |
| 301-350 (G) | CF055G00H*** | CF055G01H*** | CF055G02H*** | CF055G03H*** | CF055G04H*** | CF055G05H*** | CF055G06H*** | CF055G07H*** | CF055G08H*** |
| 351-400 (H) | CF055H00H*** | CF055H01H*** | CF055H02H*** | CF055H03H*** | CF055H04H*** | CF055H05H*** | CF055H06H*** | CF055H07H*** | CF055H08H*** |
| 401-500 (J) | CF055J00H*** | CF055J01H*** | CF055J02H*** | CF055J03H*** | CF055J04H*** | CF055J05H*** | CF055J06H*** | CF055J07H*** | CF055J08H*** |
| 501-600 (L) | CF055L00H*** | CF055L01H*** | CF055L02H*** | CF055L03H*** | CF055L04H*** | CF055L05H*** | CF055L06H*** | CF055L07H*** | CF055L08H*** |
| 601-700 (N) | CF055N00H*** | CF055N01H*** | CF055N02H*** | CF055N03H*** | CF055N04H*** | CF055N05H*** | CF055N06H*** | CF055N07H*** | CF055N08H*** |
| 701-800 (P) | CF055P00H*** | CF055P01H*** | CF055P02H*** | CF055P03H*** | CF055P04H*** | CF055P05H*** | CF055P06H*** | CF055P07H*** | CF055P08H*** |
| 801-900 (R) | CF055R00H*** | CF055R01H*** | CF055R02H*** | CF055R03H*** | CF055R04H*** | CF055R05H*** | CF055R06H*** | CF055R07H*** | CF055R08H*** |
| 901-1000 (T) | CF055T00H*** | CF055T01H*** | CF055T02H*** | CF055T03H*** | CF055T04H*** | CF055T05H*** | CF055T06H*** | CF055T07H*** | CF055T08H*** |
| 1001-1100 (V) | CF055V00H*** | CF055V01H*** | CF055V02H*** | CF055V03H*** | CF055V04H*** | CF055V05H*** | CF055V06H*** | CF055V07H*** | CF055V08H*** |
| 1101-1200 (X) | CF055X00H*** | CF055X01H*** | CF055X02H*** | CF055X03H*** | CF055X04H*** | CF055X05H*** | CF055X06H*** | CF055X07H*** | CF055X08H*** |

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

NOTE: *Stramit® Custom Flashings* are sold/invoiced by finish, girth and number of bends.

Stramit® Custom Flashings are available on a minimum 2 day lead time. Please confirm lead time at point of order.

Stramit® Custom Flashings details cannot be taken over the phone.

We require a drawing and recommend the use of our Flashing Detail Page (fax details to ensure manufacture of flashings correct to customer requirement).

Maximum lengths: 8.0m ex Erskine Park, Newcastle, Orange, Queanbeyan & Coffs Harbour. Subject to delivery location and suitability of flashing shape.

NOTE: These products are made to order, NON RETURNABLE

NOTE: For all flashing orders, send your profile details by fax direct to your internal sales contact. Refer to Standard Delivery Details on Page 80.

CUSTOM FLASHINGS

ZINCALUME 0.55 BMT

Ordering Code: CF055 __ _ZA

| Girth Width (mm) | No of Bends | | | | | | | | |
|---------------------|-------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 001-100 (B) | CF055B00ZA | CF055B01ZA | CF055B02ZA | CF055B03ZA | CF055B04ZA | CF055B05ZA | CF055B06ZA | CF055B07ZA | CF055B08ZA |
| 101-150 (C) | CF055C00ZA | CF055C01ZA | CF055C02ZA | CF055C03ZA | CF055C04ZA | CF055C05ZA | CF055C06ZA | CF055C07ZA | CF055C08ZA |
| 151-200 (D) | CF055D00ZA | CF055D01ZA | CF055D02ZA | CF055D03ZA | CF055D04ZA | CF055D05ZA | CF055D06ZA | CF055D07ZA | CF055D08ZA |
| 201-250 (E) | CF055E00ZA | CF055E01ZA | CF055E02ZA | CF055E03ZA | CF055E04ZA | CF055E05ZA | CF055E06ZA | CF055E07ZA | CF055E08ZA |
| 251-300 (F) | CF055F00ZA | CF055F01ZA | CF055F02ZA | CF055F03ZA | CF055F04ZA | CF055F05ZA | CF055F06ZA | CF055F07ZA | CF055F08ZA |
| 301-350 (G) | CF055G00ZA | CF055G01ZA | CF055G02ZA | CF055G03ZA | CF055G04ZA | CF055G05ZA | CF055G06ZA | CF055G07ZA | CF055G08ZA |
| 351-400 (H) | CF055H00ZA | CF055H01ZA | CF055H02ZA | CF055H03ZA | CF055H04ZA | CF055H05ZA | CF055H06ZA | CF055H07ZA | CF055H08ZA |
| 401-500 (J) | CF055J00ZA | CF055J01ZA | CF055J02ZA | CF055J03ZA | CF055J04ZA | CF055J05ZA | CF055J06ZA | CF055J07ZA | CF055J08ZA |
| 501-600 (L) | CF055L00ZA | CF055L01ZA | CF055L02ZA | CF055L03ZA | CF055L04ZA | CF055L05ZA | CF055L06ZA | CF055L07ZA | CF055L08ZA |
| 601-700 (N) | CF055N00ZA | CF055N01ZA | CF055N02ZA | CF055N03ZA | CF055N04ZA | CF055N05ZA | CF055N06ZA | CF055N07ZA | CF055N08ZA |
| 701-800 (P) | CF055P00ZA | CF055P01ZA | CF055P02ZA | CF055P03ZA | CF055P04ZA | CF055P05ZA | CF055P06ZA | CF055P07ZA | CF055P08ZA |
| 801-900 (R) | CF055R00ZA | CF055R01ZA | CF055R02ZA | CF055R03ZA | CF055R04ZA | CF055R05ZA | CF055R06ZA | CF055R07ZA | CF055R08ZA |
| 901-1000 (T) | CF055T00ZA | CF055T01ZA | CF055T02ZA | CF055T03ZA | CF055T04ZA | CF055T05ZA | CF055T06ZA | CF055T07ZA | CF055T08ZA |
| 1001-1100 (V) | CF055V00ZA | CF055V01ZA | CF055V02ZA | CF055V03ZA | CF055V04ZA | CF055V05ZA | CF055V06ZA | CF055V07ZA | CF055V08ZA |
| 1101-1200 (X) | CF055X00ZA | CF055X01ZA | CF055X02ZA | CF055X03ZA | CF055X04ZA | CF055X05ZA | CF055X06ZA | CF055X07ZA | CF055X08ZA |

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

GALVANISED 0.55 BMT

Ordering Code: CF055 __ _GA

| Girth Width (mm) | No of Bends | | | | | | | | |
|---------------------|-------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 001-100 (B) | CF055B00GA | CF055B01GA | CF055B02GA | CF055B03GA | CF055B04GA | CF055B05GA | CF055B06GA | CF055B07GA | CF055B08GA |
| 101-150 (C) | CF055C00GA | CF055C01GA | CF055C02GA | CF055C03GA | CF055C04GA | CF055C05GA | CF055C06GA | CF055C07GA | CF055C08GA |
| 151-200 (D) | CF055D00GA | CF055D01GA | CF055D02GA | CF055D03GA | CF055D04GA | CF055D05GA | CF055D06GA | CF055D07GA | CF055D08GA |
| 201-250 (E) | CF055E00GA | CF055E01GA | CF055E02GA | CF055E03GA | CF055E04GA | CF055E05GA | CF055E06GA | CF055E07GA | CF055E08GA |
| 251-300 (F) | CF055F00GA | CF055F01GA | CF055F02GA | CF055F03GA | CF055F04GA | CF055F05GA | CF055F06GA | CF055F07GA | CF055F08GA |
| 301-350 (G) | CF055G00GA | CF055G01GA | CF055G02GA | CF055G03GA | CF055G04GA | CF055G05GA | CF055G06GA | CF055G07GA | CF055G08GA |
| 351-400 (H) | CF055H00GA | CF055H01GA | CF055H02GA | CF055H03GA | CF055H04GA | CF055H05GA | CF055H06GA | CF055H07GA | CF055H08GA |
| 401-500 (J) | CF055J00GA | CF055J01GA | CF055J02GA | CF055J03GA | CF055J04GA | CF055J05GA | CF055J06GA | CF055J07GA | CF055J08GA |
| 501-600 (L) | CF055L00GA | CF055L01GA | CF055L02GA | CF055L03GA | CF055L04GA | CF055L05GA | CF055L06GA | CF055L07GA | CF055L08GA |
| 601-700 (N) | CF055N00GA | CF055N01GA | CF055N02GA | CF055N03GA | CF055N04GA | CF055N05GA | CF055N06GA | CF055N07GA | CF055N08GA |
| 701-800 (P) | CF055P00GA | CF055P01GA | CF055P02GA | CF055P03GA | CF055P04GA | CF055P05GA | CF055P06GA | CF055P07GA | CF055P08GA |
| 801-900 (R) | CF055R00GA | CF055R01GA | CF055R02GA | CF055R03GA | CF055R04GA | CF055R05GA | CF055R06GA | CF055R07GA | CF055R08GA |
| 901-1000 (T) | CF055T00GA | CF055T01GA | CF055T02GA | CF055T03GA | CF055T04GA | CF055T05GA | CF055T06GA | CF055T07GA | CF055T08GA |
| 1001-1100 (V) | CF055V00GA | CF055V01GA | CF055V02GA | CF055V03GA | CF055V04GA | CF055V05GA | CF055V06GA | CF055V07GA | CF055V08GA |
| 1101-1200 (X) | CF055X00GA | CF055X01GA | CF055X02GA | CF055X03GA | CF055X04GA | CF055X05GA | CF055X06GA | CF055X07GA | CF055X08GA |

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

NOTE: **Stramit® Custom Flashings** are sold/invoiced by finish, girth and number of bends.

Stramit® Custom Flashings are available on a minimum 2 day lead time. Please confirm lead time at point of order.

Stramit® Custom Flashings details cannot be taken over the phone.

We require a drawing and recommend the use of our Flashing Detail Page (fax details to ensure manufacture of flashings correct to customer requirement).

Maximum lengths: 8.0m ex Erskine Park, Newcastle, Orange, Queanbeyan & Coffs Harbour. Subject to delivery location and suitability of flashing shape. NOTE: These products are made to order, NON RETURNABLE











FLAT SHEET

| Product Flat Sheet | Details | Ordering Code | Unit EA |
|--------------------|---------|----------------|-----------|
| 1200 x 2400 x 0.55 | ZA | FS120055ZA24 | per sheet |
| | GA | CF055 __ _GA | per sheet |
| | CB | FS120055X***24 | per sheet |















Note: Non stock item made to order 48 hour lead time.

NOTE: For all flashing orders, send your profile details by fax direct to your internal sales contact. Refer to Standard Delivery Details on Page 80.













FASCIA • ACCESSORIES

| Product | Details | Ordering Code | Finish | Unit |
|---|--|--|----------------------|------------------------------|
| Fascia/Accessories | | | | |
| Stramit® Fascia Board & Fascia Cover | Fascia Board | FBZA FBX*** | ZA CB | lin metre lin metre |
| | Fascia Cover | FBCOVZA FBCOVX*** | ZA CB | lin metre lin metre |
|  | Minimum length is 500mm Maximum length is 9.0m | | | |
| | Also available in premium finishes. Refer page 60 for details. | | | |
| Fascia Board | Fascia Cover | | | |
| Accessories | | | | |
|  | Rafter Bracket (50/box) (Fascia Board Bracket) | FBVRBGA | GA | each |
|  | Fascia Splice Plate (Joiner) | FBSPZA | ZA | each |
|  | External Corner (45°) (90°) | FBEC45ZA FBEC45X*** FBECZA FBECX*** | ZA CB ZA CB | each each each each |
|  | Internal Corner Cap (45°) (90°) | FBIC45ZA FBIC45X*** FBICZA FBICX*** | ZA CB ZA CB | each each each each |
|  | Snap Clip (Box 300) | FBSCZA | Coated | each |
|  | Bat Clip | BATOC | | each |
|  | Barge Gutter (rollformed) Cut to Length (Ex Erskine Pk) | FBBGZA FBBGX*** | ZA CB | lin metre lin metre |
|  | Barge Corner (LH Blank) (RH Blank) | FBBCLZA FBBCLX*** FBBCRZA FBBCRX*** | ZA CB ZA CB | each each each each |
|  | Apex Cover Plate | FBAJZA FBAJX*** | ZA CB | each each |









GUTTERS • ACCESSORIES

| Product Gutters/Accessories | Details | Ordering Code | Finish | Unit |
|---|--|--|--|------------------------------|
| Stramit® Hi Front Quad 115 Plain  | Cut to length Plain ECSA 5300mm ² | QV115PZA | ZA | lin metre |
| | | QV115PX*** | CB | lin metre |
| Slotted  | Cut to length Slotted Minimum length is 500mm Maximum length is 9.0m ECSA 5200mm ² | QV115SZA | ZA | lin metre |
| | | QV115SX*** | CB | lin metre |
| Accessories             | Concealed Bracket (80/box) | QV115CBZA | ZA | each |
| | Gutter Stiffener (150/box) | QV115SBZA | ZA | each |
| | Gutter Hook Back Stiffener (200/box) | QV115HSBZA | ZA | each |
| | External Brackets (80/box) | QV115EBZA | ZA | each |
| | | QV115EBX*** | CB | each |
| | Overstrap | QOSGA | GA | each |
| | Snap Clip (Box 300) | FBSCZA | Coated | each |
| | Bat Clip | BATOC | | each |
| | Gutter Spacer | FBGS | | |
| | Insertion Tool | FBGST | | |
| | Cast Angles – 2 Piece Int/Ext x 45° | QV115CAE45MF QV115CAE45X*** QV115CAI45MF QV115CAI45X*** | Mill Finish Colour Mill Finish Colour | each each each each |
| | Int/Ext x 90° | QV115CAEMF QV115CAEX*** QV115CAIMF QV115CAIX*** | Mill Finish Colour Mill Finish Colour | each each each each |
| | Stop End Plates Left/Right | QV115SELZA QV115SERZA QV115SELX*** QV115SERX*** | ZA ZA CB CB | each each each each |


GUTTERS • ACCESSORIES

| Product Gutters/Accessories | Details | Ordering Code | Finish | Unit |
|---|--|------------------|-------------|---------------|
|  | Cut to length ECSA 4700mm ² NOTE: Minimum length is 500mm. Maximum length is 9.0m Not all colours kept in stock. Check Branch for colour availability. | QN115ZA | ZA | per lin metre |
| | | QN115X*** | CB | per lin metre |
| | | QN115GA | GA | per lin metre |
| | | | | |
| Accessories | | | | |
|  | Concealed Bracket (100/box) | QN115CBZA | ZA | each |
|  | Gutter Stiffener Nail Thru (Timber Fascia) | QN115SBNT | ZA | each |
|  | Gutter Stiffener (Metal Fascia for use with Snap Clip) (150/box) | QN115SBZA | ZA | each |
|  | External Brackets (100/box) | QN115EBZA | ZA | each |
| | | QN115EBGA | GA | each |
| | | QN115EBX*** | CB | each |
|  | Overstrap | Q0SGA | GA | each |
|  | Snap Clip (Box 300) | FBSCZA | Coated | each |
|  | Bat Clip | BATOC | | each |
| Cast Angles | | | | |
|  | Int/Ext x 45° (2 piece) | QN115CAE45MF | Mill Finish | each |
| | | QN115CAE45X*** | CB | each |
| | | QN115CAI45MF | Mill Finish | each |
| | | QN115CAI45X*** | CB | each |
|  | Int/Ext x 90° (1 piece) | QN115CAE1MF | Mill Finish | each |
| | | QN115CAE1X*** | CB | each |
| | | QN115CAI1MF | Mill Finish | each |
| | | QN115CAI1X*** | CB | each |
|  | Stop End Plates Left/Right | QN115SERZA | ZA | each |
| | | QN115SELZA | ZA | each |
| | | QN115SERGA | GA | each |
| | | QN115SELGA | GA | each |
| | | QN115SERX*** | CB | each |
| | | QN115SELX*** | CB | each |
| Conventional Angles | | | | |
|  | Suit Stramit® Quad 115 NSW Pattern | | | |
| | Conv. Angles | | | |
| | External | QN115ECGA | GA | each |
| Internal | QN115ICGA | GA | each | |






GUTTERS • ACCESSORIES

| Product | Details | Ordering Code | Finish | Unit |
|---|---|--|--|--|
| Gutters/Accessories | | | | |
| Stramit® Quad 125 NSW Pattern  | available on request | QN125ZA QN125X*** | ZA CB | per lin metre per lin metre |
| | 6.0m stock length | QN125 GA60 | GA | each |
| | ECSA 6200mm ² NOTE: Minimum length is 500mm. Maximum length is 9.0m. | | | |
| Accessories | Concealed Bracket (100/box) | QN125CBZA | ZA | each |
|  | Gutter Stiffener (150/box) | QN125SBZA | ZA | each |
|  | External Brackets (100/box) | QN125EBZA QN125EBGA QN125EBX*** | ZA GA CB | each each each |
|  | Overstrap | QOSGA | GA | each |
|  | Snap Clip (Box 300) | FBSCZA | Coated | each |
|  | Stop End Plates | QN125SELZA QN125SERZA QN125SELGA QN125SERGA QN125SELX*** QN125SERX*** | ZA ZA GA GA CB CB | each each each each each each |
| Cast Angles - 1 Piece | Int/Ext x 90 | QN125CAI1MF QN125CAI1X*** QN125CAE1MF QN125CAE1X*** | Mill Finish Colour Mill Finish Colour | each each each each |
|  | | | | |
| Conventional Angles | Suit Stramit® Quad 125 NSW Pattern Conv. Angles | | | |
|  | External | QN125ECGA | GA | each |
| | Internal | QN125ICGA | GA | each |








LEAFGUARD

| Product | Details | Ordering Code | Finish | Unit |
|---|---|---------------|--------|------------|
| Leafguard | Suits Stramit® Hi Front Quad 115 | GGTRZA1200 | ZA | Pack of 20 |
|  | | | | |










GUTTERS • ACCESSORIES

| Product | Details | Ordering Code | Finish | Unit |
|--|----------------------------|---|-----------------|-------------------------------------|
| Gutters/Accessories | | | | |
| Stramit® M Pattern  | Plain | FGMPZA FGMPX*** | ZA CB | lin metre lin metre |
| | Slotted | FGMSZA FGMSX*** | ZA CB | lin metre lin metre |
| ECSA 7900mm ² NOTE: Minimum length is 500mm. Maximum length manufactured is 9.0m Check Branch for stock availability. | | | | |
| Accessories  | Concealed Bracket (50/box) | FGMCBZA | ZA | each |
| | Gutter Stiffener | FGMSBZA | ZA | each |
| | Stop End Plate | FGSEZA | ZA | each |
| | | FGSEX*** | CB | each |
| Snap Clip (Box 300) | FBSCZA | Coated | each | |
| Stramit® S Pattern Stiffened Back  | Plain | FGSPZA FGSPX*** FGSPH*** | ZA CB GLS | lin metre lin metre lin metre |
| | Slotted | FGSSZA FGSSX*** FGSSH*** | ZA CB GLS | lin metre lin metre lin metre |
| ECSA 7900mm ² NOTE: Maximum length manufactured is 9.0m. Check Branch for stock availability. | | | | |
| Accessories  | Concealed Bracket (50/box) | FGSCBZA | ZA | each |
| | Gutter Stiffener Overstrap | FGSSBZA | ZA | each |
| | Stop End Plate | FGSEZA | ZA | each |
| FGSEX*** | | CB | each | |
| Stramit® Fascia Capping  | Cut to length | FGBCZA | ZA | lin metre |
| | | FGBCX*** | CB | lin metre |
| NOTE: Minimum length is 500mm. NOTE: Maximum length manufactured is 9.0m. Check Branch for stock availability. | | | | |









TRILINE GUTTER

| Product Gutters/Accessories | Details | Ordering Code | Finish | Unit | |
|---|--|---|-----------------|-------------------------------------|------|
| Stramit Triline™ Stiffened Back  | Plain | TGSBPZA TGSBPX*** TGSBPH*** | ZA CB GLS | lin metre lin metre lin metre | |
| | Slotted | TGSBSZA TGSBSX*** TGSBSH*** | ZA CB GLS | lin metre lin metre lin metre | |
| | ECSA 7700mm ² NOTE: Maximum length manufactured is 9.0m. Check Branch for colours in Gloss and stock availability. | | | | |
| | Accessories | | | | |
| |  | Gutter Stiffener Overstrap | TGSBZA | ZA | each |
| |  | Stop End Plate | TGSELZA | ZA | each |
| | | | TGSELX*** | CB | each |
| TGSELH*** | | | GLS | each | |
| TGSERZA | | | ZA | each | |
| TGSERX*** TGSERH*** | | | CB GLS | each each | |
| Stramit Triline™ Hook Back  | Plain | TGHBPZA TGHBPX*** | ZA CB | lin metre lin metre | |
| | Slotted | TGHBSZA TGHBSX*** | ZA CB | lin metre lin metre | |
| | ECSA 7700mm ² NOTE: Maximum length manufactured is 9.0m. Check Branch for colours in Gloss and stock availability. | | | | |
| | Accessories | | | | |
| |  | Snap Clip (Box 300) | FBSCZA | Coated | each |
| |  | Gutter Stiffener Overstrap | TGSBZA | ZA | each |
| Stop End Plate | | | TGSELZA | ZA | each |
| | | | TGSELX*** | CB | each |
| | | | TGSERZA | ZA | each |
| | | | TGSERX*** | CB | each |
| Stramit Triline™ Capping  | Cut to length | TBCZA | ZA | lin metre | |
| | | TBCX*** | CB | lin metre | |
| | | NOTE: Maximum length manufactured is 9.0m. Check Branch for stock availability. | | | |





GUTTERS • ACCESSORIES

| Product Gutters/Accessories | Details | Ordering Code | Finish | Unit |
|--|--|-----------------|--------|-----------|
| Stramit® 150 Half Round Gutter  | 150 Plain | HRGR150PZA | ZA | lin metre |
| | | HRGR150PX*** | CB | lin metre |
| | 150 Slotted | HRGR150SZA | ZA | lin metre |
| | | HRGR150SX*** | CB | lin metre |
| | ECSA 7700mm ² NOTE: Minimum length is 500mm. Maximum length is 9.0m. | | | |
| Stop End Plates  | 150 | HRG150SERZA | ZA | each |
| | | HRG150SELZA | ZA | each |
| | | HRG150SELX*** | CB | each |
| | | HRG150SERX*** | CB | each |
| External Brackets  | 150 | HRG150BA1ZA | ZA | each |
| | | HRG150BA1X*** | CB | each |
| | | HRG150BA2ZA | ZA | each |
| | | HRG150BA2X*** | CB | each |
| | | HRG150BA4ZA | ZA | each |
| | | HRG150BA4X*** | CB | each |
| 90mm Cast Half Round Nozzles  | Suits 150 Gutter | HRG90NOZZA | ZA | each |
| | | HRG90NOZX*** | CB | each |
| | | HRG10050NOZZA | ZA | each |
| | | HRG10050NOZX*** | CB | each |
| | | HRG10075NOZZA | ZA | each |
| | | HRG10075NOZX*** | CB | each |
| Cast Internal/External 2 Piece Corners  | 150 | HRG150CAE45MF | MF | each |
| | 150 | HRG150CAE45X*** | CB | each |
| | | HRG150CAEMF | MF | each |
| | | HRG150CAEX*** | CB | each |
| | | HRG150CAI45MF | MF | each |
| | | HRG150CAI45X*** | CB | each |
| | | HRG150CAIMF | MF | each |
| | | HRG150CAIX*** | CB | each |
| Stramit® Flatback Half Round Gutter  | 150 Plain | HRGFB150PZA | ZA | lin metre |
| | | HRGFB150PX*** | CB | lin metre |
| | 150 Slotted | HRGFB150SZA | ZA | lin metre |
| | | HRGFB150SX*** | CB | lin metre |
| | ECSA 7800mm ² NOTE: Minimum length is 500mm. Maximum length is 9.0m. | | | |
| Stop End Plates  | 150 | HRGFB150SERZA | ZA | each |
| | 150 | HRGFB150SELZA | ZA | each |
| | | HRGFB150SERX*** | CB | each |
| | | HRGFB150SELX*** | CB | each |
| Stiffener Brackets  | 150 | HRGFB150CSBZA | ZA | each |
| | | HRGFB150OSZA | ZA | each |
| Snap Clip | (Box 300) | FBSCZA | Plated | each |
| Gutter Spacer | | FBGS | | |
| Insertion Tool | | FBGST | | |
| External Brackets | 150 | HRGFB150EBX*** | CB | each |
| Cast Internal/External 2 Piece Corners  | 150 | HRGFB15045IMF | MF | each |
| | 150 | HRGFB15045IX*** | CB | each |
| | | HRGFB15045EMF | MF | each |
| | | HRGFB15045EX*** | CB | each |
| | | HRGFB150CAIMF | MF | each |
| | | HRGFB150CAIX*** | CB | each |
| | | HRGFB150CAEMF | MF | each |
| | HRGFB150CAEX*** | CB | each | |

GUTTERS • ACCESSORIES


| Product | Size | Ordering Code | | Unit |
|--|--------------------|---------------|---------------|-----------|
| Gutters/Accessories | | PLAIN | COLOUR | |
| Stramit® Half Round Gutter | | | | |
|  | 100 | HRG100ZA | HRG100X*** | lin metre |
| | 125 | HRG125ZA | HRG125X*** | lin metre |
| | 200 | HRG200ZA | HRG200X*** | lin metre |
| | 250 | HRG250ZA | HRG250X*** | lin metre |
| | †300 | HRG300ZA | HRG300X*** | lin metre |
| Available CTL up to 6 metres. | | | | |
| NOTE: Allow minimum 10 working days delivery for Half Round Gutter and accessories. | | | | |
| NOTE: Check Regional Centres on lead times. | | | | |
| <hr/> | | | | |
| Half Round Stop End Plates | | | | |
|  | 100 | HRG100SEZA | HRG100SEX*** | ea |
| | 125 | HRG125SEZA | HRG125SEX*** | ea |
| | 200 | HRG200SEZA | HRG200SEX*** | ea |
| | 250 | HRG250SEZA | HRG250SEX*** | ea |
| | 300 | HRG300SEZA | HRG300SEX*** | ea |
| <hr/> | | | | |
| Half Round A1 Brackets | | | | |
|  | 100 | HRG100BA1ZA | HRG100BA1X*** | ea |
| | 125 | | HRG125BA1X*** | ea |
| | 200 | HRG200BA1ZA | HRG200BA1X*** | ea |
| <hr/> | | | | |
| Half Round A2 | | | | |
|  | 125 | | HRG125BA2X*** | ea |
| | 200 | | HRG200BA2X*** | ea |
| <hr/> | | | | |
| Heavy Duty Brackets A4 | | | | |
|  | 200 | HRG200BA4ZA | HRG200BA4X*** | ea |
| | 250 | HRG250BA4ZA | HRG250BA4X*** | ea |
| | 300 | HRG300BA4ZA | HRG300BA4X*** | ea |
| <hr/> | | | | |
| Half Round External Corners | | | | |
|  | 100 | HRG100ECZA | HRG100ECX*** | ea |
| | 125 | HRG125ECZA | HRG125ECX*** | ea |
| | 200 | HRG200ECZA | HRG200ECX*** | ea |
| | 250 | HRG250ECZA | HRG250ECX*** | ea |
| | 300 | HRG300ECZA | HRG300ECX*** | ea |
| <hr/> | | | | |
| Half Round Internal Corners | | | | |
|  | 100 | HRG100ICZA | HRG100ICX*** | ea |
| | 125 | HRG125ICZA | HRG125ICX*** | ea |
| | 200 | HRG200ICZA | HRG200ICX*** | ea |
| | 250 | HRG250ICZA | HRG250ICX*** | ea |
| | 300 | HRG300ICZA | HRG300ICX*** | ea |
| <hr/> | | | | |
| * E = External or I = Internal | | | | |
| <hr/> | | | | |
| Half Round Nozzles | | | | |
|  | 75 | HRG75NOZZA | HRG75NOZX*** | ea |
| | 100 | HRG100NOZZA | HRG100NOZX*** | ea |
| | Suits 150mm gutter | | | |
| | 125 | HRG125NOZZA | HRG125NOZX*** | ea |
| | Suits 200mm gutter | | | |
| | 150 | HRG150NOZZA | HRG150NOZX*** | ea |
| Suits 200, 250 & 300mm gutters | | | | |

GUTTERS • ACCESSORIES

| Product | Details | Ordering Code | Finish | Unit |
|--|--|----------------------|--------|------|
| Gutters/Accessories | | | | |
| Stramit® Ogee Heritage  | 3.600m Lengths only ECSA 6000mm ² NOTE: This product made to order – check lead times. NOTE: Check Regional Centres on lead times. | HOG125ZA36 | ZA | each |
| | | HOG125GA36 | GA | each |
| | | HOG125X***36 | CB | each |
| | | | | |
| Accessories    | External Bracket | HOG125EBZA | ZA | each |
| | | HOG125EBGA | GA | each |
| | | HOG125EBX*** | CB | each |
| | Stop End Plates (LH) | HOG125SELZA | ZA | each |
| | | HOG125SELGA | GA | each |
| | | HOG125SELX*** | CB | each |
| | Stop End Plates (RH) | HOG125SERZA | ZA | each |
| | | HOG125SERGA | GA | each |
| | | HOG125SERX*** | CB | each |
| | Manufactured External Corner | HOG125ECZA | ZA | each |
| | | HOG125ECGA | GA | each |
| | | HOG125ECX*** | CB | each |
| | Manufactured Internal Corner | HOG125ICZA | ZA | each |
| | | HOG125ICGA | GA | each |
| | | HOG125ICX*** | CB | each |

Please Note: Colorbond external brackets minimum order quantity 10 brackets.

DOWNPIPE • ACCESSORIES

| Product | Size | Ordering Code | Unit | BMT |
|--|--------------------|---------------|------|------|
| Stramit® Downpipe – Rectangular  | 1.8m x 100 x 50 | DP10050**18 | each | 0.40 |
| | | DP10050X***18 | each | 0.40 |
| | 2.4m x 100 x 50 | DP10050**24 | each | 0.40 |
| | | DP10050X***24 | each | 0.40 |
| | 1.8m x 100 x 75 | DP10075ZA18 | each | 0.40 |
| | | DP10075X***18 | each | 0.40 |
| | 2.4m x 100 x 75 | DP10075**24 | each | 0.40 |
| | | DP10075X***24 | each | 0.40 |
| 1.8m x 100 x 100 † | DP100100M**18 | each | 0.55 | |
| | 2.4m x 100 x 100 † | DP100100M**24 | each | 0.55 |
| 1.8m x 150 x 100 † | DP150100M**18 | each | 0.55 | |
| | 2.4m x 150 x 100 † | DP150100M**24 | each | 0.55 |







† Check lead time availability.

NOTE: Some Regional Sales Centres may not stock all sizes and colours. Please check when ordering.

NOTE: Downpipe Stillage Quantities 100 x 50 = 120 Downpipes per stillage.










100 x 75 = 80 Downpipes per stillage.

ALL STILLAGES MUST BE RETURNED (see page 80)




| Accessories | Size | Ordering Code | Unit | BMT |
|---|--|---------------|------|-----|
|  | Astragals | | | |
| | 100 x 50 | AST10050*** | each | |
| | 100 x 75 | AST10075*** | each | |
| | 100 x 100 | AST100100*** | each | |
| | 150 x 100 | AST150100*** | each | |
|  | Nozzles/Pops | | | |
| | 100 x 50 | NOZ10050*** | each | |
| | 100 x 75 | NOZ10075*** | each | |
| | 100 x 100 | NOZ100100*** | each | |
| | 150 x 100 | NOZ150100*** | each | |
|  | Universal Nozzle Suits 100 x 75 & 90 round | NOZUNIZA | each | |
| | Adjustable Standard Offsets | | | |
| | 100 x 50 | OS10050*** | each | |
| | 100 x 75 | OS10075*** | each | |
|  | Adjustable Long Tail Offsets | | | |
| | 100 x 50 | OSLT10050*** | each | |
| | 100 x 75 | OSLT10075*** | each | |
|  | Shoes (15°) | | | |
| | 100 x 50 | SHOE10050GA | each | |
| | 100 x 75 | SHOE10075GA | each | |
|  | Leaf Guards | | | |
| | 100 x 50 | LG10050GA | each | |
| | 100 x 75 | LG10075GA | each | |

NOTE: Some Regional Sales Centres may not stock all sizes and colours. Please check when ordering.

DOWNPIPE • ACCESSORIES

| Product | Size | Ordering Code | Unit | BMT |
|--|---|----------------------|-----------------------------------|------|
| Downpipe/Accessories | | | | |
| Stramit® Downpipe – Round  | 1.8m x 50 | DP50**18 | each | 0.40 |
| | 2.4m x 50 | DP50**24 | each | 0.40 |
| | 2.4m x 90 | DP90M***24 | each | 0.55 |
| | 3.0m x 90 | DP90X***30 | each | 0.40 |
| | 1.0m x 90 | OS90X*** | each | |
| | 1.8m x 125 † | DP125MGA18 | each | 0.55 |
| | 2.4m x 125 † | DP125MGA24 | each | 0.55 |
| | 1.8m x 150 † | DP150M**18 | each | 0.55 |
| | 2.4m x 150 | DP150M**24 | each | 0.55 |
| | 1.8m x 175 † | DP175MGA18 | each | 0.55 |
| | 1.8m x 200 † | DP200MGA18 | each | 0.55 |
| | 1.8m x 225 † | DP225MGA18 | each | 0.55 |
| | 1.8m x 250 † | DP250MGA18 | each | 0.55 |
| | 1.8m x 300 † | DP300MGA18 | each | 0.55 |
| | † GA stocked only. | | Check lead time and availability. | |
| Stramit® Downpipe – Round Fluted Reduced End  | 1.8m x 75 | DP75**18 | each | 0.40 |
| | 2.4m x 75 | DP75***24 | each | 0.40 |
| | 1.8m x 100 | DP100**18 | each | 0.40 |
| | 2.4m x 100 | DP100***24 | each | 0.40 |
| Stormwater Connector 100mm to 90mm  | | DPA10090MF | each | |
| Not all colours available. Please check availability. | | | | |
| Accessories | | | | |
|  | Astragals | | | |
| | 50 | AST50** | each | |
| | 75 | AST75*** | each | |
| | 90 | AST90*** | each | |
| | 100 | AST100*** | each | |
| | 125 | AST125GA | each | |
| 150 | AST150*** | each | | |
|  | Nozzles/Pops | | | |
| | 50 | NOZ50** | each | |
| | 75 | NOZ75*** | each | |
| | 85 | NOZ85ZA | each | |
| | 90 | NOZ90*** | each | |
| | 100 | NOZ100*** | each | |
| | 125 | NOZ125** | each | |
| 150 | NOZ150** | each | | |
|  | Universal Nozzle Suits 100 x 75 & 90 round | | | |
| | | NOZUNIZA | each | |
|  | Round Adjustable Standard Offsets | | | |
| | 50 | OS50GA | each | |
| 75 | OS75GA | each | | |
|  | Shoes (15°) | | | |
| | 50 | SHOE50GA | each | |
| 75 | SHOE75GA | each | | |
|  | Cast Elbow | | | |
| | 100 (45°) | ELBC10045X*** | each | |
| | 100 (95°) | ELBC10095X*** | each | |
| | 90 (45°) | ELBC9045X*** | each | |
| 90 (90°) | ELBC9090X*** | each | | |

FLUE & SEWER ACCESSORIES


| Product | Details | Ordering Code | Finish | Unit | |
|--|---|-------------------|----------|------|------|
| Flue & Sewer Accessories | | | | | |
| Flue Accessories | | | | | |
|  <p>45° - 90°</p> | Crimped Bends 45° | | | | |
| | 50mm diameter | CB5045GA | GA | each | |
| | 75mm diameter | CB7545GA | GA | each | |
| | 100mm diameter | CB10045GA | GA | each | |
| | 125mm diameter | CB12545GA | GA | each | |
| | 150mm diameter | CB15045GA | GA | each | |
| | 200mm diameter | CB20045GA | GA | each | |
| | 75mm diameter | CB7545ZA | ZA | each | |
| | 75mm diameter | CB7545X*** | CB | each | |
| | <hr/> | | | | |
| | | Crimped Bends 90° | | | |
| | 50mm diameter | CB5090GA | GA | each | |
| | 75mm diameter | CB7590GA | GA | each | |
| | 90mm diameter | CB9090GA | GA | each | |
| | 100mm diameter | CB10090GA | GA | each | |
| 125mm diameter | CB12590GA | GA | each | | |
| 150mm diameter | CB15090GA | GA | each | | |
| 200mm diameter | CB20090GA | GA | each | | |
| 75mm diameter | CB7590ZA | ZA | each | | |
| 75mm diameter | CB7590X*** | CB | each | | |
| 100mm diameter | CB10090X*** | CB | each | | |
| <hr/> | | | | | |
|  | Chinaman's Hat Cowls | | | | |
| | 50mm diameter | CAP50GA | GA | each | |
| | 75mm diameter | CAP75GA | GA | each | |
| | 100mm diameter | CAP100GA | GA | each | |
| | 125mm diameter | CAP125GA | GA | each | |
| | 150mm diameter | CAP150GA | GA | each | |
| | 175mm diameter | CAP175GA | GA | each | |
| | 200mm diameter | CAP200GA | GA | each | |
| | 225mm diameter | CAP225GA | GA | each | |
| | 250mm diameter | CAP250GA | GA | each | |
| | 300mm diameter | CAP300GA | GA | each | |
| <hr/> | | | | | |
| Sewer Accessories | Mica Flap with Gauze 100mm | MF100GGA | GA | each | |
| Wire Cowl Baskets | | | | | |
| |  | 50 | WCB50GA | GA | each |
| | | 75 | WCB75GA | GA | each |
| | | 100 | WCB100GA | GA | each |
| | | 150 | WCB150GA | GA | each |



RAINWATER HEADS • SUMPS

| Product | Size | Ordering Code | | Unit |
|---------------------------------|-----------------------|----------------|-----------------|------|
| Rainwater Heads/Sumps | | <u>PLAIN</u> | <u>PAINTED</u> | |
| Rainwater Head Standard Size | 390 x 300 x 175 Blank | RWH390175300ZA | RWH390175300*** | ea |

NOTE: Seams to be sealed onsite
Not all colours available. Please check availability.

| O Gee Rainwater Head Blank | | | | |
|----------------------------|-----------------|----------|--|------|
| Standard Size | | | | Unit |
| | Small 300 x 220 | RWHOGSGA | | ea |
| | Large 400 x 250 | RWHOGLGA | | ea |



| Sumps - 0.60mm (Custom Made) | | | | |
|---|--------------------------------------|--------------|----|------|
| | Flat Bottom | | | Unit |
|  | 200 x 200 x 150 Deep | SUF202015*** | | ea |
| | 300 x 300 x 150 Deep | SUF303015*** | | ea |
| | 400 x 400 x 150 Deep | SUF404015*** | | ea |
| | 450 x 450 x 150 Deep | SUF454515*** | | ea |
| | 500 x 500 x 150 Deep | SUF505015*** | | ea |
| | 550 x 550 x 150 Deep | SUF555515*** | | ea |
| | 600 x 600 x 150 Deep | SUF606015*** | | ea |
|  | Tapered Bottom (tapering is minimal) | | | |
| | 200 x 200 x 150 Deep | SUT202015*** | | ea |
| | 300 x 300 x 150 Deep | SUT303015*** | | ea |
| | 400 x 400 x 150 Deep | SUT404015*** | | ea |
| | 450 x 450 x 150 Deep | SUT454515*** | | ea |
| | 500 x 500 x 150 Deep | SUT505015*** | | ea |
| | 550 x 550 x 150 Deep | SUT555515*** | | ea |
| 600 x 600 x 150 Deep | SUT606015*** | | ea | |

NOTE: All products this page made to order. NON RETURNABLE
Check lead times on ordering.
Pricing Ex Erskine Park.

NON STANDARD RAINWATER HEAD GUIDE












































STRAMIT® CUSTOM PRODUCTS - MADE TO ORDER POA

Source your custom rainwater heads from the roofing experts. We offer you a complete range to suit any architectural style. We can manufacture rainwater heads to your specifications.

MATERIALS: Available in a variety of finishes.

For further information please contact your local Stramit branch. **Price on application. Please fax.**

NOTE: These products are made to order, **NON RETURNABLE**

| | 01 | 02 | 03 | 04 | 05 | 06 |
|------------|--|--|--|---|--|--|
| CCY |  CCY01 |  CCY02 |  CCY03 |  CCY04 |  CCY05 | |
| CT |  CT01 |  *CT02 |  CT03 |  CT04 |  CT05 |  CT06 |
| TF |  *TF01 |  *TF02 |  *TF03 |  TF04 |  TF05 |  TF06 |
| CF |  CF01 |  CF02 |  CF03 |  CF04 |  CF05 |  CF06 |
| CCN |  CCN01 |  CCN02 |  CCN03 |  CCN04 | | |
| CI |  CI01 |  CI02 |  CI03 |  CI04 |  CI05 | |
| TD |  *TD01 |  *TD02 |  *TD03 |  *TD04 |  *TD05 | |
| TH |  *TH01 |  *TH02 |  *TH03 |  *TH04 |  *TH05 |  *TH06 |

*Note: Available Gal, Zinc, Copper and Stainless Steel.

IMPORTANT NOTICE

It is the Customer's responsibility to advise Stramit at the time of ordering if the order is for ULTRA Colorbond®, MATT Colorbond® or STAINLESS STEEL Colorbond®.

UNLESS this notification is made at the time of order (in writing) then the order will be supplied as Standard XRW Colorbond®.

EG. An order for SURFMIST® will be supplied as STANDARD XRW COLORBOND SURFMIST® IN ALL INSTANCES UNLESS IDENTIFIED OTHERWISE.

EG. To order Ultra Surfmist the order must clearly state ULTRA COLORBOND SURFMIST®.

This publication sets out Stramit's recommended retail prices and Stramit's standard supply terms. Resellers of Stramit products are under no obligation to follow Stramit's recommended retail pricing.

PREMIUM PRODUCTS • ROOFING • CLADDING

| PRODUCT – Roofing/Cladding | Coil Width &BMT | Min Length (m) | Max Length (m) | COLORBOND® ULTRA | | | | | | COLORBOND® STAINLESS | | | COLORBOND® MATT | | | COLORBOND® METALLIC |
|-------------------------------|--------------------|----------------|----------------|------------------|-----------|-----------|----------------|----------|------------|----------------------|-----------|------------|-----------------|-----------|-----------|--|
| | | | | Dune® | Monument® | Surfmist® | Woodland Grey® | Wallaby® | Windspray® | Dune® | Surfmist® | Windspray® | Basalt® | Monument® | Surfmist® | |
| Stramit® Corrugated | 0.42 | 1.2 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ▲ | ✓ | ▲ | ✓ | ✓ | ✓ | Please check colour availability at time of order. |
| Stramit® Corrugated | 0.48 | 1.2 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |
| Stramit® Corrugated-C/Quality | 0.60 | 0.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ▲ | ✓ | ▲ | | | | |
| Stramit Speed Deck Ultra® | 0.42 | 0.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | |
| Stramit Speed Deck Ultra® | 0.48 | 1.2 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |
| Stramit Monoclad® | 0.42 | 1.2 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ▲ | ✓ | ▲ | ✓ | ✓ | ✓ | |
| Stramit Monoclad® | 0.48 | 0.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |
| Stramit Longspan® | 0.42 | 0.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ▲ | ✓ | ▲ | ✓ | ✓ | ✓ | |
| Stramit Longspan® | 0.48 | 0.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |
| Stramit Minirib® | 0.42 | 0.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | |
| Stramit K-Panel® | 0.42 | 0.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | |
| Stramit® Mini Corry | 0.42 | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | |
| Stramit® Mini Corry | 0.48 | | | | | | | | | | | | | | | |

| PRODUCT – Roofing/Cladding | Coil Width &BMT | Min Length (m) | Max Length (m) | COLORBOND® ULTRA | | | | | | COLORBOND® STAINLESS | | | COLORBOND® MATT | | | COLORBOND® METALLIC |
|-------------------------------|--------------------|----------------|----------------|------------------|-----------|-----------|----------------|----------|------------|----------------------|-----------|------------|-----------------|-----------|-----------|--|
| | | | | Dune® | Monument® | Surfmist® | Woodland Grey® | Wallaby® | Windspray® | Dune® | Surfmist® | Windspray® | Basalt® | Monument® | Surfmist® | |
| Stramit® Ridge | 0.55 | | 9 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ▲ | ✓ | ▲ | ✓ | ✓ | ✓ | Please check colour availability at time of order. |
| Stramit® Valley Folded | 0.55 | | 8 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ▲ | ✓ | ▲ | ✓ | ✓ | ✓ | |
| Stramit® Flashings & Others | 0.55 | | 8 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ▲ | ✓ | ▲ | ✓ | ✓ | ✓ | |
| Stramit® Hi Front Quad 115 | 0.42 | | 9 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | |
| Stramit® Fascia Board | | | 9 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | |
| Stramit® Downpipes hand made | 0.55 | 1.8 | 2.4 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ▲ | ✓ | ▲ | ✓ | ✓ | ✓ | |



= AVAILABLE



= PRICE/MATERIAL AVAILABILITY ON REQUEST*



= NOT AVAILABLE

*Stainless Steel, *Colorbond® Stainless, Colorbond® Matt & Metallic Finishes subject to minimum order quantity and extended lead times.
Please check colour availability at time of order.
Please refer to our Sales Office.*

| COLOUR AVAILABILITY | | | | | | |
|---------------------|----------------|-----------|------------|------|-----------|--|
| ULTRA | | STAINLESS | | MATT | | METALLIC |
| DUN | DUNE® | DUN | DUNE® | BAS | BASALT® | Please check colour availability at time of order. |
| MON | MONUMENT® | SUR | SURFMIST® | MON | MONUMENT® | |
| SUR | SURFMIST® | WSP | WINDSPRAY® | SUR | SURFMIST® | |
| WDG | WOODLAND GREY® | | | | | |
| WLB | WALLABY® | | | | | |
| WSP | WINDSPRAY® | | | | | |

MAGNAFLOW® • ROOFING • CLADDING • RAINWATER

| PRODUCT – Roofing/Cladding/Rainwater | BMT (mm) |
|---|-----------------|
| Stramit® Corrugated | 0.42 |
| Stramit Monoclad® | 0.42 |
| Stramit Longspan® | 0.42 |
| Stramit Speed Deck Ultra® | 0.42 |
| Stramit® Roll Top Ridge | 0.42 / 0.55 |
| Stramit® Valley Folded | 0.55 |
| Stramit® Flashings & Others | 0.55 |
| Stramit® Downpipes 95 x 45 | 0.55 |
| Stramit® Downpipes 100 x 50 | 0.55 |
| Stramit® Downpipes 100 x 75 | 0.55 |
| Stramit® Downpipes 100 x 100 | 0.55 |

Please refer to Sales office for lead times and availability.
Residential gutters are also available, please contact your local office for details.
0.48 Roofing available on selected colours.

| COLOUR AVAILABILITY | | | |
|----------------------------|-------------|-----|------------|
| MAGNAFLOW® | | | |
| AGY | ARMOUR GREY | OWH | OFF WHITE |
| BCH | BIRCH | SLG | SLATE GREY |
| MLH | MONOLITH | | |

MagnaFlow® sheeting is a highly durable prepainted sheet steel system suitable for use in corrosive environments for roofing, walling and rainwater products. The protective metallic coating on the base steel is a new technology in accordance with AS1397 -2011. This coating provides the added durability of the MagnaFlow® product.

Please enquire at your local Stramit office to confirm colour availability.

SUBSTRATE

The coating on the steel substrate complies with the coating classes as specified in AS 1397 – 2011: Continuous Hot Dipped Metallic Coated Steel Sheet and Strip – Coatings of Zinc, and Zinc Alloyed with Aluminium and Magnesium. The MagnaFlow® coating comprises zinc, aluminium and magnesium and delivers more durable site performance than standard zinc or Zinc/aluminium systems. Minimum coating mass is 240gsm.

RECOMMENDED END USES

MagnaFlow® paint systems have a very good colour and gloss retention and are suitable for roofing, cladding and rainwater goods. It is ideal for animal shelters, flashings, interior uses, and exterior environments where corrosion levels are moderate. It is also suitable for fencing applications.



MAGNAFLOW® WARRANTIES

A range of warranties are available to support MagnaFlow® products for various exposure conditions. Please contact your local Stramit office for details.








THE MAGIC OF MAGNESIUM

All steel roofs are susceptible to the elements along cut edges however the addition of magnesium to the standard zinc/aluminium alloy in MagnaFlow® products provides superior corrosion resistance in this area. As time goes on it allows the protective metal coating to microscopically flow over the cut edge. At this point a sacrificial anticorrosive reaction takes place and a robust seal is created.

Anticorrosive reaction of MagnaFlow® products








PREMIUM PRODUCTS • ROOFING • CLADDING

| Product Roofing/Cladding/Accessories | Details | Ordering Code | Finish | BMT mm | Unit | |
|--|---|----------------------------|---------------------|----------|--------------------|--------------------|
| Stramit Speed Deck Ultra®  | | UD42U*** | CB Ultra | 0.42 | per m ² | |
| | | UD42KWHN | Coolmax White Haven | 0.42 | per m ² | |
| | | UD42T*** | CB Matt | 0.42 | per m ² | |
| | | UD42ZM8*** | CB Magnaflow | 0.42 | per m ² | |
| | | UD48U*** | CB Ultra | 0.48 | per m ² | |
| | | UD48KWHN | Coolmax White Haven | 0.48 | per m ² | |
| | | UD48M*** | CB Metallic | 0.48 | per m ² | |
| | | UD48ZM8*** | CB Magnaflow | 0.48 | per m ² | |
| | Minimum 3 sheet order. To convert price to linear metres multiply by 0.700. For Stramit Speed Deck Ultra® Fixing Clips refer page 25. | | | | | |
| | Stramit® Corrugated  | | C42U*** | CB Ultra | 0.42 | per m ² |
| | | C42KWHN | Coolmax White Haven | 0.42 | per m ² | |
| | | C42T*** | CB Matt | 0.42 | per m ² | |
| | | C42S*** | CB Stainless Steel | 0.42 | per m ² | |
| | | C42ZM8*** | CB Magnaflow | 0.42 | per m ² | |
| | | C48U*** | CB Ultra | 0.48 | per m ² | |
| | | C48KWHN | Coolmax White Haven | 0.48 | per m ² | |
| | | C48M*** | CB Metallic | 0.48 | per m ² | |
| | | C48ZM8*** | CB Magnaflow | 0.48 | per m ² | |
| | | CQ60U*** | CB Ultra | 0.60 | per m ² | |
| | | CD60U*** | CB Ultra | 0.60 | per m ² | |
| | | C70ALMF | Aluminium | 0.70 | per m ² | |
| | | C55SS4D | Stainless Steel | 0.55 | per m ² | |
| | | CUTBACKLTH (0.5m - 1.2m) | | | | each |
| NOTE: Copper & Aluminium corrugated manufactured Mon & Fri only. To convert price to linear metres multiply by 0.762. Please specify if end lapping with Curving Quality material. | | | | | | |
| Stramit Longspan®  | | | LS42U*** | CB Ultra | 0.42 | per m ² |
| | | LS42KWHN | Coolmax White Haven | 0.42 | per m ² | |
| | | LS42T*** | CB Matt | 0.42 | per m ² | |
| | | LS42SSUR | CB Stainless Steel | 0.42 | per m ² | |
| | | LS42ZM8*** | CB Magnaflow | 0.42 | per m ² | |
| | | LS48U*** | CB Ultra | 0.48 | per m ² | |
| | | LS48KWHN | Coolmax White Haven | 0.48 | per m ² | |
| | | LS48M*** | CB Metallic | 0.48 | per m ² | |
| | | LS48ZM8*** | CB Magnaflow | 0.48 | per m ² | |
| | | LS70ALMF | Aluminium | 0.70 | per m ² | |
| | | LS55SS4D | Stainless Steel | 0.55 | per m ² | |
| | To convert price to linear metres multiply by cover of sheet (ie. x 0.700). | | | | | |
| Stramit Monoclad®  | | MC42U*** | CB Ultra | 0.42 | per m ² | |
| | | MC42KWHN | Coolmax White Haven | 0.42 | per m ² | |
| | | MC42T*** | CB Matt | 0.42 | per m ² | |
| | | MC42SSUR | CB Stainless Steel | 0.42 | per m ² | |
| | | MC42ZM8*** | CB Magnaflow | 0.42 | per m ² | |
| | | MC48U*** | CB Ultra | 0.48 | per m ² | |
| | | MC48KWHN | Coolmax White Haven | 0.48 | per m ² | |
| | | MC48M*** | CB Metallic | 0.48 | per m ² | |
| | | MC48ZM8*** | CB Magnaflow | 0.48 | per m ² | |
| | | MC70ALMF | Aluminium | 0.70 | per m ² | |
| | | MC55SS4D | Stainless Steel | 0.55 | per m ² | |
| | To convert price to linear metres multiply by cover of sheet (ie. x 0.762). | | | | | |
| Stramit Minirib® (Rectangular profile)  | | MR42U*** | CB Ultra | 0.42 | per m ² | |
| | | MR42T*** | CB Matt | 0.42 | per m ² | |
| | To convert price to linear metres multiply by 0.900. Minimum 3 sheet order. | | | | | |
| Stramit K-Panel® (Vertical garage cladding)  | | KP42U*** | CB Ultra | 0.42 | per m ² | |
| | | KP42T*** | CB Matt | 0.42 | per m ² | |
| | To convert price to linear metres multiply by 0.864. Minimum 3 sheet order. | | | | | |
| Stramit Mini Corry®  | | MK42U*** | CB Ultra | 0.42 | per m ² | |
| | | MK48M*** | CB Metallic | 0.48 | per m ² | |
| | | MK42T*** | CB Matt | 0.42 | per m ² | |
| To convert price to linear metres multiply by 0.825. Minimum 3 sheet order. Minimum length 500mm. | | | | | | |

Note: Fastener types are dependent on area location and material finish. Please contact Stramit to confirm fastener requirements. Stainless Steel, Colorbond® Stainless & Metallic Finishes subject to minimum order quantity and extended lead times. Please refer to our Sales Office.

Stramit reserves the right to revise prices without notice. Price quoted is an effective cover per square metre price.

PREMIUM PRODUCTS • VALLEYS & RIDGES








| Product | Details | Ordering Code | Finish | Unit |
|---|--|---|--------------------|-----------|
| Valleys/Ridges | | | | |
| Stramit® Valley Folded  | | VPFL55U*** | CB Ultra | lin metre |
| | | VPFL55T*** | CB Matt | lin metre |
| | | VPFL55M*** | Metallic | lin metre |
| | | VPFL55SSUR | CB Stainless Steel | lin metre |
| Maximum length manufactured is 8.0m. | | | | |
| Flashings  | Ridge for Stramit Speed Deck Ultra® | RFSD55U*** | CB Ultra | lin metre |
| | | RFSD55M*** | Metallic | lin metre |
| | | RFSD55SSUR | CB Stainless Steel | lin metre |
|  | Ridge for Stramit® Corrugated | RFCC55U*** | CB Ultra | lin metre |
| | | RFCC55M*** | Metallic | lin metre |
| | | RFCC55SSUR | CB Stainless Steel | lin metre |
| Common to Stramit Monoclad® , Stramit Longspan® . | | | | |
|  | | RFMC55U*** | CB Ultra | lin metre |
| | | RFMC55M*** | Metallic | lin metre |
| | | RFMC55SSUR | CB Stainless Steel | lin metre |
| Stramit® Roll Top Ridge  | | RTRA55U*** | CBU Ultra | lin metre |
| | | RTRA55T*** | CB Matt | lin metre |
| | | RTRA55ZM8*** (anti-scratch edge Ex Erskine Park only) | CB Magnaflow | lin metre |
| | | RTR55U*** (Ex Newcastle only) | CB Ultra | lin metre |

*Colorbond® Stainless & Metallic Finishes subject to minimum order quantity and extended lead times.
Please refer to our Sales Office.*

PREMIUM PRODUCTS • FASCIA • GUTTER • DOWNPIPE

| Product | Details | Ordering Code | Finish | Unit | |
|--|---|---|--|--|------|
| Fascia/Gutter/Downpipe | | | | | |
| Stramit® Hi Front Quad 115 Slotted Left Hand Right Hand | Quad Hi Front Slotted | QV115SU*** QV115ST*** QV115SZM8*** | CB Ultra CB Matt CB Magnaflow | lin metre lin metre lin metre | |
| | Quad Hi Front Plain | QV115PU*** QV115PT*** QV115PZM8*** | CB Ultra CB Matt CB Magnaflow | lin metre lin metre lin metre | |
| | ECSA 5200mm² NOTE: Maximum length manufactured is 9.0m. | | | | |
| | Concealed Bracket | QV115CBZA QV115CBAM | ZA ZAM | each each | |
| | External Brackets (80/box) | QV115EBT*** | CB Matt | each | |
| | HB Stiffener | QV115HSBAM | ZAM | each | |
| | Stop End Plates (L/R) | QV115SERX*** | CB | each | |
| | | QV115SERT*** | CB Matt | each | |
| | | QV115SERZM8*** | CB Magnaflow | each | |
| | | QV115SELX*** | CB | each | |
| | | QV115SELT*** | CB Matt | each | |
| | | QV115SELZM8*** | CB Magnaflow | each | |
| | | Cast Angles (Ext/Int) | QV115CAEX*** | CB | each |
| | | | QV115CAET*** | CB Matt | each |
| | QV115CAIX*** | | CB | each | |
| QV115CAIT*** | CB Matt | | each | | |
| QV115CAE45T*** | CB Matt | | each | | |
| QV115CAI45T*** | CB Matt | | each | | |
| Stramit® Fascia & Barge Board | | FBU*** FBT*** FBZM8*** FBCOVT*** | CB Ultra CB Matt CB Magnaflow CB Matt | lin metre lin metre lin metre lin metre | |
| | Maximum length manufactured is 9.0m. | | | | |
| | External Corner (45°/90°) | FBEC45X*** | CB | each | |
| | | FBECX*** | CB | each | |
| | | FBECT*** | CB Matt | each | |
| FBECZM8*** | | CB Magnaflow | each | | |
| Internal Corner Cap (45°/90°) | FBIC45X*** | CB | each | | |
| | FBICX*** | CB | each | | |
| | FBICT*** | CB Matt | each | | |
| | FBICZM8*** | CB Magnaflow | each | | |
| Rafter Bracket | FBVRBGA | GA | each | | |
| | FBVRBAM | ZAM | each | | |
| Barge Corner (LH/RH) | FBBCRT*** | CB Matt | each | | |
| | FBBCRZM8*** | CB Magnaflow | each | | |
| | FBBCLT*** | CB Matt | each | | |
| | FBBCLZM8*** | CB Magnaflow | each | | |
| Apex Cover Plate | FBAJT*** | CB Matt | each | | |
| | FBAJZM8*** | CB Magnaflow | each | | |
| Splice Plate | FBSPZM8*** | CB Magnaflow | each | | |
| | 100 x 50 2400mm | DP10050T***24 | CB Matt | each | |
| | Astragals 100 x 50 | AST10050T*** | CB Matt | each | |
| Stramit® Downpipe | 100 x 75 x 2400mm | DP10075U***24 | CB Ultra | each | |
| | | DP10075SSUR24 | CB Stainless Steel | each | |








COPPER & UNPAINTED STAINLESS STEEL – GUTTERS • DOWNPIPE • ACCESSORIES

| Product | Size | Ordering Code | Unit |
|---|--|---------------------|------|
| Copper & Unpainted Stainless Steel Gutters/Downpipe/Accessories | | | |
|  | 6.0m length only | QN115CU60 | each |
| | Stop End Plates L/H | QN115SELCU | each |
| | Stop End Plates R/H | QN115SERCU | each |
| | External Gutter Brackets | QN115EBCU | each |
| | Int/Ext Fab. Corner | QN115ICCU | each |
| | | QN115ECCU | each |
| ECSA 4700mm ² | 6.0m length only | QN115SS60 | each |
| | Stop End Plates L/H | QN115SELSS | each |
| | Stop End Plates R/H | QN115SERSS | each |
| | External Gutter Brackets | QN115EBSS | each |
| Accessories | | | |
|  | Astragals – Rectangle | | |
| | 100 x 50 | AST10050** | each |
| | 100 x 75 | AST10075** | each |
| | 100 x 100 | AST100100** | each |
|  | Astragals – Round | | |
| | 75 | AST75** | each |
| | 90 | AST90** | each |
| | 100 | AST100** | each |
|  | Nozzles – Rectangle | | |
| | 100 x 50 | NOZ10050** | each |
| | 100 x 75 | NOZ10075** | each |
| | 100 x 100 | NOZ100100** | each |
|  | Nozzles – Round | | |
| | 75 | NOZ75** | each |
| | 90 | NOZ90** | each |
| | 100 | NOZ100** | each |
| | 150 | NOZ150** | each |
| | Universal Nozzle | NOZUNIZA | each |
| Suits 100 x 75 & 90 round | | | |
|  | Stramit® Downpipe – Rectangular | | |
| | 1.8m x 100 x 50 | DP10050**18 | each |
| | 2.4m x 100 x 50 | DP10050**24 | each |
| | 1.8m x 100 x 75 | DP10075**18 | each |
| | 2.4m x 100 x 75 | DP10075**24 | each |
| | 1.8m x 100 x 100 | DP100100**18 | each |
| | 2.4m x 100 x 100 | DP100100**24 | each |
| | 1.8m x 150 x 100 | DP150100**18 | each |
| 2.4m x 150 x 100 | DP150100**24 | each | |
|  | Stramit® Downpipe – Round | | |
| | 1.8m x 75 | DP75**18 | each |
| | 2.4m x 75 | DP75**24 | each |
| | 2.4m x 90 | DP90**24 | each |
| | 1.8m x 100 | DP100**18 | each |
| | 2.4m x 100 | DP100**24 | each |
| | 1.8m x 150 | DP150**18 | each |
| | 2.4m x 150 | DP150**24 | each |

NOTE: All products this page made to order. Check lead times on ordering. *Stramit reserves the right to revise prices without notice.*

** = CU (Copper) or SS (Stainless Steel)

COPPER – GUTTERS • ACCESSORIES

| Product | Size | Ordering Code | Unit |
|--|---|-------------------------------|-----------|
| Copper Gutters/Accessories | | | |
| Stramit® Half Round Gutter  | 100 | HRG100CU | lin metre |
| | 125 | HRG125CU | lin metre |
| | 150 | HRG150CU | lin metre |
| | 200 | HRG200CU | lin metre |
| | 250 | HRG250CU | lin metre |
| | 300 | HRG300CU | lin metre |
| °Check lead times. | | Available CTL up to 6 metres. | |
| Accessories | | | |
|  | Half Round Brackets 1.6mm Type A1 | | |
| | 100 | HRG100BA1CU | each |
| | 125 | HRG125BA1CU | each |
| | 150 | HRG150BA1CU | each |
|  | Half Round Brackets 3.0mm Type A2 | | |
| | 125 | HRG125BA2CU | each |
| | 150 | HRG150BA2CU | each |
| | 200 | HRG200BA2CU | each |
| Heavy Duty Half Round Brackets Type A4 H/Duty required 200mm & over | | | |
| External Corner | | | |
|  | 100 x 90° | HRG100ECCU | each |
| | 125 x 90° | HRG125ECCU | each |
| | 150 x 90° | HRG150ECCU | each |
| | 200 x 90° | HRG200ECCU | each |
| | 250 x 90° | HRG250ECCU | each |
| | 300 x 90° | HRG300ECCU | each |
| Internal Corner | | | |
|  | 100 x 90° | HRG100ICCU | each |
| | 125 x 90° | HRG125ICCU | each |
| | 150 x 90° | HRG150ICCU | each |
| | 200 x 90° | HRG200ICCU | each |
| | 250 x 90° | HRG250ICCU | each |
| | 300 x 90° | HRG300ICCU | each |
| Ext = EC Int = IC | | | |
| Half Round Stop Ends Plates | | | |
|  | 100 | HRG100SECU | each |
| | 125 | HRG125SECU | each |
| | 150 | HRG150SECU | each |
| | 200 | HRG200SECU | each |
| | 250 | HRG250SECU | each |
| | 300 | HRG300SECU | each |
| Nozzles Half Round Gutters | | | |
|  | 75 Suits 100mm gutter | HRG75NOZCU | each |
| | 100 Suits 150mm gutter | HRG100NOZCU | each |
| | 125 Suits 200mm gutter | HRG125NOZCU | each |
| | 150 Suits 200mm 250mm & 300mm gutter | HRG150NOZCU | each |








Note: All Products on this page are made to order. Check lead times on ordering.

Stramit reserves the right to revise price without notice.

** Other sizes of gutter available on extended lead times.

Price On Application. Refer to our sales staff.

UNPAINTED STAINLESS STEEL – GUTTERS • ACCESSORIES

| Product | Size | Ordering Code | Unit |
|---|--|-------------------------------|-----------|
| Unpainted Stainless Steel Gutters/Accessories | | | |
|  | 100 | HRG100SS | lin metre |
| | 125 | HRG125SS | lin metre |
| | 150 | HRG150SS | lin metre |
| | 200 | HRG200SS | lin metre |
| | 250 | HRG250SS | lin metre |
| | 300 | HRG300SS | lin metre |
| °Check lead times. | | Available CTL up to 6 metres. | |
| Accessories | | | |
|  | Half Round Brackets 1.6mm Type A1 | | |
| | 100 | HRG100BA1SS | each |
| | 125 | HRG125BA1SS | each |
| | 150 | HRG150BA1SS | each |
|  | Heavy Duty Half Round Brackets Type A4 H/Duty required 200mm & over | | |
| | 150 | HRG150BA4SS | each |
| | 200 | HRG200BA4SS | each |
| | 250 | HRG250BA4SS | each |
| | 300 | HRG300BA4SS | each |
| Half Round Gutter External Corner | | | |
|  | 100 x 90° | HRG100ECSS | each |
| | 125 x 90° | HRG125ECSS | each |
| | 150 x 90° | HRG150ECSS | each |
| | 250 x 90° | HRG250ECSS | each |
| | 300 x 90° | HRG300ECSS | each |
| Internal Corner | | | |
|  | 100 x 90° | HRG100ICSS | each |
| | 125 x 90° | HRG125ICSS | each |
| | 150 x 90° | HRG150ICSS | each |
| | 250 x 90° | HRG250ICSS | each |
| | 300 x 90° | HRG300ICSS | each |
| Ext = EC Int = IC | | | |
| Half Round Stop Ends Plates | | | |
|  | 100 | HRG100SESS | each |
| | 125 | HRG125SESS | each |
| | 150 | HRG150SESS | each |
| | 200 | HRG200SESS | each |
| | 250 | HRG250SESS | each |
| | 300 | HRG300SESS | each |
| Nozzles Half Round Gutters | | | |
|  | 75 | HRG75NOZSS | each |
| | Suits 100mm gutter | | |
| | 100 | HRG100NOZSS | each |
| | Suits 150mm gutter | | |
| | 125 | HRG125NOZSS | each |
| Suits 200mm gutter | | | |
| 150 | HRG150NOZSS | each | |
| Suits 200mm 250mm & 300mm gutter | | | |

Note: All Products on this page are made to order. Check lead times on ordering.

Stramit reserves the right to revise price without notice.

**** Other sizes of gutter available on extended lead times.**

Price On Application. Refer to our sales staff.

COPPER & UNPAINTED STAINLESS STEEL – GUTTERS • ACCESSORIES • RAINHEADS • SUMPS • TRAYS

| Product | Size | Ordering Code | Finish | BMT | Unit |
|---|---|--------------------|-----------------------|------|------------------------|
| Copper & Unpainted Stainless Steel Gutters/Accessories/Rainheads/Sumps/Trays | | | | | |
| Stramit® Ogee Heritage | 3.6m x 125mm | HOG125CU36 | CU | | length |
| | 3.6m x 125mm | HOG125SS36 | SS | | length |
| | ECSA 6000mm ² Check lead times. | | | | |
| Accessories | | | | | |
| | Heritage Ogee Brackets | | | | |
| | 125 | HOG125EBCU | CU | | each |
| | 125 | HOG125EBSS | SS | | each |
| | Heritage Ogee Fabricated Angles (Internal and External) | | | | |
| | 125 | HOG125ECCU | CU | | each |
| | 125 | HOG125ECSS | SS | | each |
| | Ext = EC Int = IC | HOG125ICCU | CU | | each |
| | Ext = EC Int = IC | HOG125ICSS | SS | | each |
| | Heritage Ogee Stop End Plates | | | | |
| | 125 L/H | HOG125SELCU | CU | | each |
| | 125 L/H | HOG125SELSS | SS | | each |
| | 125 R/H | HOG125SERCU | CU | | each |
| | 125 R/H | HOG125SERSS | SS | | each |
| Rainwater Heads | | | | | |
| | O Gee Rainwater Head Blank † | | | | |
| | Small 310 x 200 | RWHOGSCU | CU | | each |
| | Large 400 x 250 | RWHOGLCU | CU | | each |
| | Sumps Flat Bottom x 150mm Deep † | | | | |
| | 200 x 200 | SUF202015CU | CU | 0.55 | each |
| | 300 x 300 | SUF303015CU | CU | 0.55 | each |
| | 400 x 400 | SUF404015CU | CU | 0.55 | each |
| | 450 x 450 | SUF454515CU | CU | 0.55 | each |
| | 500 x 500 | SUF505015CU | CU | 0.55 | each |
| | 550 x 550 | SUF555515CU | CU | 0.55 | each |
| | 600 x 600 | SUF606015CU | CU | 0.55 | each |
| | Sumps Tapered Bottom x 150mm Deep † | | | | |
| | 200 x 200 | SUT202015CU | CU | 0.55 | each |
| | 300 x 300 | SUT303015CU | CU | 0.55 | each |
| | 400 x 400 | SUT404015CU | CU | 0.55 | each |
| | 450 x 450 | SUT454515CU | CU | 0.55 | each |
| | 500 x 500 | SUT505015CU | CU | 0.55 | each |
| | 550 x 550 | SUT555515CU | CU | 0.55 | each |
| | 600 x 600 | SUT606015CU | CU | 0.55 | each |
| | Check lead times on all sumps. | | | | |
| | | | | | † Nozzle not included. |
| NOTE: These products are made to order, NON RETURNABLE | | | * tapering is minimal | | |

PREMIUM PRODUCTS • CUSTOM FLASHINGS

COLORBOND® Coolmax/Matt/Metallic/Ultra 0.55 BMT

Ordering Code: CF055 __ _K/T/M/U***

| Girth Width (mm) | No of Bends | | | | | | | | |
|---------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 001-100 (B) | CF055B00*** | CF055B01*** | CF055B02*** | CF055B03*** | CF055B04*** | CF055B05*** | CF055B06*** | CF055B07*** | CF055B08*** |
| 101-150 (C) | CF055C00*** | CF055C01*** | CF055C02*** | CF055C03*** | CF055C04*** | CF055C05*** | CF055C06*** | CF055C07*** | CF055C08*** |
| 151-200 (D) | CF055D00*** | CF055D01*** | CF055D02*** | CF055D03*** | CF055D04*** | CF055D05*** | CF055D06*** | CF055D07*** | CF055D08*** |
| 201-250 (E) | CF055E00*** | CF055E01*** | CF055E02*** | CF055E03*** | CF055E04*** | CF055E05*** | CF055E06*** | CF055E07*** | CF055E08*** |
| 251-300 (F) | CF055F00*** | CF055F01*** | CF055F02*** | CF055F03*** | CF055F04*** | CF055F05*** | CF055F06*** | CF055F07*** | CF055F08*** |
| 301-350 (G) | CF055G00*** | CF055G01*** | CF055G02*** | CF055G03*** | CF055G04*** | CF055G05*** | CF055G06*** | CF055G07*** | CF055G08*** |
| 351-400 (H) | CF055H00*** | CF055H01*** | CF055H02*** | CF055H03*** | CF055H04*** | CF055H05*** | CF055H06*** | CF055H07*** | CF055H08*** |
| 401-500 (J) | CF055J00*** | CF055J01*** | CF055J02*** | CF055J03*** | CF055J04*** | CF055J05*** | CF055J06*** | CF055J07*** | CF055J08*** |
| 501-600 (L) | CF055L00*** | CF055L01*** | CF055L02*** | CF055L03*** | CF055L04*** | CF055L05*** | CF055L06*** | CF055L07*** | CF055L08*** |
| 601-700 (N) | CF055N00*** | CF055N01*** | CF055N02*** | CF055N03*** | CF055N04*** | CF055N05*** | CF055N06*** | CF055N07*** | CF055N08*** |
| 701-800 (P) | CF055P00*** | CF055P01*** | CF055P02*** | CF055P03*** | CF055P04*** | CF055P05*** | CF055P06*** | CF055P07*** | CF055P08*** |
| 801-900 (R) | CF055R00*** | CF055R01*** | CF055R02*** | CF055R03*** | CF055R04*** | CF055R05*** | CF055R06*** | CF055R07*** | CF055R08*** |
| 901-1000 (T) | CF055T00*** | CF055T01*** | CF055T02*** | CF055T03*** | CF055T04*** | CF055T05*** | CF055T06*** | CF055T07*** | CF055T08*** |
| 1001-1100 (V) | CF055V00*** | CF055V01*** | CF055V02*** | CF055V03*** | CF055V04*** | CF055V05*** | CF055V06*** | CF055V07*** | CF055V08*** |
| 1101-1200 (X) | CF055X00*** | CF055X01*** | CF055X02*** | CF055X03*** | CF055X04*** | CF055X05*** | CF055X06*** | CF055X07*** | CF055X08*** |

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

COLORBOND® Stainless Steel 0.55 BMT

Ordering Code: CF055 __ _S***

| Girth Width (mm) | No of Bends | | | | | | | | |
|---------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 001-100 (B) | CF055B00S*** | CF055B01S*** | CF055B02S*** | CF055B03S*** | CF055B04S*** | CF055B05S*** | CF055B06S*** | CF055B07S*** | CF055B08S*** |
| 101-150 (C) | CF055C00S*** | CF055C01S*** | CF055C02S*** | CF055C03S*** | CF055C04S*** | CF055C05S*** | CF055C06S*** | CF055C07S*** | CF055C08S*** |
| 151-200 (D) | CF055D00S*** | CF055D01S*** | CF055D02S*** | CF055D03S*** | CF055D04S*** | CF055D05S*** | CF055D06S*** | CF055D07S*** | CF055D08S*** |
| 201-250 (E) | CF055E00S*** | CF055E01S*** | CF055E02S*** | CF055E03S*** | CF055E04S*** | CF055E05S*** | CF055E06S*** | CF055E07S*** | CF055E08S*** |
| 251-300 (F) | CF055F00S*** | CF055F01S*** | CF055F02S*** | CF055F03S*** | CF055F04S*** | CF055F05S*** | CF055F06S*** | CF055F07S*** | CF055F08S*** |
| 301-350 (G) | CF055G00S*** | CF055G01S*** | CF055G02S*** | CF055G03S*** | CF055G04S*** | CF055G05S*** | CF055G06S*** | CF055G07S*** | CF055G08S*** |
| 351-400 (H) | CF055H00S*** | CF055H01S*** | CF055H02S*** | CF055H03S*** | CF055H04S*** | CF055H05S*** | CF055H06S*** | CF055H07S*** | CF055H08S*** |
| 401-500 (J) | CF055J00S*** | CF055J01S*** | CF055J02S*** | CF055J03S*** | CF055J04S*** | CF055J05S*** | CF055J06S*** | CF055J07S*** | CF055J08S*** |
| 501-600 (L) | CF055L00S*** | CF055L01S*** | CF055L02S*** | CF055L03S*** | CF055L04S*** | CF055L05S*** | CF055L06S*** | CF055L07S*** | CF055L08S*** |
| 601-700 (N) | CF055N00S*** | CF055N01S*** | CF055N02S*** | CF055N03S*** | CF055N04S*** | CF055N05S*** | CF055N06S*** | CF055N07S*** | CF055N08S*** |
| 701-800 (P) | CF055P00S*** | CF055P01S*** | CF055P02S*** | CF055P03S*** | CF055P04S*** | CF055P05S*** | CF055P06S*** | CF055P07S*** | CF055P08S*** |
| 801-900 (R) | CF055R00S*** | CF055R01S*** | CF055R02S*** | CF055R03S*** | CF055R04S*** | CF055R05S*** | CF055R06S*** | CF055R07S*** | CF055R08S*** |
| 901-1000 (T) | CF055T00S*** | CF055T01S*** | CF055T02S*** | CF055T03S*** | CF055T04S*** | CF055T05S*** | CF055T06S*** | CF055T07S*** | CF055T08S*** |
| 1001-1100 (V) | CF055V00S*** | CF055V01S*** | CF055V02S*** | CF055V03S*** | CF055V04S*** | CF055V05S*** | CF055V06S*** | CF055V07S*** | CF055V08S*** |
| 1101-1200 (X) | CF055X00S*** | CF055X01S*** | CF055X02S*** | CF055X03S*** | CF055X04S*** | CF055X05S*** | CF055X06S*** | CF055X07S*** | CF055X08S*** |

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

Stramit® Custom Flashings.

Please confirm lead time at time of order.

NOTE: Stainless Steel finishes are subject to minimum quantity purchasing restrictions and extended lead times. Please refer to our sales office for details.

NOTE: *Stramit® Custom Flashings* are sold/invoiced by finish, girth and number of bends. Extra charge for tapered cutting. Minimum flashing charge 1.0 metres.

Stramit® Custom Flashings details cannot be taken over the phone.

We require a drawing and recommend the use of our Flashing Detail Page (fax details to ensure manufacture of flashings correct to customer requirement).

Maximum lengths: 8.0m ex Erskine Park and Newcastle.

Subject to delivery location and suitability of flashing shape.

NOTE: These products are made to order, **NON RETURNABLE**

CUSTOM FLASHINGS – COPPER & UNPAINTED STAINLESS STEEL

COPPER 0.55 BMT

Ordering Code: CF055 __ _CU

| Girth Width (mm) | No of Bends | | | | | | | | |
|---------------------|-------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 001-100 (B) | CF055B00CU | CF055B01CU | CF055B02CU | CF055B03CU | CF055B04CU | CF055B05CU | CF055B06CU | CF055B07CU | CF055B08CU |
| 101-150 (C) | CF055C00CU | CF055C01CU | CF055C02CU | CF055C03CU | CF055C04CU | CF055C05CU | CF055C06CU | CF055C07CU | CF055C08CU |
| 151-200 (D) | CF055D00CU | CF055D01CU | CF055D02CU | CF055D03CU | CF055D04CU | CF055D05CU | CF055D06CU | CF055D07CU | CF055D08CU |
| 201-250 (E) | CF055E00CU | CF055E01CU | CF055E02CU | CF055E03CU | CF055E04CU | CF055E05CU | CF055E06CU | CF055E07CU | CF055E08CU |
| 251-300 (F) | CF055F00CU | CF055F01CU | CF055F02CU | CF055F03CU | CF055F04CU | CF055F05CU | CF055F06CU | CF055F07CU | CF055F08CU |
| 301-350 (G) | CF055G00CU | CF055G01CU | CF055G02CU | CF055G03CU | CF055G04CU | CF055G05CU | CF055G06CU | CF055G07CU | CF055G08CU |
| 351-400 (H) | CF055H00CU | CF055H01CU | CF055H02CU | CF055H03CU | CF055H04CU | CF055H05CU | CF055H06CU | CF055H07CU | CF055H08CU |
| 401-500 (J) | CF055J00CU | CF055J01CU | CF055J02CU | CF055J03CU | CF055J04CU | CF055J05CU | CF055J06CU | CF055J07CU | CF055J08CU |
| 501-600 (L) | CF055L00CU | CF055L01CU | CF055L02CU | CF055L03CU | CF055L04CU | CF055L05CU | CF055L06CU | CF055L07CU | CF055L08CU |
| 601-700 (N) | CF055N00CU | CF055N01CU | CF055N02CU | CF055N03CU | CF055N04CU | CF055N05CU | CF055N06CU | CF055N07CU | CF055N08CU |
| 701-800 (P) | CF055P00CU | CF055P01CU | CF055P02CU | CF055P03CU | CF055P04CU | CF055P05CU | CF055P06CU | CF055P07CU | CF055P08CU |
| 801-900 (R) | CF055R00CU | CF055R01CU | CF055R02CU | CF055R03CU | CF055R04CU | CF055R05CU | CF055R06CU | CF055R07CU | CF055R08CU |
| 901-1000 (T) | CF055T00CU | CF055T01CU | CF055T02CU | CF055T03CU | CF055T04CU | CF055T05CU | CF055T06CU | CF055T07CU | CF055T08CU |
| 1001-1100 (V) | CF055V00CU | CF055V01CU | CF055V02CU | CF055V03CU | CF055V04CU | CF055V05CU | CF055V06CU | CF055V07CU | CF055V08CU |
| 1101-1200 (X) | CF055X00CU | CF055X01CU | CF055X02CU | CF055X03CU | CF055X04CU | CF055X05CU | CF055X06CU | CF055X07CU | CF055X08CU |

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

Unpainted Stainless Steel 0.55 BMT

Ordering Code: CF055 __ _SS

| Girth Width (mm) | No of Bends | | | | | | | | |
|---------------------|-------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 001-100 (B) | CF055B00SS | CF055B01SS | CF055B02SS | CF055B03SS | CF055B04SS | CF055B05SS | CF055B06SS | CF055B07SS | CF055B08SS |
| 101-150 (C) | CF055C00SS | CF055C01SS | CF055C02SS | CF055C03SS | CF055C04SS | CF055C05SS | CF055C06SS | CF055C07SS | CF055C08SS |
| 151-200 (D) | CF055D00SS | CF055D01SS | CF055D02SS | CF055D03SS | CF055D04SS | CF055D05SS | CF055D06SS | CF055D07SS | CF055D08SS |
| 201-250 (E) | CF055E00SS | CF055E01SS | CF055E02SS | CF055E03SS | CF055E04SS | CF055E05SS | CF055E06SS | CF055E07SS | CF055E08SS |
| 251-300 (F) | CF055F00SS | CF055F01SS | CF055F02SS | CF055F03SS | CF055F04SS | CF055F05SS | CF055F06SS | CF055F07SS | CF055F08SS |
| 301-350 (G) | CF055G00SS | CF055G01SS | CF055G02SS | CF055G03SS | CF055G04SS | CF055G05SS | CF055G06SS | CF055G07SS | CF055G08SS |
| 351-400 (H) | CF055H00SS | CF055H01SS | CF055H02SS | CF055H03SS | CF055H04SS | CF055H05SS | CF055H06SS | CF055H07SS | CF055H08SS |
| 401-500 (J) | CF055J00SS | CF055J01SS | CF055J02SS | CF055J03SS | CF055J04SS | CF055J05SS | CF055J06SS | CF055J07SS | CF055J08SS |
| 501-600 (L) | CF055L00SS | CF055L01SS | CF055L02SS | CF055L03SS | CF055L04SS | CF055L05SS | CF055L06SS | CF055L07SS | CF055L08SS |
| 601-700 (N) | CF055N00SS | CF055N01SS | CF055N02SS | CF055N03SS | CF055N04SS | CF055N05SS | CF055N06SS | CF055N07SS | CF055N08SS |
| 701-800 (P) | CF055P00SS | CF055P01SS | CF055P02SS | CF055P03SS | CF055P04SS | CF055P05SS | CF055P06SS | CF055P07SS | CF055P08SS |
| 801-900 (R) | CF055R00SS | CF055R01SS | CF055R02SS | CF055R03SS | CF055R04SS | CF055R05SS | CF055R06SS | CF055R07SS | CF055R08SS |
| 901-1000 (T) | CF055T00SS | CF055T01SS | CF055T02SS | CF055T03SS | CF055T04SS | CF055T05SS | CF055T06SS | CF055T07SS | CF055T08SS |
| 1001-1100 (V) | CF055V00SS | CF055V01SS | CF055V02SS | CF055V03SS | CF055V04SS | CF055V05SS | CF055V06SS | CF055V07SS | CF055V08SS |
| 1101-1200 (X) | CF055X00SS | CF055X01SS | CF055X02SS | CF055X03SS | CF055X04SS | CF055X05SS | CF055X06SS | CF055X07SS | CF055X08SS |

Note: All flashing over 800mm girth, maximum length 4.0m.

Note: Crush & Fold = 2 Bends

NOTE: *Stramit® Custom Flashings* are sold/invoiced by finish, girth and number of bends. Minimum flashing charge 1.0 metre.

Stramit® Custom Flashings. Please confirm lead time at point of order.

Stramit® Custom Flashings details cannot be taken over the phone.

We require a drawing and recommend the use of our Flashing Detail Page (fax details to ensure manufacture of flashings correct to customer requirement).

Maximum lengths: 8.0m ex Erskine Park. Subject to delivery location and suitability of flashing shape.

NOTE: Stramit reserves the right to revise prices without notice.

NOTE: These products are made to order, NON RETURNABLE

| | | | | |
|---|--|--|---|---|
| ERSKINE PARK Sales (02) 9834 0909 Fax (02) 9834 0988 | COFFS HARBOUR (02) 6656 3800 Fax (02) 6656 3808 | NEWCASTLE (02) 4041 3400 Fax (02) 4041 3423 | CANBERRA (02) 6298 2500 Fax (02) 6298 2533 | ORANGE (02) 6360 9200 Fax (02) 6360 9211 |
|---|--|--|---|---|

NEW PRODUCT • MODIFIED PURLINS • ADVANCED MATERIALS

GENERAL

Stramit has roll forming equipment, which allows quick and easy profile changes to be made within the production cycle. This allows the production of special *Stramit® Purlins* or other shapes designed specifically for individual projects giving the best balance in performance and economy.

SIZE RANGE

Sections can be produced within the following parameters:

| | | | |
|---------------|-------|---|-------|
| Web size | 100mm | – | 400mm |
| Flange size | 50mm | – | 130mm |
| Lip size | 12mm | – | 30mm* |
| Thickness | 1.0mm | – | 3.0mm |
| Material type | G300 | – | G550 |

*Zero lip (i.e. plain channels) also available.
17mm is maximum lip size on 100mm deep sections.
Minimum length 1.7m.

MODIFIED PURLINS

Modified *Stramit® Purlins*, Z, C or plain channel, may be used for a variety of applications but usually are required from a specific strip size. Extended lead times for ordering are required and are subject to a **minimum order quantity criteria**.

TOOLING

Contact your local Stramit office for cost estimates for tooling of special flange sizes and any special holes.


HOLES

The facility to provide special holes at almost any location is also available. Maximum number of hole sets per purlin is 29.

DESIGN CAPACITY TABLES

Section properties and capacity tables for modified or custom profiles may be possible for larger projects by means of the latest in computer programs written for this purpose.

SIZES AVAILABLE



New high-tech coating for severe environments

Stramit Building Products now offers the next generation of steel purlin and Condeck HP products manufactured from ZAM® coated steel.

ZAM® is a technologically advanced coated steel that allows new installation possibilities in corrosive environments. By replacing the need for post-galvanising, ZAM® products also lower material costs and reduce project lead times.

ZAM® coated steel offers better corrosion protection than conventional galvanised steel (around three times the design life) at a lower cost than products with comparable performance.

ZAM® products perform well in salt or marine atmospheres and are superior to galvanised steel in acid rain, sulphur dioxide or ammonia conditions. They also perform well in alkaline environments. They are appropriate for use near marine environments, in enclosed swimming pool complexes, in poultry, cattle and pig shed environments, as well as in high industrial environments.

The superior scratch resistance of ZAM® products helps corrosion resistance in applications subject to repeated wear. ZAM® coated steel is also concrete compatible, making it an ideal material for steel formwork decking products.

ZAM® is offered by Stramit Building Products with a 20 year warranty, subject to standard terms and conditions. Call Stramit Building Products for more information.

DIMENSIONS & TYPICAL DETAILS

STRAMIT® EXACTA PURLIN DIMENSIONS

C SECTIONS

| Section | Web Depth mm | Flange Width mm | Thickness BMT mm | Section Mass kg/m |
|----------|--------------|-----------------|------------------|-------------------|
| EC150-10 | 150 | 58 | 1.0 | 2.43 |
| EC150-12 | 150 | 58 | 1.2 | 2.90 |
| EC150-15 | 150 | 58 | 1.5 | 3.59 |
| EC150-19 | 150 | 58 | 1.9 | 4.51 |
| EC150-24 | 150 | 58 | 2.4 | 5.67 |
| EC200-12 | 200 | 72 | 1.2 | 3.63 |
| EC200-15 | 200 | 72 | 1.5 | 4.50 |
| EC200-19 | 200 | 72 | 1.9 | 5.74 |
| EC200-24 | 200 | 72 | 2.4 | 7.21 |
| EC250-15 | 250 | 73 | 1.5 | 5.18 |
| EC250-19 | 250 | 73 | 1.9 | 6.50 |
| EC250-24 | 250 | 73 | 2.4 | 8.17 |
| EC300-19 | 300 | 93 | 1.9 | 8.04 |
| EC300-24 | 300 | 93 | 2.4 | 10.18 |
| EC300-30 | 300 | 93 | 3.0 | 12.69 |
| EC350-19 | 350 | 120 | 1.9 | 9.68 |
| EC350-24 | 350 | 120 | 2.4 | 12.20 |
| EC350-30 | 350 | 120 | 3.0 | 15.20 |

Z SECTIONS

| Section | Web Depth mm | Broad Flange mm | Narrow Flange mm | Thickness BMT mm | Section Mass kg/m |
|----------|--------------|-----------------|------------------|------------------|-------------------|
| EZ150-10 | 150 | 61 | 57 | 1.0 | 2.43 |
| EZ150-12 | 150 | 61 | 57 | 1.2 | 2.90 |
| EZ150-15 | 150 | 61 | 57 | 1.5 | 3.59 |
| EZ150-19 | 150 | 61 | 57 | 1.9 | 4.51 |
| EZ150-24 | 150 | 61 | 57 | 2.4 | 5.67 |
| EZ200-12 | 200 | 74 | 69 | 1.2 | 3.63 |
| EZ200-15 | 200 | 74 | 69 | 1.5 | 4.50 |
| EZ200-19 | 200 | 74 | 69 | 1.9 | 5.74 |
| EZ200-24 | 200 | 74 | 69 | 2.4 | 7.21 |
| EZ250-15 | 250 | 76 | 71 | 1.5 | 5.18 |
| EZ250-19 | 250 | 76 | 71 | 1.9 | 6.50 |
| EZ250-24 | 250 | 76 | 71 | 2.4 | 8.17 |
| EZ300-19 | 300 | 98 | 91 | 1.9 | 8.04 |
| EZ300-24 | 300 | 98 | 91 | 2.4 | 10.18 |
| EZ300-30 | 300 | 98 | 91 | 3.0 | 12.69 |
| EZ350-19 | 350 | 124 | 116 | 1.9 | 9.68 |
| EZ350-24 | 350 | 124 | 116 | 2.4 | 12.20 |
| EZ350-30 | 350 | 124 | 116 | 3.0 | 15.20 |

STRAMIT® PURLIN DIMENSIONS

C SECTIONS

| Section | Web Depth mm | Flange Width mm | Lip Length mm | Thickness BMT mm | Section Mass kg/m |
|---------|--------------|-----------------|---------------|------------------|-------------------|
| C10010 | 102 | 51 | 12.5 | 1.0 | 1.77 |
| C10012 | 102 | 51 | 13.0 | 1.2 | 2.11 |
| C10015 | 102 | 51 | 14.0 | 1.5 | 2.61 |
| C10019 | 102 | 51 | 15.0 | 1.9 | 3.29 |
| C15012 | 152 | 64 | 15.0 | 1.2 | 2.90 |
| C15015 | 152 | 64 | 16.0 | 1.5 | 3.59 |
| C15019 | 152 | 64 | 17.0 | 1.9 | 4.51 |
| C15024 | 152 | 64 | 18.5 | 2.4 | 5.67 |
| C20015 | 203 | 76 | 16.0 | 1.5 | 4.50 |
| C20019 | 203 | 76 | 19.5 | 1.9 | 5.74 |
| C20024 | 203 | 76 | 21.0 | 2.4 | 7.21 |
| C25019 | 254 | 76 | 19.0 | 1.9 | 6.50 |
| C25024 | 254 | 76 | 20.5 | 2.4 | 8.17 |
| C30024 | 300 | 96 | 28.0 | 2.4 | 10.18 |
| C30030 | 300 | 96 | 31.5 | 3.0 | 12.69 |
| C35030 | 350 | 125 | 31.0 | 3.0 | 15.20 |
| C40030 | 400 | 96 | 31.0 | 3.0 | 15.20 |

Z SECTIONS

| Section | Web Depth mm | Broad Flange mm | Narrow Flange mm | Lip Length mm | Thickness BMT mm | Section Mass kg/m |
|---------|--------------|-----------------|------------------|---------------|------------------|-------------------|
| Z10010 | 102 | 53 | 49 | 12.5 | 1.0 | 1.77 |
| Z10012 | 102 | 53 | 49 | 13.0 | 1.2 | 2.11 |
| Z10015 | 102 | 53 | 49 | 14.0 | 1.5 | 2.61 |
| Z10019 | 102 | 53 | 49 | 15.0 | 1.9 | 3.29 |
| Z15012 | 152 | 65 | 61 | 15.0 | 1.2 | 2.90 |
| Z15015 | 152 | 65 | 61 | 16.0 | 1.5 | 3.59 |
| Z15019 | 152 | 65 | 61 | 17.0 | 1.9 | 4.51 |
| Z15024 | 152 | 65 | 61 | 18.5 | 2.4 | 5.67 |
| Z20015 | 203 | 79 | 74 | 16.0 | 1.5 | 4.50 |
| Z20019 | 203 | 79 | 74 | 19.5 | 1.9 | 5.74 |
| Z20024 | 203 | 79 | 74 | 21.0 | 2.4 | 7.21 |
| Z25019 | 254 | 79 | 74 | 19.0 | 1.9 | 6.50 |
| Z25024 | 254 | 79 | 74 | 20.5 | 2.4 | 8.17 |
| Z30024 | 300 | 100 | 93 | 28.0 | 2.4 | 10.18 |
| Z30030 | 300 | 100 | 93 | 31.5 | 3.0 | 12.69 |
| Z35030 | 350 | 129 | 122 | 31.0 | 3.0 | 15.20 |
| Z40030 | 400 | 100 | 93 | 31.0 | 3.0 | 15.20 |


HOLING

Stramit® Purlins and Girts have standard 18mm x 22mm holes punched to details supplied. Refer to punching schedule below.

| Stramit® Purlin/Girt | 'A' mm |
|----------------------|--------------------|
| C/Z100 | 40 (A) |
| C/Z150 | 60 (A) or 70 (VIC) |
| C/Z200 | 110 (A) |
| C/Z250 | 160 (A) |
| C/Z300 | 210 (A) |
| C/Z350 | 260 (A) |

'A' = A.I.S.C. > Hole Spacing

NOTE: 1. Standard hole centres are available (see below).



Refer to Standard Delivery Details ex Erskine Park on Page 81.

(NOTE: PURLIN ORDER CUT OFF IS 3.00 pm DAILY)

NOTE: Custom Sections are subject to special enquiry – POA. They are cut to length, custom punched from Galvanised material.

STANDARD & EXACTA C & Z PURLINS

| Product | Product Details | Code Standard | Code Exacta | BMT mm | Unit |
|---|----------------------|---------------|---------------------|--------|-----------|
| Stramit® C & Z Purlins | | | | | |
| Stramit® C & Z Purlins (Z350 Coating) | C & Z 10010 Sections | C/Z10010* | NA | 1.0 | per metre |
| | C & Z 10012 Sections | C/Z10012* | NA | 1.2 | per metre |
| | C & Z 10015 Sections | C/Z10015* | NA | 1.5 | per metre |
| | C & Z 10019 Sections | C/Z10019* | NA | 1.9 | per metre |
| | C & Z 15010 Sections | NA | •C/Z15010EX* | 1.0 | per metre |
| | C & Z 15012 Sections | C/Z15012* | C/Z15012EX* | 1.2 | per metre |
| | C & Z 15015 Sections | C/Z15015* | C/Z15015EX* | 1.5 | per metre |
| | C & Z 15019 Sections | C/Z15019* | C/Z15019EX* | 1.9 | per metre |
| | C & Z 15024 Sections | C/Z15024* | C/Z15024EX* | 2.4 | per metre |
| | C & Z 20012 Sections | NA | •C/Z20012EX* | 1.2 | per metre |
| | C & Z 20015 Sections | C/Z20015* | C/Z20015EX* | 1.5 | per metre |
| | C & Z 20019 Sections | C/Z20019* | C/Z20019EX* | 1.9 | per metre |
| | C & Z 20024 Sections | C/Z20024* | C/Z20024EX* | 2.4 | per metre |
| | C & Z 25015 Sections | NA | •C/Z25015EX* | 1.5 | per metre |
| | C & Z 25019 Sections | C/Z25019* | C/Z25019EX* | 1.9 | per metre |
| | C & Z 25024 Sections | C/Z25024* | C/Z25024EX* | 2.4 | per metre |
| | C & Z 30019 Sections | NA | •C/Z30019EX* Ex Qld | 1.9 | per metre |
| | C & Z 30024 Sections | C/Z30024* | C/Z30024EX* Ex Qld | 2.4 | per metre |
| | C & Z 30030 Sections | C/Z30030* | C/Z30030EX* Ex Qld | 3.0 | per metre |
| | C & Z 35030 Sections | C/Z35030* | C/Z35030EX* Ex Qld | 3.0 | per metre |
| | C & Z 40030 Sections | C/Z40030* | NA | 3.0 | per metre |

NOTE: 300, 350 & 400 series purlins minimum order is 100Lm.

NA - Not Available * = P (Punched) or U (Unpunched)

• Non-standard item. Check lead time and whether a minimum order quantity applies.


Coating supplied is Z350 galvanised.

Other gauges and coatings of Z450 and Z600 are available under special order – POA.

Please check availability at time of order. Minimum length 1.700m.

Stramit® Purlins


Nesting Channel



| | | | |
|------------|----------|-----|-----------|
| (Suit 100) | CH10715U | 1.5 | per metre |
| (Suit 100) | CH10719U | 1.9 | per metre |
| (Suit 150) | CH15715U | 1.5 | per metre |
| (Suit 150) | CH15719U | 1.9 | per metre |
| (Suit 150) | CH15724U | 2.4 | per metre |
| (Suit 200) | CH20815U | 1.5 | per metre |
| (Suit 200) | CH20819U | 1.9 | per metre |
| (Suit 200) | CH20824U | 2.4 | per metre |
| (Suit 250) | CH25919U | 1.9 | per metre |

Stramit® Fascia Purlins

Fluted Fascia






| | | | |
|----------|-----------|--|-----------|
| (Fluted) | FP23019FP | | per metre |
| | FP23019FU | | per metre |

Refer to Standard Delivery Details on Page 80.

(NOTE: PURLIN ORDER CUT OFF IS 3.00 pm DAILY)

C & Z PURLINS - DOWNTURN LIP

| Product | Product Details | Code | BMT mm | Unit |
|---|--------------------------------|------------------|---------------|---------------|
| Stramit® C & Z Purlins | | | | |
|  | Stramit® Downturn Lip | C 10015 Sections | C10015PDT | 1.5 per metre |
| | C & Z Purlins (Z350 Coating) | C 10019 Sections | C10019PDT | 1.9 per metre |
| | | C 15012 Sections | C15012PDT | 1.2 per metre |
| | | C 15015 Sections | C15015PDT | 1.5 per metre |
| | | C 15019 Sections | C15019PDT | 1.9 per metre |
| | | C 15024 Sections | C15024PDT | 2.4 per metre |
| | | C 20015 Sections | C20015PDT | 1.5 per metre |
| | | C 20019 Sections | C20019PDT | 1.9 per metre |
| | | C 20024 Sections | C20024PDT | 2.4 per metre |
| | | C 25019 Sections | C25019PDT | 1.9 per metre |
| | | C 25024 Sections | C25024PDT | 2.4 per metre |
| | | C 30024 Sections | C30024PDT | 2.4 per metre |
| | | C 30030 Sections | C30030PDT | 3.0 per metre |
| | | C 35030 Sections | C35030PDT | 3.0 per metre |
| | | C 40030 Sections | C40030PDT | 3.0 per metre |
|  | Z 10010 Sections Broad/Narrow | Z10010PBNDDT | 1.0 per metre | |
| | Z 10010 Sections Narrow/Narrow | Z10010PNNDT | 1.0 per metre | |
| | Z 10012 Sections Broad/Narrow | Z10012PBNDDT | 1.2 per metre | |
| | Z 10012 Sections Narrow/Narrow | Z10012PNNDT | 1.2 per metre | |
| | Z 10015 Sections Broad/Narrow | Z10015PBNDDT | 1.5 per metre | |
| | Z 10015 Sections Narrow/Narrow | Z10015PNNDT | 1.5 per metre | |
| | Z 10019 Sections Broad/Narrow | Z10019PBNDDT | 1.9 per metre | |
| | Z 10019 Sections Narrow/Narrow | Z10019PNNDT | 1.9 per metre | |
| | Z 15012 Sections Broad/Narrow | Z15012PBNDDT | 1.2 per metre | |
| | Z 15012 Sections Narrow/Narrow | Z15012PNNDT | 1.2 per metre | |
| | Z 15015 Sections Broad/Narrow | Z15015PBNDDT | 1.5 per metre | |
| | Z 15015 Sections Narrow/Narrow | Z15015PNNDT | 1.5 per metre | |
| | Z 15019 Sections Broad/Narrow | Z15019PBNDDT | 1.9 per metre | |
| | Z 15019 Sections Narrow/Narrow | Z15019PNNDT | 1.9 per metre | |
| | Z 15024 Sections Broad/Narrow | Z15024PBNDDT | 2.4 per metre | |
| Z 15024 Sections Narrow/Narrow | Z15024PNNDT | 2.4 per metre | | |
|  | Z 20015 Sections Broad/Narrow | Z20015PBNDDT | 1.5 per metre | |
| | Z 20015 Sections Narrow/Narrow | Z20015PNNDT | 1.5 per metre | |
| | Z 20019 Sections Broad/Narrow | Z20019PBNDDT | 1.9 per metre | |
| | Z 20019 Sections Narrow/Narrow | Z20019PNNDT | 1.9 per metre | |
| | Z 20024 Sections Broad/Narrow | Z20024PBNDDT | 2.4 per metre | |
| | Z 20024 Sections Narrow/Narrow | Z20024PNNDT | 2.4 per metre | |
| | Z 25019 Sections Broad/Narrow | Z25019PBNDDT | 1.9 per metre | |
| | Z 25019 Sections Narrow/Narrow | Z25019PNNDT | 1.9 per metre | |
| | Z 25024 Sections Broad/Narrow | Z25024PBNDDT | 2.4 per metre | |
| | Z 25024 Sections Narrow/Narrow | Z25024PNNDT | 2.4 per metre | |
| | Z 30024 Sections Broad/Narrow | Z30024PBNDDT | 2.4 per metre | |
| | Z 30024 Sections Narrow/Narrow | Z30024PNNDT | 2.4 per metre | |
| | Z 30030 Sections Broad/Narrow | Z30030PBNDDT | 3.0 per metre | |
| | Z 30030 Sections Narrow/Narrow | Z30030PNNDT | 3.0 per metre | |
| | Z 35030 Sections Broad/Narrow | Z35030PBNDDT | 3.0 per metre | |
| Z 35030 Sections Narrow/Narrow | Z35030PNNDT | 3.0 per metre | | |
| Z 40030 Sections Broad/Narrow | Z40030PBNDDT | 3.0 per metre | | |
| Z 40030 Sections Narrow/Narrow | Z40030PNNDT | 3.0 per metre | | |

(Downturn lips are also available for Exacta Purlins.)

NOTE: All Orders under 250lm per size will be charged a \$1000 set up fee.



















COATING NOTE: Coating supplied is Z350 galvanised.

Other gauges and coatings of Z450 and Z600 are available under special order – POA.

Please check availability at time of order. Minimum length 1.700m.


Check leadtime at time of order for Downturn Lip Purlins.

STRAMIT BRIDGING SYSTEM - ACCESSORIES

| Product | Product Details | Code | Unit |
|---|---------------------------|----------------------------------|-------------------------------------|
| Stramit® Bridging | | | |
|  | Intermediate Locator/Lock | BI***LRLK | lin metre |
|  | Intermediate Lock/Lock | BI***LKLK | lin metre |
|  | Intermediate Locator/Bolt | BI***LRB0 | lin metre |
|  | Intermediate Lock/Bolt | BI***LKBO | lin metre |
|  | Intermediate Bolt/Bolt | BI***BOB0 | lin metre |
| <hr/> | | | |
|  | Swivel Bridging | BIS*** | lin metre |
| | Heavy Duty Bridging | BHD300 BHD350 BHD400 | lin metre lin metre lin metre |
| <hr/> | | | |
|  | Ridge Lock/Lock | BR*** | lin metre |
|  | Ridge Locator/Locator | BR*** | lin metre |
|  | Ridge Bolt/Bolt | BR*** | lin metre |
| <hr/> | | | |
|  | Fascia Locator/Fascia | BF*** | lin metre |
|  | Fascia Lock/Fascia | BF*** | lin metre |
|  | Fascia Bolt/Fascia | BF*** | lin metre |
| <hr/> | | | |
|    | Girt Hanger | BGHTB*** BGHTB*** BGHTB*** | lin metre lin metre lin metre |
| <hr/> | | | |
|    | Girt Foot | BGF*** BGF*** BGF*** | lin metre lin metre lin metre |







NOTE: - *** Indicates size of bridging channel required.

STRAMIT BRIDGING SYSTEM • ACCESSORIES


| Product | Product Details | Code | Unit |
|--|------------------------|-----------|-----------|
| Bridging System/Accessories | | | |
| Stramit® Bridging | | | |
|  | Sag Rod 12mm | BSR12 | per metre |
| | Sag Rod 16mm | BSR16 | per metre |
| | Tie Rod Angle | BTRA | each |
| | Bridging Ends Locator | BLR100 | each |
| | | BLR150 | each |
| | | BLR200 | each |
| | | BLR250 | each |
| | Bridging Ends Lock | BLK100 | each |
| | | BLK150 | each |
| | | BLK200 | each |
| | | BLK250 | each |
| | Bridging Bolted Ends | BB0100 | each |
| | | BB0150 | each |
| | | BB0200 | each |
| | | BB0250 | each |
| | Bridging Bolted Ends | BBOHD300 | each |
| | | BBOHD350 | each |
| | Bridging Channel | BC69ZA | lin metre |
| | | | |
| | Slotted Channel 5 Hole | BSC5HO | each |
| General Purpose Bracket | BGPB100GA | each | |
| | BGPB150GA | each | |
| | BGPB200GA | each | |
| | BGPB250GA | each | |
| | BGPB300GA | each | |
| Angle Connectors | BAC100 | each | |
| | BAC150 | each | |
| | BAC200 | each | |
| | BAC250 | each | |
| Clamp Plate | BCP100GA | each | |
| | BCP150GA | each | |
| | BCP200GA | each | |
| | BCP250GA | each | |
| Raking Girt Bracket | BRGB100 | each | |
| Bridging Starting Clips | BSC100 | each | |
| | BSC150 | each | |
| | BSC200 | each | |
| | BSC250 | each | |
| Fascia Bracket | BFB100 | each | |
| | BFB150 | each | |
| | BFB200 | each | |
| | BFB250 | each | |
| Bolts | PB1230ZPH | per 100 | |
| | M12 x 30 (Grade 4.6) | PB1230ZP | each |
| | M16 x 45 (Grade 4.6) | PB1645ZP | each |
| | Fascia Bolt | PBF1230GA | each |

*Check Lead Time at Placement of Order.


SPEEDY SPACER BRIDGING SYSTEM • ACCESSORIES

| Product | Details | Ordering Code | Unit |
|---|-------------------------|-----------------|-----------|
| Speedy Spacer Bridging System/Accessories | | | |
| Speedy Spacer System | | | |
| | Speedy Spacer 100 | SS100 | per metre |
| | Speedy Spacer 150/250 | SS150 | per metre |
|  | Bridging Strut | SSST**GA | per metre |
|  | Fascia Spacer 150/250 | SSF150 | per metre |
|  | End Spacer 100 | SSE100 | per metre |
| | End Spacer 150/250 | SSE150 | per metre |
|  | Starter Cleat 100 | SSSC100 | each |
| | Starter Cleat 150/250 | SSSC150 | each |
|  | Finishing Cleat 100 | SSAFC100 | each |
| | Finishing Cleat 150/250 | SSAFC150 | each |
|  | Fascia Cleat | | |
| | 150 Purlin | SSFC150 | each |
| | 200 Purlin | SSFC200 | each |
| | 230 Fascia Purlin | SSFC230 | each |
| | 250 Purlin | SSFC250 | each |
| | 260 Fascia Purlin | SSFC260 | each |

Accessories

| | | | |
|---|------------|-------------|------|
|  | Turnbuckle | SSAT | each |
|---|------------|-------------|------|

Redback Beams

| | | | |
|---|---------------------|---------------------|------|
|  | Redback® Beam 100 | RBC100156100 | each |
| | | RBC1015P6100 | each |
| | | RBC100157620 | each |
| | | RBC1015P7620 | each |
| | Redback® Beam 150 | RBC150156100 | each |
| | | RBC1515P6100 | each |
| | RBC150157620 | each | |
| | RBC1515P7620 | each | |


Note: no technical data is available for this product.

Lengths: 6.100 metre, 7.620 metre.

Available in stock lengths only.

Minimum order quantity packs of 20.

FLOORING • ACCESSORIES







Designed to meet the needs of domestic and light commercial construction, **Stramit® Flooring Sections** offer an economical, easy to use solution to floor framing and construction. With a wide range of section sizes offering freedom in design of floor joists, bearers, pier sizes and location, the **Stramit® Flooring Sections** adapt to a variety of house designs and conditions. These new section shapes also offer up to 30% more load capacity or 9% greater spanning performance than conventional C-sections.

The in-plane system saves building height or headroom and reduces brick or cladding costs.




- High tensile steel – for high strength and low weight.
- Z350 Galvanised coating – to give long term protection to the steel base. Z350 coating exceeds requirements of the Building Code of Australia for most building areas.
- Deeper sections – 235mm and 283mm joists allow for over 100mm pipe penetrations and standard toilet bends under floor.
- 235mm joist – matches 3 courses of bricks.
- Full range of sections – for economic design.
- Designed to resist bounce – uses the latest technology to prevent low frequency vibration in the floor structure.
- A complete system – with joists, bearers, piers, brackets and accessories.

***A complete flooring system take off service is now available upon request. Please contact your Stramit Account Manager.**







| Product Flooring/Accessories | Details | Ordering Code | BMT mm | Unit |
|---|-----------------------|-------------------------|-----------|-----------|
| Stramit® Flooring – Joists  | | J11510 | 1.0 | per metre |
| | | J11512 | 1.2 | per metre |
| | | J11515 | 1.5 | per metre |
| | | J11519 | 1.9 | per metre |
| | | J18210 | 1.0 | per metre |
| | | J18212 | 1.2 | per metre |
| | | J18215 | 1.5 | per metre |
| | | J18219 | 1.9 | per metre |
| | | J18224 | 2.4 | per metre |
| | | J23512 | 1.2 | per metre |
| | | J23515 | 1.5 | per metre |
| | | J23519 | 1.9 | per metre |
| | | J23524 | 2.4 | per metre |
| | | J28319 | 1.9 | per metre |
| | J28324 | 2.4 | per metre | |
| Minimum Length 1700mm. | | | | |
| Stramit® Flooring – Bearers  | | B11519 | 1.9 | per metre |
| | | B18219 | 1.9 | per metre |
| | | B18224 | 2.4 | per metre |
| | | B23519 | 1.9 | per metre |
| | | B23524 | 2.4 | per metre |
| | | B28319 | 1.9 | per metre |
| | B28324 | 2.4 | per metre | |
| Minimum Length 1700mm. | | | | |
| Brackets  | Angle Brackets | FCB1A (for B182) | | each |
| | | FCB1B (for B235/283) | | each |
|  | Web Brackets | FCB3A (for B182) | | each |
| | | FCB3B (for B235/283) | | each |

NOTE: All products on this page check lead times.

FLOORING • ACCESSORIES

| Product | Details | Ordering Code | Unit |
|---|---|----------------|------|
| Structural Sections | | | |
|  | 100mm Stump/Post base | FSMPFB100 | each |
|  | 100mm Stump top 180 edge | FSMPT180100 | each |
|  | 90mm Stump centre top | FSMPCT90 | each |
| | 75x75x3.0mm 8.0m Stump /Post tube | FSMST7510080 | each |
| | 75x75x3.0mm 8.0m Stump /Post tube (extra Gal) | FSMST7513580 | each |
| | 90x90x2.0mm 8.0m Stump /Post tube | FSMST9010080 | each |
| | 90x90x2.0mm 8.0m Stump /Post tube (extra Gal) | FSMST9013580 | each |
| | 75x50x1.6mm 8.0m Stump tube | FSMST75501680 | each |
| | 100x50x1.6mm 8.0m Stump tube | FSMST100501680 | each |
| | 100x50x2.0mm 8.0m Stump tube | FSMST100502080 | each |
| | 150x50x2.0mm 8.0mm Stump tube | FSMST150502080 | each |
| | 150x50x3.0mm 8.0m Stump tube | FSMST150503080 | each |
| | 150x50x4.0mm 8.0m Stump tube | FSMST150504080 | each |

FLOORING • ACCESSORIES

| Product | Details | Ordering Code | Unit |
|---|-------------------------|-----------------|-------|
| Structural Sections | | | |
|  | Angle 40x40 2.50 | AF40250DGA | metre |
|  | SHS Beam 75x75 2.50 | BSHS07507525DGA | metre |
| | SHS Beam 75x75 3.00 | BSHS07507530DGA | metre |
| | SHS Beam 75x75 4.00 | BSHS07507540DGA | metre |
| | SHS Beam 89x89 3.50 | BSHS08908935DGA | metre |
| | SHS Beam 90x90 2.00 | BSHS09009020DGA | metre |
|  | RHS Beam 75x50 1.60 | BRHS07505016GA | metre |
| | RHS Beam 100x50 1.60 | BRHS10005016GA | metre |
| | RHS Beam 125x75 2.00 | BRHS10005020GA | metre |
| | RHS Beam 125x75 2.00 | BRHS12507520GA | metre |
| | RHS Beam 125x75 3.00 | BRHS12507530GA | metre |
| | RHS Beam 150x50 2.00 | BRHS15005020GA | metre |
| | RHS Beam 150x50 3.00 | BRHS15005030GA | metre |
|  | RHS Beam 150x50 4.00 | BRHS15005040DGA | metre |
| | RHS Beam 150x50 5.00 | BRHS15005050DGA | metre |
|  | PF Channel 150x75 | CPF150075BLK | metre |
| | PF Channel 180x75 | CPF180075BLK | metre |
| | PF Channel 200x75 | CPF200075BLK | metre |
| | PF Channel 230x75 | CPF230075BLK | metre |
| | PF Channel 250x90 | CPF250090BLK | metre |
| | PF Channel 300x90 | CPF300090BLK | metre |
|  | Universal Beam 150 14.0 | BU15014BLK | metre |
| | Universal Beam 180 16.1 | BU18016BLK | metre |
| | Universal Beam 200 18.2 | BU20018BLK | metre |
| | Universal Beam 200 25.4 | BU20025BLK | metre |
| | Universal Beam 250 25.7 | BU25025BLK | metre |
| | Universal Beam 310 32.0 | BU31032BLK | metre |
| | Universal Beam 310 40.4 | BU31040BLK | metre |


STRUCTURAL SECTIONS

| Product | Details | Ordering Code | Finish | BMT mm | Unit |
|---|--|--------------------------|--------|--------|-------------|
| Structural Sections | | | | | |
| | NOGGIN Available Punched or Unpunched 72 x 32mm | SBN7212*ZA | ZA | 1.2 | per metre |
| | STUD Available Punched or Unpunched 75 x 30mm | SBS7512*ZA | ZA | 1.2 | per metre |
| | PLATE Available Punched or Unpunched 78 x 28mm | SBP7812*ZA | ZA | 1.2 | per metre |
| * Punched stud available on request on minimum 600mm centres. * Check lead time prior to ordering. | | | | | |
| Stramit® Unistud | | SBUS753212ZA60 | ZA | 1.2 | 6.0m length |
| | | SBUS753212ZA75 | ZA | 1.2 | 7.5m length |
| | TOP HAT 64 64 x 34 x 20 x 6 (A x B x C x D) | TH6475ZA | ZA | .75 | per metre |
| | | TH64100ZA | ZA | 1.0 | per metre |
| | | TH64120ZA | ZA | 1.2 | per metre |
| | TOP HAT 96 96 x 34 x 20 x 6 (A x B x C x D) | TH9675ZA (Ex QLD) | ZA | .75 | per metre |
| | | TH96100ZA | ZA | 1.0 | per metre |
| | | TH96120ZA | ZA | 1.2 | per metre |
| | TOP HAT 120 120 x 40 x 25 x 10 (A x B x C x D) | TH12070ZA | ZA | .70 | per metre |
| | | TH12090ZA | ZA | .90 | per metre |
| | | TH120120ZA | ZA | 1.2 | per metre |
| * Check branches and lead time. | | | | | |
| | Stramit® Roof Battens | RB40TC6100 | TC | .55 | each |
| | | RB40TC7500 | TC | .55 | each |
| | Fasteners | S1240HMTZIP | | | per 1000 |
| * Available only in 6.100 & 7.500 stock lengths. * Check Branches for stock availability. | | | | | |
| Stramit® Ceiling Battens | | CBTC61 | TC | .42 | each |
| | | | | | |
| * Available only in 6.100 stock length. * Check Branches for stock availability. | | | | | |
| Stramit® Eave Purlins | | | | | |
| | 64mm Eave Purlin | EP11010 | GA | 1.0 | per metre |
| | 96mm Eave Purlin | EP13012 | GA | 1.2 | per metre |
| NOTE: Check Regional Centres on lead times for cut to length Eave Purlins. | | | | | |

FORMWORK • ACCESSORIES


| Product | Details | Ordering Code | Finish | BMT mm | Unit |
|---------|---------|---------------|--------|--------|------|
|---------|---------|---------------|--------|--------|------|

| Formwork/Accessories | | | | | |
|----------------------------|-----------------------|-------------------|----|-------|--------------------|
| Stramit Condeck HP® | 300mm effective cover | CONHP75GA | GA | 0.75* | per m ² |
| | Low Glare | CONHP75LG | GA | 0.75* | per m ² |
| | | CONHP100GA | GA | 1.00 | per m ² |
| | Low Glare | CONHP100LG | GA | 1.00 | per m ² |



NOTE: Condeck HP® is also available in ZAM. Refer to page 68.

Price quoted is an effective cover per square metre price.




CONEHANG each

Ceiling Hangers
(2 pieces per hanger)

*In exposed ceiling situations, please check with our Technical Services Manager.
Minimum Length 600mm.
Maximum Length 16m

Accessories




| Depth | Ordering Code | Finish | BMT | Unit |
|------------------------|-------------------|--------|------|-----------|
| 50 - 100mm Edgeforma* | CONEF100GA | GA | 0.90 | lin metre |
| 100 - 125mm Edgeforma* | CONEF125GA | GA | 0.90 | lin metre |
| 126 - 160mm Edgeforma* | CONEF160GA | GA | 1.20 | lin metre |
| 161 - 185mm Edgeforma* | CONEF185GA | GA | 1.50 | lin metre |
| 186 - 200mm Edgeforma* | CONEF200GA | GA | 1.50 | lin metre |

*Edgeforma can be custom made to slab height.
Custom made 1.0m - 8.0m lengths.
Allow 5 working days for delivery.

Single Span maximum span (mm)

| slab thickness (mm) | Stramit Condeck HP® decking thickness | | |
|------------------------|---------------------------------------|--------|--------|
| | 0.75mm | 0.90mm | 1.00mm |
| 90 | 2100 | 2350 | 2450 |
| 100 | 2040 | 2280 | 2380 |
| 110 | 1990 | 2210 | 2310 |
| 120 | 1940 | 2160 | 2250 |
| 125 | 1920 | 2130 | 2220 |
| 130 | 1900 | 2110 | 2200 |
| 140 | 1860 | 2060 | 2150 |
| 150 | 1820 | 2020 | 2100 |
| 160 | 1780 | 1980 | 2060 |
| 170 | 1750 | 1940 | 2020 |
| 180 | 1720 | 1900 | 1990 |
| 190 | 1690 | 1870 | 1960 |
| 200 | 1660 | 1840 | 1920 |
| 210 | 1610 | 1810 | 1890 |
| 220 | 1600 | 1790 | 1870 |
| 230 | 1580 | 1760 | 1840 |
| 240 | 1560 | 1740 | 1820 |
| 250 | 1540 | 1720 | 1790 |



SPAN TABLES FOR TEMPORARY PROPS

Calculated for concrete density of 2400 kg/m³, reo mass 50 kg/m³, stacked material load of 1.5kPa in pans, 100mm wide prop bearers and rib deflection limit of span/240. Maximum spans for finished composite slabs must be checked using the **Stramit Condeck HP® Technical Manual** or the **Stramit Condeck HP® Slab Designer** software. Props or propping frames must be spaced approximately equally within the span.

Cases below this line not recommended for exposed ceilings

SYDNEY – STANDARD DELIVERY CHARGES

All orders to store attract a **\$20.00** minimum delivery fee per order.

A minimum charge of **\$155** per delivery will be levied for delivery to site.

Charges for delivery in the metropolitan area of Sydney
(within the boundary of the map on page 81)
or to those country areas serviced by Sydney on scheduled delivery days
are based on the following minimums.

Material (product length)

| | | |
|-----------------|-------------------|---|
| Up to 15mtr | FRSITE | \$155 per delivery |
| 15mtr - 18mtr | FR3SITE18 | \$260 per delivery (+ escorts as applicable) |
| 18mtr - 19.5mtr | FR3SITE195 | \$350 per delivery (+ escorts as applicable) |
| 19.5mtr - 28mtr | FR3SITE28 | \$520 per delivery (+ escorts as applicable) |
| 28mtr - 30mtr | FR3SITE30 | \$745 per delivery (+ escorts as applicable) |
| 30mtr - 39.5mtr | | POA per delivery (+ escorts as applicable) |

Escort Costs

| | | |
|--------------|-----------------|--|
| Metropolitan | FRESCORT | \$185 each (+ relevant delivery charges). |
| Country | | POA |

Maximum Hi-Ab length is 13.5m. Lengths over 13.5m or delivery total over 4.5 tonne require a crane on site. (maximum pack weight 880kg)

Specific Site Time

| | | |
|-----------------------------|-----------------|---|
| Order value under \$2000 | | \$220 per delivery (+ site delivery) |
| Order value \$2000 and more | FR3EARLY | \$110 per delivery (+ site delivery) |
| Saturdays | | \$500 minimum per delivery (+ site delivery) |

(please note this facility is additional to other charges)

Demurrage

Unloading time at customers premises in excess of one(1) hour will be charged at the rate of **\$100** per hour or part thereof.

Stillage Retrieval Policy


Stramit reserves the right to charge a stillage replacement fee of \$1500 for any Stillage left at store or on site at the request of the customer, this charge will be invoiced to the customer if the Stillage is not made available for pick up within 2 weeks after the stillage delivery.

Redelivery

Product refused at the original delivery and requested to be redelivered will incur a redelivery minimum charge of **\$150 FRRDCR**.

DISTRIBUTION SCHEDULE – ERSKINE PARK

SYDNEY METROPOLITAN DELIVERY AREA



DELIVERY SERVICES TO COUNTRY AREAS – NOMINATED DAYS

EX SYDNEY WORKS

| Nominated Area | Route, Towns Serviced | Delivery | Route Map |
|--|---|---|-----------|
| Southern Highlands | Mittagong, Berrima, Moss Vale, Bowral, Wilton, Tahmoor Includes: Thirlmere, Bargo, Buxton, Robertson, Fitzroy Falls, Marulan, Bundanoon | Daily | |
| Blue Mountains Lower Blue Mountains | Via towns on Great Western Hwy to Hartley returning via Bells Line of Road to Kurrajong Includes: Winmalee, Mt Victoria, Blackheath, Medlowbath, Katoomba, Leura, Wentworth Falls, Bullaburra, Hazelbrook, Woodford, Linden, Faulconbridge | Tuesday & Thursday | |
| South Coast | Stanwell Park, Wollongong, Kiama, Nowra, Gerringong, Picton, Appin, Wilton, Berry, Huskinson, Milton, Ulladulla, Sussex Inlet, Lake Tabourie Orders from outside of this area will be delivered direct Price on application | Daily Monday, Wednesday & Friday | |
| Pick Up Hours | Monday - Friday | 6.00am - 4.00pm | |

| | | | | |
|---|--|--|---|---|
| ERSKINE PARK Sales (02) 9834 0909 Fax (02) 9834 0988 | COFFS HARBOUR (02) 6656 3800 Fax (02) 6656 3808 | NEWCASTLE (02) 4041 3400 Fax (02) 4041 3423 | CANBERRA (02) 6298 2500 Fax (02) 6298 2533 | ORANGE (02) 6360 9200 Fax (02) 6360 9211 |
|---|--|--|---|---|

PRODUCT AVAILABILITY/SERVICE OFFER/DISTRIBUTION SCHEDULE – COFFS HARBOUR

TO ORDER

Refer to the schedule below and order before 3.00pm the day before production day and at least 2 days before intended delivery day.

PRODUCTION DAYS

| Product | Mon | Tues | Wed | Thur | Fri |
|-------------------------------|-----|------|-----|------|-----|
| Stramit® Corrugated sheeting | • | • | • | • | • |
| Stramit Monoclad® sheeting | • | • | • | • | • |
| Stramit® Custom Flashings | • | • | • | • | • |
| Stramit® Roll Top Ridge | • | • | • | • | • |
| Stramit® M Pattern Gutter | • | • | • | • | • |
| Stramit® Fascia Board | • | • | • | • | • |
| Stramit® Hi Front Quad Gutter | • | • | • | • | • |

UNLOADING/DEMURRAGE

Unloading at the site is the responsibility of the customer. A maximum time of 1 hour per truck is allowed for unloading, any additional time will be charged to the customer at the rate of \$100 per hour. In the event of an unattended site, our driver will endeavour to unload as close to the site as possible. All care will be taken but Stramit will not accept claims for damage to product during unloading, nor claims for pilfering part or all of the delivery made. Any additional costs will be charged to the customer's account.

WORKSAFE NSW RESTRICTIONS

Customers should be aware that under WorkSafe NSW legislation there are restrictions governing the ability of drivers to load/unload to/from heavy vehicles.

Customers with special requirements or unusual sites should contact the Transport Manager before delivery to clarify the requirements.

REFER TO TERMS AND CONDITIONS ON INSIDE BACK COVER

If the site is considered unsafe for the delivery vehicle, the driver will inform both Stramit and the customer (where possible) for alternative arrangements to be made. If delivery was unsuccessful through no fault of Stramit Building Products, the delivery will be made on the next scheduled delivery day, and a new delivery fee will be charged.

Hi-Ab unloads are from the trailer to the ground. It is unsafe for the Hi-Ab's to be used to load product on to buildings.

DELIVERY CHARGE – Ex Coff's Harbour

| | | |
|--------------------|---------------|-------------------------------|
| Material length to | Up to 15mtr | \$155 |
| | 15mtr-18mtr | \$260 (+ escorts if required) |
| | 18mtr-19.5mtr | \$350 (+ escorts if required) |
| | 19.5mtr-28mtr | \$520 (+ escorts if required) |

| | |
|--------------------------------------|----------------------------------|
| Hi-Ab Facility | \$85 per delivery (if available) |
| Escort Charges | POA |
| Specific Site Time | \$110 (orders over \$2000) |
| (Additional to other charges levied) | \$220 (orders under \$2000) |

FOR PRODUCTS SOURCED FROM OTHER MANUFACTURING CENTRES AND/OR FOR LOADS OVER 13.5MTR CHECK YOUR LOCAL STRAMIT OFFICE FOR INDIVIDUAL PRICING & LEAD TIME.

***DELIVERIES OUTSIDE NOMINATED AREAS WILL BE CHARGED AT \$3.00/km (ROUND TRIP), PLUS HI-AB IF REQUIRED.**

***NOTE: COFFS HARBOUR ONLY STOCKS CLASS 4 SCREWS.**

NOTE: Maximum Hi-Ab length is 13.5m.

Lengths over 13.5m require a crane on site for unloading.

| Nominated Area | Route, Towns Served | Delivery | Route Map |
|-------------------------|---|------------------------|-----------|
| Customer Pickups | | Daily 7.00am to 4.00pm | |
| Local | Coffs Harbour, Bellingen Grafton, Kempsey | Daily | |
| South | Port Macquarie, Wauchope, Kew. | Tuesday & Thursday | |
| South West | Armidale, Guyra, Dorrigo | Tuesday & Thursday | |
| North | Casino, Coraki, Woodburn Yamba, Ballina, Lismore | Daily | |
| North West | Glen Innes, Inverell Tenterfield | Tuesday | |

Note any site deliveries outside the 15km radius of Armidale Post Office will incur \$3.00/km each way extra over standard delivery. All deliveries to Walcha township only.

Non standard deliveries are available at an additional cost. Please refer to your local Stramit office.

PRODUCT AVAILABILITY/SERVICE OFFER/DISTRIBUTION SCHEDULE – NEWCASTLE

TO ORDER

Refer to the schedule below and order before 3.00pm the day before production day and at least 2 days before intended delivery day.

PRODUCTION DAYS

| Product | Mon | Tues | Wed | Thur | Fri |
|---|-----|------|-----|------|-----|
| Stramit® Corrugated sheeting | • | • | • | • | • |
| Stramit Monoclad® sheeting (incl. reverse roll) | • | • | • | • | • |
| Stramit Megaclad Sheeting | | • | | | |
| Stramit® Valley | • | • | • | • | • |
| Stramit® Roll Top Ridge | • | • | • | • | • |
| Stramit® Custom Flashings | • | • | • | • | • |
| Stramit® Quad 125 Gutter | • | • | • | • | • |
| Stramit® Hi Front Quad & Fascia Board | • | • | • | • | • |

NOTE: Newcastle only stock class 4 ZIP screws.

NOTE: Curving process conducted every Monday - cut off for orders Thursday.

Goods manufactured at other branches need to be ordered 48 hours before the product rolling day at the appropriate branch.

UNLOADING/DEMURRAGE

Unloading at the site is the responsibility of the customer. A maximum time of 1 hour per truck is allowed for unloading, any additional time will be charged to the customer at the rate of \$100 per hour. In the event of an unattended site, our driver will endeavour to unload as close to the site as possible. All care will be taken but Stramit will not accept claims for damage to product during unloading, nor claims for pilfering part of all of the delivery made. Any additional costs will be charged to the customer's account.

WORKSAFE NSW RESTRICTIONS

Customers should be aware that under WorkSafe NSW legislation there are restrictions governing the ability of drivers to load/unload to/from heavy vehicles.

Customers with special requirements or unusual sites should contact the Transport Manager before delivery to clarify the requirements.

REFER TO TERMS AND CONDITIONS ON INSIDE BACK COVER

If the site is considered unsafe for the delivery vehicle, the driver will inform both Stramit and the customer (where possible) for alternative arrangements to be made. If delivery was unsuccessful through no fault of Stramit Building Products, the delivery will be made on the next scheduled delivery day.

Hi-Ab unloads are from the trailer to the ground. It is unsafe for the Hi-Ab's to be used to load product on to buildings.

DELIVERY CHARGE – Ex Newcastle

| | | |
|--------------------------------------|---------------|----------------------------------|
| Material length to | Up to 15mtr | \$155 |
| | 15mtr-18mtr | \$260 (+ escorts if req) |
| | 18mtr-19.5mtr | \$350 (+ escorts if req) |
| | 19.5mtr-28mtr | \$520 (+ escorts if req) |
| Hi-Ab Facility | | \$85 per delivery (if available) |
| Escort Charges | | POA |
| Specific Site Time | | \$110 (orders over \$2000) |
| (Additional to other charges levied) | | \$220 (orders under \$2000) |

NOTE: Maximum Hi-Ab length is 13.5m.

Lengths over 13.5m require a crane on site for unloading.

FOR PRODUCTS SOURCED FROM OTHER MANUFACTURING CENTRES AND/OR FOR LOADS OVER 15MTR CHECK YOUR LOCAL STRAMIT OFFICE FOR INDIVIDUAL PRICING.

***DELIVERIES OUTSIDE NOMINATED AREAS WILL BE CHARGED AT \$3.00/km (ROUND TRIP), PLUS HI-AB IF REQUIRED.**

NOTE: PRE SLUNG DELIVERIES AVAILABLE POA.

| Nominated Area | Route, Towns Serviced | Delivery | Route Map |
|--------------------------------------|---|--|-----------|
| Metropolitan Newcastle | Shoal Bay, Raymond Terrace, Hawkesbury River and Central Coast. | Daily | |
| Hunter Valley (Upper) | Muswellbrook, Scone, Merriwa, Denman Gloucester, Dungog | Tuesday & Thursday Tuesday Wednesday (2 day run) | |
| Taree | Buladelah, Nabic, Forster, Taree, Wingham, Tea Gardens | Daily | |
| Tamworth/ North West | Tamworth, Gunnedah, Narrabri and Moree | Monday / Tuesday (2 day run) | |
| Tamworth/ Northern Tablelands | Gunnedah, Tamworth | Wednesday / Thursday (2 day run) | |
| Tamworth | Stores only | Friday | |

Non standard deliveries are available at an additional cost. Please refer to your local Stramit office.

Prices in this Product & Service Guide DO NOT include GST.

PRODUCT AVAILABILITY/SERVICE OFFER/DISTRIBUTION SCHEDULE – QUEANBEYAN

TO ORDER

Refer to the schedule below and order before 3.00pm the day before production day and at least 2 days before intended delivery day.

PRODUCTION DAYS

| Product Rolling | Mon | Tues | Wed | Thurs | Fri |
|--------------------------------------|-----|------|-----|-------|-----|
| Stramit® Corrugated sheeting | • | • | • | • | • |
| Stramit Monoclad® sheeting | • | • | • | • | • |
| Stramit® Roll Top Ridge | • | • | • | • | • |
| Stramit® Hi Front Quad Plain/Slotted | • | • | • | • | • |
| Stramit® Fascia Board | • | • | • | • | • |
| Stramit® Flashings | • | • | • | • | • |

Goods manufactured at other branches need to be ordered 48 hours before the product rolling day at the appropriate branch.

UNLOADING/DEMURRAGE

Unloading at the site is the responsibility of the customer. A maximum time of 1 hour per truck is allowed for unloading, any additional time will be charged to the customer at the rate of \$100 per hour. In the event of an unattended site, our driver will endeavour to unload as close to the site as possible. All care will be taken but Stramit will not accept claims for damage to product during unloading, nor claims for pilfering part of all of the delivery made. Any additional costs will be charged to the customer's account.

WORKSAFE NSW RESTRICTIONS

Customers should be aware that under WorkSafe NSW legislation there are restrictions governing the ability of drivers to load/unload to/from heavy vehicles. Customers with special requirements or unusual sites should contact the Production Manager before delivery to clarify the requirements.

REFER TO TERMS AND CONDITIONS ON INSIDE BACK COVER

If the site is considered unsafe for the delivery vehicle, the driver will inform both Stramit and the customer (where possible) for alternative arrangements to be made. If delivery was unsuccessful through no fault of Stramit Building Products, the delivery will be made on the next scheduled delivery day at min cost of \$150.00. Hi-Ab unloads are from the trailer to the ground only.

DELIVERY CHARGE

| | | |
|------------------|---------------|-------------------------------|
| Material | Up to 15mtr | \$155 |
| length to | 15mtr-18mtr | \$260 (+ escorts if required) |
| | 18mtr-19.5mtr | \$350 (+ escorts if required) |
| | 19.5mtr-28mtr | \$520 (+ escorts if required) |

Hi-Ab Facility \$85 per delivery (if available)

Escort Charges POA

Specific Site Time \$110 (orders over \$2000)

(Additional to other charges levied) \$220 (orders under \$2000)

• **MAXIMUM HI-AB LENGTH 13.5M.**

***FOR LOADS OVER 15MTR CHECK YOUR LOCAL STRAMIT OFFICE FOR INDIVIDUAL PRICING.**

***DELIVERIES OUTSIDE NOMINATED AREAS WILL BE CHARGED AT \$3.00/km (ROUND TRIP) PLUS HI-AB IF REQUIRED.**

OPU 7am - 4pm. Stock.

NOTE: FOR ALL DIRECT DELIVERIES EX ERSKINE PARK, ADDITIONAL CHARGES WILL BE APPLICABLE.

PLEASE NEGOTIATE THESE WITH YOUR LOCAL STRAMIT REPRESENTATIVE AT TIME OF ORDER.

NOTE: Table Top deliveries available for local area, outside of this goods will be delivered via semi.

Deliveries above Cobargo contact DGL for additional charges.

| Nominated Area | Route, Towns Served | Delivery | Route Map |
|------------------------------|--|-----------------------------------|-----------|
| Goulburn & Braidwood | Goulburn, Gunning, Crookwell Contact office for details. Bungendore semi | Monday Wednesday and Friday | |
| Young | Yass, Young, Harden and Murrumbateman Cootamundra, and Boorowa. | Tuesday Thursday | |
| Cooma – Snowy mountains | Berridale, Jindabyne Cooma *Perisher/Smiggins, Thredbo Adaminaby – Contact office for details. Additional charges may apply. Tumut is serviced ex Albury. | Tuesday and Friday Daily | |
| CANBERRA METROPOLITAN | Bungendore Table Top | Daily | |
| Far South Coast | Eden, Pambula, Bega, Cobargo, Quaama, Brogo, Bermagui, Tilba Tilba, Central Tilba | Monday & Thursday As Above | |

Prices in this Product & Service Guide DO NOT include GST.

PRODUCT AVAILABILITY/SERVICE OFFER/DISTRIBUTION SCHEDULE – ORANGE

TO ORDER

Refer to the schedule below and order before 4.00pm the day before production day and at least 2 days before intended delivery day.

PRODUCTION DAYS

| Product Rolling | Mon | Tues | Wed | Thur | Fri |
|------------------------------|-----|------|-----|------|-----|
| Stramit® Corrugated sheeting | • | • | • | • | • |
| Stramit® Curving Quality | • | • | • | • | • |
| Stramit Monoclad® sheeting | • | • | • | • | • |
| Stramit® Flashings | • | • | • | • | • |
| Stramit HiFront Quad | • | • | • | • | • |
| Stramit Fascia Board | • | • | • | • | • |

Goods manufactured at other branches need to be ordered 48 hours before the product rolling day at the appropriate branch.

UNLOADING/DEMURRAGE

Unloading is the responsibility of the customer. A maximum of 1 hour per truck per drop is allowed for unloading. Any additional time can and will be charged to the customer at the rate of \$100 per hour. In the event of an unattended site our driver will endeavour to unload as close to the site as possible. In these instances Stramit will not accept claims for damage to product during unloading, nor claims for pilfering part or all of the delivery made. Any additional costs will be charged to the customer's account.

WORKSAFE NSW RESTRICTIONS

Customers should be aware that under WorkSafe NSW legislation there are restrictions governing the ability of drivers to load/unload to/from heavy vehicles. Customers with special requirements or unusual sites should contact the Transport Manager before delivery to clarify the requirements.

REFER TO TERMS AND CONDITIONS ON INSIDE BACK COVER

If the site is considered unsafe for the delivery vehicle, the driver will inform both Stramit and the customer (where possible) for alternative arrangements to be made. If delivery was unsuccessful through no fault of Stramit Building Products, the delivery will be made on the next scheduled delivery day.

Hi-Ab unloads are from the trailer to the ground. It is unsafe for the Hi-Ab's to be used to load product on to buildings.

DELIVERY CHARGE

| | | |
|-----------------------|---------------|----------------------------------|
| Material | Up to 15mtr | \$155 |
| length to | 15mtr-18mtr | \$260 (+ escorts if required) |
| | 18mtr-19.5mtr | \$350 (+ escorts if required) |
| | 19.5mtr-28mtr | \$520 (+ escorts if required) |
| Hi-Ab Facility | | \$85 per delivery (if available) |

- Hi-Ab facility is additional to other charges
- Max Hi-Ab length is 13.5 metres
- Crane required for all product over 13.5m.

| | |
|--------------------------------------|-----------------------------|
| Escort Charges | POA |
| Specific Site Time | \$110 (orders over \$2000) |
| (Additional to other charges levied) | \$220 (orders under \$2000) |

Site drop maps must be supplied at time of order placement. Refer to page 90 for site delivery instruction form.

***FOR LOADS OVER 15MTR CHECK YOUR LOCAL STRAMIT OFFICE FOR INDIVIDUAL PRICING.**

***DELIVERIES OUTSIDE NOMINATED AREAS WILL BE CHARGED AT \$3.00/km (ROUND TRIP) PLUS HI-AB IF REQUIRED.**

***OPU DETAILS MONDAY-FRIDAY – 7am-4pm**

NOTE: All deliveries via semi.

| DAY | ROUTE | TOWNS SERVICED |
|-----------|----------------|--|
| Monday | 325 North | Wellington, Dubbo, Mudgee (Gilgndra, Coonabarabran, Gulargambone fortnightly) |
| | 325 West | Molong, Parkes, Forbes (Trundle & Condobolin fortnightly) |
| | 325 Local | Orange, Blayney, Bathurst |
| Tuesday | 325 East | Bathurst, Oberon, Lithgow |
| | 325 North West | Cumnock, Yeoval, Dubbo, Peakhill, Parkes |
| | 325 South | Orange, Canowindra, Cowra, Grenfell |
| Wednesday | 325 North East | Wellington, Gulgong, Mudgee, Rylstone, Kandos |
| | 325 North West | Dubbo, Parkes, Forbes |
| | 325 South | Orange, Canowindra, Cowra, Bathurst |
| Thursday | 325 South West | Grenfell, West Wyalong, Forbes |
| | 325 East | Lithgow, Bathurst, Orange |
| | 325 North West | Cumnock, Yeoval, Dubbo, Peakhill, Parkes |
| Friday | 325 South | Orange, Canowindra, Cowra |
| | 325 East | Lithgow, Bathurst, Oberon |
| | 325 North East | Dubbo, Gulgong, Mudgee |

Deliveries outside nominated routes will incur additional freight costs. Please refer to your local Stramit office.

SYDNEY – DELIVERY INFORMATION

Delivery Times

Stramit anticipates delivery to be effected between the hours of 7am and 5pm. Monday to Friday for product up to 12.5 mtrs in length. However customers should note that Stramit reserves the right to deliver outside these hours whenever circumstances outside our direct control occur. Special requests for delivery outside these times will incur charges. (POA)

Delivery Areas

Areas serviced ex Sydney works are outlined on page 84 – delivery outside these specified areas and/or off the normal route of delivery may be arranged however additional charges will apply.

Site Access

Please note that it is the responsibility of the customer to alert Stramit of any special requirements or site access difficulties at the time of placing the order. Failure to do so may incur additional costs. Photographs are taken of all site deliveries.

WorkSafe NSW Restrictions

Customers should be aware that under WorkSafe NSW legislation there are restrictions governing the ability of drivers to load/unload to/from heavy vehicles. Customers with special requirements or unusual sites should contact the Transport Manager before delivery to clarify the requirements.

Product Return

Product that has been manufactured or purchased specifically to your requirements CANNOT be returned.

Long Length Delivery

Specific times of travel for product in excess of 17mtrs in length do apply and will vary according to the time of year. Some routes within NSW require escorts for product under 17mtrs in length. Delivery of product over 17mtrs in length must be off the road between the hours of 5am - 10am and 3pm - 7pm and requires travels escort/s. Delivery of product over 20mtrs in length must be off the road by 5am and requires escort/s. Delivery of product with lengths up to 20mtrs may be delivered between 10am - 3pm without escort/s subject to delivery location and route. NSW Legislation on long length may vary without notice and Stramit reserves the right to apply charges applicable to such changes.

Unattended Sites

No responsibility will be taken by Stramit for damage, loss of product or the need to return product when delivered to site or store where an authorised person of the customer is not available to receipt delivery – redelivery will be at customers cost.

Site Delivery Instruction Form



Customer Name: _____

Site Phone Number: _____

Site Contact Name: _____

Site Contact Name: _____

U.B.D. Map Ref: _____

U.B.D. Map Ref: _____

What is the nearest cross street/landmark: _____

1. SITE IS: RURAL HOUSE COMMERCIAL INDUSTRIAL
2. DELIVERY SURFACE IS: BITUMEN GRAVEL DIRT/GRASS
3. DOES RAIN AFFECT ACCESS TO PROPERTY: YES NO
4. DOES PEAK HOUR TRAFFIC AFFECT DELIVERY: YES NO
5. IS THE SITE AFFECTED BY CLEARWAYS: YES NO
6. IS THE SITE AFFECTED BY OVERHEAD POWER LINES: YES NO
7. DOES THE SITE HAVE SEMI TRAILER ACCESS: YES NO
8. IS A HI-AB REQUIRED: YES NO

PLEASE NOTE, SOME DELIVERIES WILL BE DONE WITH A SEMI TRAILER WHICH AT A MINIMUM WILL BE 16 METERS LONG, 2.6 METERS WIDE AND MAY WEIGH UP TO 30 TONNES GROSS.




“SKETCH MAP TO SITE”

LOADING REQUIREMENTS









OVERHANG LIMITS

THE DRIVER'S VISION MUST NOT BE OBSTRUCTED



Utes with tapered loads are **NOT ACCEPTABLE**



A 450MM SQUARE BRIGHT RED FLAG IS REQUIRED ON ANY OVERHANG THAT CANNOT BE EASILY SEEN (MANDATORY BEYOND 1200mm)

LOADING REQUIREMENTS




SECURE YOUR LOAD!

**DO NOT USE OCCY STRAPS
OR FLEXI STRAPS**

Minimum 2 lashings
per stack for items
longer than 750 mm.

Recommended
Minimum Lashing
1.5m apart



**No low friction
surfaces** (metal
on metal, plastic
on metal, etc.)

Watch your Lashing Angle!
The More Upright
The More secure

**Roof Racks must be secure,
Maximum loads:
Sports Racks - 50kg
Trades Racks - 100kg**

*SEE THE TRANSPORT SAFETY GUIDELINE OWNER PICK UPS FOR FURTHER INFORMATION

**VEHICLES CONSIDERED INAPPROPRIATE
CANNOT BE LOADED!
YOUR SAFETY IS OUR CONCERN**

The information presented is for guidance only and compliance with applicable laws and standards remains your responsibility

Table 1 - Lashing Requirements

| Lashing Angle to Horizontal \angle | 25 mm hand tightened webbing | 25 mm ratchet webbing | 35 mm ratchet webbing | 8 mm synthetic rope with single hitch |
|--------------------------------------|------------------------------|-----------------------|-----------------------|---------------------------------------|
| 60 to 90° | 52 kg per strap | 170 kg | 430 kg | 87 kg per rope |
| 45 to 60° | 46 kg per strap | 140 kg | 350 kg | 71 kg per rope |
| 30 to 45° | 30 kg per strap | 100 kg | 250 kg | 50 kg per rope |
| 15 to 30° | 15 kg per strap | 52 kg | 130 kg | 26 kg per rope |

Key Assumptions in Tables 1

- All lashings are fully tensioned. If not, then more lashings may be required.
- No low friction surfaces** (e.g. steel on steel, plastic on plastic, plastic on steel, etc.)
- A minimum static coefficient of friction of $\mu = 0.40$ is achieved under all products and between layers of a load. (e.g. rubber or timber against steel or plastic).
- Round loads** require **belly wrapping** and extra restraints.



| | | | | |
|---|--|--|---|---|
| ERSKINE PARK Sales (02) 9834 0909 Fax (02) 9834 0988 | COFFS HARBOUR (02) 6656 3800 Fax (02) 6656 3808 | NEWCASTLE (02) 4041 3400 Fax (02) 4041 3423 | CANBERRA (02) 6298 2500 Fax (02) 6298 2533 | ORANGE (02) 6360 9200 Fax (02) 6360 9211 |
|---|--|--|---|---|

NOTES

NOTES



| | | | | |
|---|--|--|---|---|
| ERSKINE PARK Sales (02) 9834 0909 Fax (02) 9834 0988 | COFFS HARBOUR (02) 6656 3800 Fax (02) 6656 3808 | NEWCASTLE (02) 4041 3400 Fax (02) 4041 3423 | CANBERRA (02) 6298 2500 Fax (02) 6298 2533 | ORANGE (02) 6360 9200 Fax (02) 6360 9211 |
|---|--|--|---|---|

NOTES

NOTES

TERMS AND CONDITIONS OF SALE

EFFECTIVE DATE: 1 APRIL 2018

IN THIS DOCUMENT THE FOLLOWING WORDS HAVE THE FOLLOWING MEANINGS:

Account Number means the computer-generated identification number given by Stramit to the Buyer;

All Present and After Acquired Property have the meanings given to those terms under the PPS Act;

Any Other Agreement means any deed, guarantee, indemnity, security, contract, terms, conditions or agreement between any of Stramit, the Buyer, a guarantor and/or a co-surety or any of their related bodies corporate (as defined in the Corporations Act 2001) in respect of or in connection with any contract for sale of Goods and/or Services and the Guaranteed Debt;

Credit Application means the application for a Credit Account made by the Buyer;

Australian Consumer Law means the Australian Consumer Law in the Competition and Consumer Act 2010 (Cth);

Buyer means the person or entity who has applied for a Credit Account and includes the person, partnership, corporation or other legal entity which places an Order with Stramit for the supply of Goods and/or Services;

Circulating and Non-Circulating Assets have the meanings given to those terms under the PPS Act;

Contract has the meaning given to that term in clause 1.1 of the Sale Terms;

Consumer means a consumer as that term is defined in the Australian Consumer Law;

Credit Account means the commercial credit account the Buyer has with Stramit under the Credit Terms;

Credit Limit means the maximum cumulative monetary limit for all debts owed by the Buyer to Stramit at any time for Goods and Services purchased on credit;

Credit Terms means the terms and conditions of the Credit Account as set out below;

Delivery Site means the Buyer's premises or a site nominated by the Buyer for delivery of Goods;

Event of Default means any means any one or more of the following: (a) if the Buyer fails to take delivery of, or to pay for Goods and/or Services by the due date or otherwise breached any other term of any Contract; or (b) if an administrator, liquidator or provisional liquidator or external manager is appointed in respect of the Buyer; or (c) the Buyer enters into any composition or arrangement with its creditors; or (d) Stramit has reasonable grounds for suspecting that an event in (b) or (c) has occurred; Stramit has any reasonable grounds to believe that the Buyer may not be able to make due and punctual payment to Stramit or there is any default or failure by the Buyer in making due and punctual payment to Stramit of any moneys owing by the Buyer; or (e) Stramit has any reasonable grounds to believe that the Buyer may not be able to make due and punctual payment to Stramit or there is any default or failure by the Buyer in making due and punctual payment to Stramit of any moneys owing by the Buyer; or (f) contractual performance by either Stramit or the Buyer is delayed or prevented due to any Force Majeure Event.

Force Majeure Event means any event outside a party's reasonable control including acts of God, declared or undeclared war, act of terrorism, fire, flood, storm, earthquake, hurricane, cyclone, riot, power failure, industrial action, defaults of manufacturers or suppliers, the inability to obtain equipment, supplies or other facilities that are not caused by a failure to pay, labour disputes, theft, any criminal act or other similar events beyond a party's control that may prevent or delay a party from performing their obligations under any Contract;

Goods means the building products requested by the Buyer in its Order and includes Special Building Products and the proceeds (as defined in the PPS Act) of those Goods;

Guaranteed Debts means the debts guaranteed by a guarantor;

GST means goods and services tax as defined under the A New Tax System (Goods and Services Tax) 1999;

Interest Rate means the rate of 6% above the cash rate last published by the Reserve Bank of Australia (as at the due date).

Order means a request by the Buyer to Stramit for the supply of Goods and/or Services;

Part means any part of the Credit Account;

PPS Act means the Personal Property Securities Act 2009, and includes the Personal Property Securities Regulations 2010 and any amendments or re-enactments of the PPS Act or the Regulations;

PPS Register means the personal properties security register established under the PPS Act;

Price List means the Customer price list issued by Stramit from time to time in the particular Stramit region in which an Order is placed;

Purchase Order Number is the Buyer's identifier to be supplied by the Buyer to Stramit when placing an Order;

Sale Terms means the terms and conditions of sale and supply of Goods and Services by Stramit to the Buyer as set out below and the terms set out in the Price List;

Security Interest has the meaning given to it under the PPS Act;

Services means any services performed by Stramit for the Buyer associated with

Stramit's supply of Goods, including delivery of the Goods;

Small Business Contract means a contract for the supply of goods or services where:

(1) at the time the contract is entered into, at least one party to the contract is a business that employs fewer than 20 persons; and

(2) either of the following applies:

(A) the upfront price payable under the contract does not exceed \$300,000;

(B) the contract has a duration of more than 12 months and the upfront price payable under the contract does not exceed \$1,000,000.

However, if the relevant parts of the definition of 'Small Business Contract' under the Australian Consumer Law are amended at any time, this definition is also amended accordingly;

Special Building Products means building products produced by Stramit which the Buyer requests Stramit to produce according to a design, drawing or specification provided to Stramit by the Buyer and goods and materials which the Buyer requests Stramit to process, purchase or supply;

Stramit means: (a) Stramit Corporation Pty Ltd ABN 57 005 010 195; (b) its successors and assigns; and (c) the seller of Goods and Services under the business names 'Stramit Building Products', 'Eziform Sheetmetal' and 'Taurean Door Systems'.

SALE TERMS

Words commencing with a capital letter and in bold are defined in these Sales Terms.

1. TERMS APPLICABLE TO THE SUPPLY OF GOODS AND/OR SERVICES

- 1.1 The contract between the Buyer and Stramit is constituted by: (i) the Sale Terms; (ii) the Credit Terms; (iii) each other Part (excluding the Guarantee); and (iv) to the extent to which Stramit accepts an order in accordance with clause 2.2 (each a "Contract"). The Sales Terms, the Credit Terms, each other Part (excluding the Guarantee) and the extent to which Stramit accepts the Order govern all contracts for the supply of Goods and/or Services by Stramit to the Buyer and constitute the entire agreement in connection with the supply of Goods and/or Services between Stramit and the Buyer.
- 1.2 All prior representations, trade custom or previous dealings between Stramit and the Buyer are excluded and are not applicable in the interpretation of the contract. No modification or variation to the Sale Terms or Credit Terms, any additional terms or conditions or any terms inconsistent with the Sale Terms or Credit Terms provided by the Buyer (whether put forward in the Order, the Buyer's specification or otherwise) will bind Stramit, unless expressly and specifically agreed to in writing by Stramit. These Sale Terms and Credit Terms supersede any terms and conditions which have previously governed a contract for the sale of Goods and/or supply of Services by Stramit to the Buyer. The Sale Terms and Credit Terms will prevail to the extent of any inconsistency between them and any quotation, Order or other documents from the Buyer. These Sale Terms and Credit Terms bind the Buyer even if Stramit or the Buyer do not sign them promptly or at all.
- 1.3 To the extent permitted by the PPS Act the parties agree to contract out of the following sections of the PPS Act:
 - 1.3.1 to the extent that Stramit is required to give notice to the Buyer: sections 95, 118, 121(4), 130 and 135; and
 - 1.3.2 sections 125, 132(3)(d) and 132(4).
- 1.4 The Buyer waives its rights to receive notice from Stramit of a registration event under section 157(1) of the PPS Act.
- 1.5 Stramit may at any time, and from time to time vary these Sale Terms and/or Credit Terms by notice in writing to the Buyer, or by updating the Sales Terms and/or Credit Terms found on Stramit's website, www.stramit.com.au. Subject to Clause 2, if the Contract is a Small Business Contract, then the Buyer may consider the variation and, if not acceptable, may elect not to proceed with the purchase of the Goods or Services ordered before the date of the variation but which are intended to be subject to the variation. If the Contract is not a Small Business Contract, the Buyer agrees that Goods delivered and Services performed and/or ordered after the date of a notice of variation will be subject to the variation and acceptance of the Goods or Services or the placing of the Order shall be deemed to be an acceptance of such varied terms and conditions. Sale Terms shall apply from the date of alteration. A copy of current Sale Terms can be found on Stramit's website, www.stramit.com.au. The Buyer acknowledges and warrants that he/she/it will regularly inspect the said website for any updated or altered Sale Terms.

2. ORDERING AND SUPPLY OF GOODS AND/OR SERVICES

- 2.1 The Buyer may place an Order verbally or in writing. An Order constitutes an offer by the Buyer to purchase Goods and/or Services from Stramit pursuant to Clause 1.1.
- 2.2 Stramit may accept or decline, in whole or in part, any Order. Acceptance may be verbal or in writing, or by Stramit delivering or

making the Goods and/or Services available for collection (whichever occurs first). Acceptance of an Order by Stramit gives rise to a Contract for the supply of the ordered Goods and/or Services on these Sale Terms.

- 2.3 Stramit may, in its sole discretion, agree to a written request from the Buyer for cancellation or variation (including variation to delivery times) of a Contract under clause 2.2. Stramit's acceptance must be in writing.

3. PRICES, QUOTATIONS PAYMENT AND DEFAULT

- 3.1 Unless otherwise expressly agreed in writing, the amount payable for the Goods and/or Services will be the price on Stramit's invoice plus any duties, fees, taxes (including GST), delivery charges and levies charged or imposed on or in respect of a Contract referred to in clause 2.2, plus any amount that reflects any increase in exchange rates, costs of labour, materials and overheads in connection with Stramit's supply.
- 3.2 Until Stramit confirms that a credit facility has been granted to the Buyer, all Goods and Services must be paid for on a cash on delivery or performance basis. If a credit facility has been granted, the Buyer must pay Stramit for the Goods and/or Services either:
- 3.2.1 as required by the Credit Terms; or
- 3.2.2 if required by Stramit, prior to Stramit ordering materials or commencing manufacture of the Goods.
- 3.3 A quotation will not constitute an offer to sell Goods or Services to the Buyer. No Contract for the supply of Goods or Services will exist between the Stramit and Buyer until Buyer's order for Goods or Services has been accepted by Stramit (such acceptance of the Buyer's order may be made and communicated by Stramit in writing or by over act of acceptance).
- 3.4 Any written quotation provided by Stramit expires on the date stated or otherwise 30 days after the date the quotation is issued by Stramit. Stramit may withdraw or vary a quotation before accepting an Order. Prior to acceptance of an Order of the Goods by Stramit, if there is an increase in Stramit's costs or pricing, then Stramit may increase its quoted price and the Buyer must pay the increased price.
- 3.5 If the Buyer commits an Event of Default then:-
- 3.5.1 all monies payable (including under a Credit Account, or under any Agreement) by the Buyer to Stramit may, at Stramit's election, become immediately due and payable notwithstanding the due date for payment may not have expired; and
- 3.5.2 Stramit, without prejudice to any other rights Stramit may have, may do any or all of the following:
- (i) suspend or withdraw the Credit Account;
 - (ii) terminate or suspend the whole or any outstanding part of any Contract in force between Stramit and the Buyer;
 - (iii) recover from the Buyer the cost of materials or goods acquired for the purpose of future deliveries Goods or the performance of Services;
 - (iv) immediately re-possess any Goods to which title has not passed.
 - (v) charge interest to the Buyer at the Interest Rate calculated daily on any overdue amount and payable together with the overdue amount;
 - (vi) immediately enforce any security it holds over the land or personal property of the Buyer; and
 - (vii) register a default with any credit reference facility
- 3.6 Stramit may in its sole discretion apply any payment received from the Buyer towards any debt (including interest charged under clause 3.5.2(v)) owed by the Buyer to Stramit at any time.
- 3.7 If in Stramit's reasonable opinion the financial position or status of the Buyer requires it, Stramit may refuse to make a delivery or cancel any contract under clause 2.2.
- 3.8 The Buyer must pay to Stramit on demand all reasonably incurred costs, charges and expenses (including legal expenses on an indemnity basis) that Stramit incurs as a result of any breach of these Sale Terms or Contract by the Buyer.
- 3.9 The Buyer must supply Stramit with its Account Number and Purchaser Order Number at the time of placing the Order. The Buyer is liable to pay the amount of an invoice, regardless of whether the Buyer's Account Number or Purchase Order Number is included on the invoice.
- 3.10 The Buyer is liable for all purchases made under its account number and/or account name. It is not the responsibility of Stramit to confirm authority for the purposes of supplying Goods or Services to Buyer, its agent(s) or those who Stramit deems to be its agents. It is the sole responsibility of Buyer to ensure there is no unauthorised use of their account number or name. A statement on a certificate given by Stramit setting out the quantities, descriptions, prices and dates and other information in respect of Goods and/or Services will be conclusive and binding on the parties in the absence of manifest error.
- 3.11 The Buyer will not assert any right of set-off against Stramit and will pay all sums due and payable without deduction.

4. DELIVERY AND COLLECTION

- 4.1 Stramit may:
- 4.1.1 make the Goods available for collection at Stramit's premises; or
- 4.1.2 deliver (or arrange delivery) of the Goods in the manner it deems fit to the Delivery Site.
- 4.2 The Buyer's Order must specify if the Goods are to be delivered to the Delivery Site or collected from Stramit. If delivery is specified then the Delivery Site must be nominated.
- 4.3 Stramit will advise the Buyer of the estimated delivery or collection date and time and may alter it if necessary. Any times quoted for delivery are estimates only and Stramit may supply by installments. To the extent permitted by law, Stramit will not be liable to the Buyer for any costs, loss or damage whatsoever (including indirect or consequential loss) caused directly or indirectly by any delay or failure to deliver the Goods or to perform the services or to make the Goods available for collection on the date or at the time specified. The Buyer must accept and pay for the Goods and/or the Services notwithstanding any extension or delay in the delivery or the availability of Goods for collection or in the performance of the Services.
- 4.4 If the Buyer does not collect the Goods by the collection date, then Stramit may, without limiting any other rights available to it, store the Goods or deliver them to the Delivery Site and the Buyer must, on demand, pay all costs of delivery and any additional charges (including storage costs) and costs incurred by Stramit.
- 4.5 The Buyer must provide a suitable and safe area at the Delivery Site to unload the Goods and ensure that Stramit's (or its agent, employee or contractor) use of the Delivery Site conforms to occupational health and safety legislation. The Buyer indemnifies and holds harmless Stramit (or its agent, employee or contractor) from any and all claims arising out of delivery of the Goods, except to the extent the Stramit (or its agent, employee or contractor) have been negligent or breached the law or the Contract.
- 4.6 If the Delivery Site is unattended, the Buyer authorises, Stramit or its contractors to deposit the Goods at the Delivery Site or retain the Goods if delivery is, in Stramit's reasonable opinion inappropriate. Stramit will not be obliged to obtain a signed receipt or other acknowledgment from any person at the nominated place for delivery but if a signed receipt or other acknowledgment is obtained from someone believed by Stramit to be authorised by Buyer to sign or otherwise take delivery, then such signed receipt or other acknowledgement will be conclusive evidence of Buyer's acceptance of the good delivered. The Buyer will indemnify and hold Stramit (and its contractors) harmless from any loss or damage caused by the depositing of Goods at an unattended Delivery Site.
- 4.7 To the extent permitted by law, Stramit will not be liable to the Buyer or to its employees or agents for any property damage or personal injury arising from any loading, unloading or delivery of the Goods. The Buyer indemnifies Stramit from any loss or damage suffered by Stramit as a result of any property damage or personal injury caused by the delivery and unloading of Goods except for and to the extent that the loss, damage or liability is caused by a negligent act or omission of Stramit or its contractors.
- 4.8 The Buyer must pay all costs and fees resulting from any or all of the following:
- 4.8.1 any delay in delivery caused by the Buyer or the Delivery Site conditions;
- 4.8.2 unexpected labour costs;
- 4.8.3 Delivery Site conditions resulting in the incurring of additional costs and
- 4.8.4 the nature of the Goods and/or Services ordered by the Buyer.
- 4.9 The Buyer must pay for any permit or licence or other extraordinary costs of transporting or delivering ordered Goods, including wide or long loads.
- 4.10 The Buyer must notify Stramit of any claim in writing within:
- 4.10.1 2 days after delivery or collection that the Goods supplied do not accord with those ordered;
- 4.10.2 14 days of receiving an invoice from Stramit that it disputes the invoice;
- 4.10.3 (if the Buyer is not a Consumer) 2 days of delivery or collection of Goods that it is alleged they are defective or damaged; or
- 4.10.4 (if the Buyer is not a Consumer) 2 days of performance of any allegedly deficient Services, and the Buyer will be taken to have accepted the Goods as delivered and/or the Services as performed or the invoice as rendered if the Buyer fails to so notify Stramit, and must pay for the Goods or Services in full.
- 4.11 If the Buyer is a Consumer, the Buyer must notify Stramit for matters within the contemplation of sub-clauses 4.10.3 and 4.10.4 within a reasonable time, and in any event promptly upon becoming aware of a claim within the contemplation of sub-clauses 4.10.3 and 4.10.4.

5. PASSING OF RISK

The risk of any loss or damage to or deterioration of the Goods from any cause whatsoever passes from Stramit to the Buyer, on the earlier of, when the Buyer takes possession of the Goods or otherwise if:

- 5.1 the Buyer collects the Goods and if Stramit or its contractors have loaded the Goods for the Buyer, when the Goods are fully loaded onto the Buyer's vehicle or vessel;
- 5.2 Stramit delivers the Goods to the Delivery Site and the Buyer unloads the Goods, when the Buyer begins unloading the Goods; or
- 5.3 Stramit delivers the Goods and unloads them at the Delivery Site, when Stramit has finished unloading the Goods.

6. RETENTION OF TITLE

- 6.1 The Buyer agrees that legal and equitable title to the Goods remains with Stramit until the Buyer has paid for the Goods in full and has paid all other money owing for any reason at any time under any contract, agreement or account between Stramit and the Buyer, including all payments to be made under clauses 3.1 and 3.8.
- 6.2 Until title to the Goods passes, the Buyer:
 - 6.2.1 holds the Goods as the bailee and fiduciary agent of Stramit;
 - 6.2.2 must store the Goods separately and securely and in such manner as to indicate clearly that they remain the property of Stramit;
 - 6.2.3 must insure the Goods for their full replacement value;
 - 6.2.4 must not create or allow to be created any Security Interest or any other form of encumbrance over the Goods which is inconsistent with Stramit's title to the Goods;
 - 6.2.5 must not assign, charge or encumber or grant any interest over any obligations which any third party may owe to the Buyer as a result of the use, manufacture or resale of the Goods;
 - 6.2.6 may not claim any lien or interest in the Goods to secure any liquidated or un-liquidated debt or obligation that Stramit owes to the Buyer; and
 - 6.2.7 must not remove, deface or obliterate any identifying plate, mark or number on any of the Goods.
- 6.3 Despite clause 6.2, unless Stramit notifies the Buyer to the contrary, the Buyer may, in the ordinary course of its business:
 - 6.3.1 re-sell the Goods (Re-sold Goods), but only as a fiduciary agent of Stramit, in which case the Buyer must perform in favour of Stramit all the obligations and assume all of the liabilities of a fiduciary agent. Any right to bind Stramit to any liability to a third party by contract or otherwise is expressly excluded; and
 - 6.3.2 use any of the Goods or part of the Goods in a manufacturing or construction process of its own or of a third party which manufactures, processes, assembles or commingles the Goods so that they become part of a product or mass (Manufactured Product), in which case it will hold the Manufactured Product on trust for Stramit as bailee and fiduciary agent of Stramit and may sell the Manufactured Product.
- 6.4 If the Buyer re-sells or deals with the Goods or the Manufactured Product before title to the Goods passes to the Buyer, then the Buyer:
 - 6.4.1 assigns absolutely and unconditionally in favour of Stramit the Buyer's entitlement to all the proceeds of the re-sale or dealing, and must notify the purchaser in writing of the assignment at the time of the re-sale or dealing; and
 - 6.4.2 will hold such part of the proceeds of the re-sale or dealing on trust for and as the fiduciary agent of Stramit immediately when they are received or receivable.
- 6.5 When referring to "such part" in sub-clause 6.4.2 and/or for the purpose of quantifying the amount of money paid to the Buyer and held in trust for Stramit from the proceeds of the sale of or dealing with the Goods or Manufactured Product, that part or amount will be equal in dollar terms to the value of the Goods on the day on which they become part of the Manufactured Product.
- 6.6 The Buyer must keep the proceeds in a separate bank account until the liability to Stramit is discharged.
- 6.7 If the amount payable for all Goods sold by Stramit to the Buyer is greater than the sum of:
 - 6.7.1 the proceeds actually received by Stramit in respect of all dealings by the Buyer with the Goods (including the sale of Re-Sold Goods or Manufactured Product); and
 - 6.7.2 all other payments received by Stramit in respect of the Goods, then the difference remains a debt owing by the Buyer to Stramit.
- 6.8 Where the Buyer has not paid for the Goods in full by the due date for payment, then the Buyer irrevocably authorises Stramit to repossess the Goods and to enter any site owned, possessed or controlled by the Buyer at any time and without notice to search for, inspect or repossess the Goods, whether such Goods are in their original form, or in a modified form or mixed with other products of the Buyer. Stramit is not liable to the Buyer as a result of any action taken pursuant to this clause, except to the extent that Stramit has been negligent or breached the law or the Contract. Stramit may delay taking action to dispose of or retain the repossessed Goods under the PPS Act for a period of up to 12 months.
- 6.9 Stramit's property in the Goods remains absolute even if the Goods have become fixtures to the premises of the Buyer or a third party. If Stramit enters those premises to reclaim possession of the Goods and incurs any liability to a third party in connection with the entry or reclamation, or if the Buyer suffers any loss or damage as a result of the entry or reclamation, then Stramit will not be liable to the Buyer for any liability, loss or damage and the Buyer indemnifies Stramit against any liability, loss or damage to any third party except to the extent Stramit

has been negligent or breached the law or the Contract.

- 6.10 The provisions of this clause 6 apply despite any arrangement between the parties under which Stramit grants the Buyer credit.

7. DESCRIPTION OF BUILDING PRODUCTS AND SAMPLES

- 7.1 All physical samples and descriptions, specifications, illustrations, drawings, data, dimensions and weights in respect of the Goods contained in catalogues, the Price List or other Stramit advertising material are approximate, and are only intended by Stramit to be a general description.
- 7.2 Stramit may produce Goods with minor modifications from any of its samples, drawings and specifications (within acceptable manufacturing tolerances).
- 7.3 Stramit is not liable to the Buyer for any loss or damage suffered by the Buyer as a result of the Buyer relying upon any such specifications, illustrations, drawings, data, dimensions, weights or the characteristics of any samples except to the extent Stramit has been negligent or breached the law or the Contract.

8. TOOLS, EQUIPMENT, PATTERNS, DESIGNS AND SYSTEMS OF MANUFACTURE

- 8.1 Any tool, equipment, pattern, design or system of manufacture (Manufacturing Devices) acquired and used by Stramit in filling an Order remains the property of Stramit and cannot be used without Stramit's prior written authority.
- 8.2 Stramit may charge the Buyer for Stramit's acquisition and use of any Manufacturing Device. Payment of such charge will not vest in the Buyer any intellectual property rights or other rights in the Manufacturing Device.
- 8.3 Stramit may hire or lend tools or equipment to a Buyer on agreed terms. Stramit will invoice the Buyer for hire and delivery charges after the tools or equipment are in possession of the Buyer. The Buyer must pay the amount invoiced within 30 days of the invoice date.
- 8.4 The Buyer indemnifies and holds harmless Stramit against any claim, demand or suit arising out of any loss, damage or personal injury caused to the Buyer, its employees and agents or a third party by a tool or equipment provided by Stramit to the Buyer except to the extent Stramit has been negligent or breached the law or the Contract.

9. BUYER'S SPECIFICATIONS OR MATERIALS AND SPECIAL BUILDING PRODUCTS

- 9.1 If the Buyer is not a Consumer, and the Contract is not a Small Business Contract, then the Buyer agrees that:
 - 9.1.1 Stramit will not be responsible for any failure of any Special Building Products or lack of fitness for use or for any property damage or personal injury whatsoever caused by the Special Building Products.
 - 9.1.2 the Customer agrees that it does not rely on the skill or judgment of Stramit in relation to the suitability of any Special Building Products goods for a particular purpose; and
 - 9.1.3 any advice, recommendation, information or assistance provided by Stramit is provided without liability to Stramit whatsoever.
- 9.2 If the Buyer is a Consumer, or the Contract is a Small Business Contract, and Stramit, then the Buyer acknowledges and agrees that:
 - 9.2.1 it must install and operate the Special Building Products goods in accordance with any applicable installation instructions and/or manuals, and with professional skill, competence and due care having regards to the complexity and nature of the work; and
 - 9.2.2 any advice, recommendation, information or assistance provided by Stramit, is provided in good faith, relying upon the accuracy and completeness of information provided by Buyer to Stramit.
- 9.3 If the Buyer is not a Consumer, and the Contract is not a Small Business Contract the Buyer will indemnify and hold Stramit harmless from:
 - 9.3.1 any direct or indirect loss or damage caused to, or suffered by, the Buyer or to any third party by the Special Building Products and the Buyer releases Stramit from all liability in respect of any fault or defect in any Special Building Product; and
 - 9.3.2 any claim, demand or suit arising out of Stramit's use of or reliance upon any design, specification or drawing provided to Stramit by the Buyer.
- 9.4 The Buyer warrants and represents that any designs, specifications or drawings it provides to Stramit for the manufacture of Special Building Products will not breach or infringe any copyright, patent or registered design or any other right of any third party. If the Buyer is not a Consumer, and the Contract is not a Small Business Contract, the Buyer will indemnify and forever hold Stramit harmless from any loss, damage, liability or costs suffered or incurred by Stramit arising from a breach by the Buyer of this warranty and representation.
- 9.5 If Stramit, on request of the Buyer, processes the Buyer's materials, Stramit will not warrant that the materials supplied by the Buyer are suitable for such processing.
 - 9.6 Stramit will not be liable for any:
 - 9.6.1 failure of any processed Buyer's materials; or
 - 9.6.2 failure of any Goods manufactured using the Buyer's materials; or
 - 9.6.3 damage caused by or connected with the Buyer's materials at any time during or after processing by Stramit.

- 9.7 The Buyer must bear any additional expense or the cost of:
- 9.7.1 any testing or inspection of Goods manufactured using the Buyer's materials or any Special Building Products; and
- 9.7.2 any delay in processing caused by any defect in the Buyer's materials or by the nature of the Buyer's materials.

10. LIMITATION OF LIABILITY

- 10.1 Unless agreed in writing by Stramit, Stramit will not accept the return of goods. Goods accepted for return by Stramit may attract a charge to recover costs, restocking, disposal and repackaging charges. The amount of this charge will be determined by Stramit and recoverable from the Buyer. Proof of purchase from Buyer must accompany all goods returned to Stramit
- 10.2 If the Buyer is a Consumer or the Contract is a Small Business Contract, the provisions of this clause 10.2 apply:
 - (a) the Goods and Services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the Australian Consumer Law, Stramit's obligations to the Buyer in respect of a breach of any term, warranty or condition of a contract (whether implied by statute or otherwise) will, at Stramit's option, be limited to:
 - (i) the repair or replacement of the Goods or the supply of equivalent Goods; or
 - (ii) paying for the cost of repair or replacement of the Goods or supply of equivalent Goods; or
 - (iii) in the case of Services, the re-supply of Services or paying for the cost of resupplying the Services by a service provider approved in writing by Stramit.
- 10.3 Stramit's obligations, if clause 10.2 applies, do not include:
 - (i) the cost of removing defective Goods whether installed or otherwise;
 - (ii) the cost of installing replacement Goods; or
 - (iii) defects in Goods caused by improper installation or improper maintenance or care of Goods, or related components, or normal wear and tear.
- 10.4 Subject to clause 10.2, if the Buyer is not a Consumer or the Contract is not a Small Business Contract, all terms, representations, guarantees, implied warranties and conditions, whether implied by statute or otherwise, including as to merchantability, description, quality, suitability, or fitness for purpose as to design, assembly, installation, materials or workmanship or otherwise are expressly excluded. Stramit does not exclude, restrict or modify any liability that cannot be excluded, restricted or modified except to a limited extent, as between Stramit and the Buyer by law.
- 10.5 Stramit's obligations to the Buyer in respect of a breach of any a non-excludable term, warranty or condition of a contract (whether implied by statute or otherwise) will, at Stramit's option, be limited to:
 - 10.5.1 the repair or replacement of the Goods or the supply of equivalent Goods; or
 - 10.5.2 paying for the cost of repair or replacement of the Goods or supply of equivalent Goods; or
 - 10.5.3 in the case of Services, the re-supply of Services or paying for the cost of resupplying
- 10.6 Stramit's obligations if clause 10.5 applies do not include:
 - 10.6.1 the cost of removing defective Goods whether installed or otherwise;
 - 10.6.2 the cost of installing replacement Goods; or
 - 10.6.3 defects in Goods caused by improper installation or improper maintenance or care of Goods or related components or normal wear and tear.
- 10.7 To the extent permitted by law, Stramit will not be liable to the Buyer or any other person for any direct, indirect, special, incidental or consequential loss or damage (including loss or damage caused by negligence or any wilful act or default of Stramit, its employees or agents) whatsoever arising from the use of the Goods, or a breach of a contract under clause 2.2 or any statutory implied warranty, term or condition in relation to the Goods. In this clause, "direct, indirect, special, incidental or consequential loss or damage" includes (a) any loss of income, profit or business; (b) any loss of goodwill or reputation; and (c) any loss of value of intellectual property.
- 10.8 To the extent permitted by law, Stramit will not be liable to the Buyer, its employees or agents for any costs, claims, damages or demands arising from personal injury, loss or damage whatsoever occurring by reason of:
 - 10.8.1 the Goods or their design, production or processing;
 - 10.8.2 the Services;
 - 10.8.3 any act or omission of Stramit, its employees or agents; or
 - 10.8.4 any statement, representation, recommendation, advice, supervision or assistance made or given by an employee or agent of Stramit, whether oral or written.
- 10.9 Stramit will not be responsible for the consequences of any technical advice given by its employees or agents in relation to the design, specifications, installation or use of Goods. The Buyer acknowledges that it will not rely and has not relied on any skill or judgment of Stramit, its employees or agents about the suitability of any Goods and/or Services for a particular purpose.
- 10.10 The Buyer acknowledges that Stramit does not make and has not made any representation or warranty regarding the Goods and/or

Services or any matter which is or might be relevant to the Buyer other than as set out in these Sale Terms.

11. INDEMNITIES RELATING TO ACCESSING PREMISES

- 11.1 Any Buyer, or its agent, employee or contractor (Buyer's Representative) who enters Stramit's premises does so at his/her own risk. Stramit will not be liable for any loss, damage or injury caused by any act or omission whatsoever whilst the Buyer's Representative attends Stramit's premises. The Buyer indemnifies and will forever hold Stramit harmless against all claims, demands or suits made by a Buyer's Representative in connection with his/her attendance at Stramit's premises.
- 11.2 Where Stramit or its agent, employee or contractor (Stramit Representative) enters upon a Delivery Site, the Buyer must provide full and safe access to the Delivery Site and ensure that the Delivery Site is compliant with all occupational health and safety legislation and the Buyer will be liable for, and must indemnify Stramit against the costs of any loss or damage to property and personal injury to any Stramit Representative occurring directly or indirectly as a result of the Buyer's failure to comply with this clause.

12. GENERAL MATTERS

- 12.1 Stramit may vary or waive any or all of these Sale Terms at any time and will notify the Buyer in writing of any variation or waiver.
- 12.2 The failure of Stramit to exercise a right or remedy, or any delay by Stramit in exercising a right or remedy, or the exercise by Stramit of only part of a right or remedy, or the granting of any indulgence by Stramit in favour of the Buyer does not:
 - 12.2.1 affect Stramit's rights against the Buyer;
 - 12.2.2 constitute a waiver of any term or condition; or
 - 12.2.3 prohibit Stramit from exercising that right or remedy in relation to that breach or any other breach.
- 12.3 A waiver of a breach of a term or condition does not constitute a waiver of another breach of the same term or any other term.
- 12.4 The Buyer agrees that these Sale Terms shall be construed according to the laws of the State or Territory as Stramit may in its sole discretion determine. Proceedings by either Stramit or the Buyer may be instituted and/or continued in such State or Territory as Stramit may in its sole discretion determine. Failing such determination the Buyer consents to any proceedings being instituted and heard by any appropriate Court sitting in the State of New South Wales applying the laws of that State.
- 12.5 The Buyer must not assign any of its rights or obligations under these Sale Terms without the prior written approval of Stramit.
- 12.6 Stramit will not be liable for any delay or failure to fill an Order to the extent and for so long as performance is prevented or delayed by:
 - (a) any event or circumstance beyond Stramit's power or control;
 - (b) any delay or failure of supply by any of Stramit's suppliers; or
 - (c) a breakdown in Stramit's or its contractor's tools, equipment, vehicles or machinery.
- 12.7 If all or part of a clause in these Sale Terms is void, illegal or unenforceable, it may be severed without affecting the enforceability of any other provision.
- 12.8 If the Buyer is acting as the trustee of any trust (whether disclosed or not), then:
 - 12.8.1 the Buyer declares that it is entering into the Contract both in its own capacity and as trustee of the trust with the ability to bind and the intention of binding, both;
 - 12.8.2 the Buyer shall be liable both in its own name and as trustee of the trust; and
 - 12.8.3 the Buyer acknowledges that the assets of the trust shall be available to meet payment and obligations under the Contract, and of the Buyer's accounts.
- 12.9 A breach of these Sale Terms is a breach of the Credit Terms.

CONTACT US

The Stramit web page can be found at stramit.com.au. Details of many Stramit® products can also be seen on the AIA site 'Product Selector' selector.com.au.

| REGION | LOCATION | CONTACT DETAILS | BRANCH OPENING HOURS ¹ | ORDER CUT-OFF TIMES ² | | |
|-----------|---|-------------------------------------|-----------------------------------|----------------------------------|--------------------------------|----------------------------|
| | | | | STANDARD DELIVERY | NEXT DAY DELIVERY ³ | PICK-UP HOURS ⁴ |
| NSW & ACT | SYDNEY 33-83 Quarry Rd, Erskine Park NSW 2759 | Ph 02 9834 0909 Fax 02 9834 0988 | 7.30am - 5pm | 4pm | N/A | 6am - 4pm |
| | CANBERRA 4 Bass St, Queanbeyan NSW 2620 | Ph 02 6298 2500 Fax 02 6298 2533 | 7.30am - 5pm | 4pm | N/A | 7.30am - 4pm |
| | COFFS HARBOUR 6 Mansbridge Dr, Coffs Harbour NSW 2450 | Ph 02 6656 3800 Fax 02 6656 3808 | 7.30am - 5pm | 4pm | N/A | 7am - 4pm |
| | NEWCASTLE 17 Nelson Rd, Cardiff NSW 2285 | Ph 02 4041 3400 Fax 02 4041 3423 | 7.30am - 5pm | 4pm | N/A | 7am - 4pm |
| | ORANGE 51 Leewood Dr, Orange NSW 2800 | Ph 02 6360 9200 Fax 02 6360 9211 | 7.30am - 5pm | 4pm | N/A | 7am - 4pm |
| VIC | MELBOURNE 3/1464 Ferntree Gully Rd, Knoxfield VIC 3180 | Ph 03 9237 6300 Fax 03 9237 6399 | 7.30am - 5pm | 4pm | 12.30pm | 6am - 4pm |
| | ALBURY 18 Ariel Dr, Albury NSW 2640 | Ph 02 6092 3700 Fax 02 6092 3766 | 7.30am - 5pm | 4pm | N/A | 7am - 4pm |
| | BENDIGO Lot 7-9 Ramsay Court, Kangaroo Flat VIC 3555 | Ph 03 5448 6400 Fax 03 5447 9677 | 8am - 5pm | 4pm | N/A | 8am - 4.30pm |
| TAS | HOBART 57 Crooked Billett Dr, Brighton TAS 7030 | Ph 03 6262 8788 Fax 03 6262 8712 | 7.30am - 5pm | 4pm | N/A | 7am - 4pm |
| SA | ADELAIDE 11 Stock Rd, Cavan SA 5094 | Ph 08 8219 2000 Fax 08 8219 2021 | 7.30am - 5pm | 4pm | N/A | 7am - 4pm |
| South QLD | BRISBANE 57-71 Platinum St, Crestmead QLD 4132 | Ph 07 3803 9999 Fax 07 3803 1499 | 7.30am - 5pm | 4pm | 12.30pm | 6am - 4pm |
| | MARYBOROUGH 10 Activity St, Maryborough QLD 4650 | Ph 07 4123 9500 Fax 07 4123 9508 | 7am - 4.30pm | 4pm | N/A | 7am - 4pm |
| | ROCKHAMPTON 41 Johnson St, Parkhurst QLD 4702 | Ph 07 4921 5600 Fax 07 4921 5608 | 7am - 4.30pm | 4pm | N/A | 7am - 4pm |
| North QLD | CAIRNS 53 Vickers St, Edmonton QLD 4869 | Ph 07 4034 6555 Fax 07 4034 6511 | 7am - 4.30pm | 4pm | N/A | 7am - 4pm |
| | TOWNSVILLE 402-408 Bayswater Rd, Garbutt QLD 4814 | Ph 07 4412 3900 Fax 07 4412 3909 | 7am - 4.30pm | 4pm | N/A | 7am - 4pm |
| | MACKAY 6 Brickworks Court, Glenella QLD 4740 | Ph 07 4965 4000 Fax 07 4965 4012 | 7am - 4.30pm | 4pm | N/A | 7am - 4pm |
| NT | DARWIN 55 Albatross St, Winnellie NT 0820 | Ph 08 7922 4600 Fax 08 7922 4608 | 7.30am - 4.30pm | 3.30pm | N/A | 7am - 4pm |
| WA | PERTH 605-615 Bickley Rd, Maddington WA 6109 | Ph 08 9493 8800 Fax 08 9493 8899 | 7.30am - 5pm | 4pm | 12.30pm | 7am - 4pm |

¹ Business days only (excludes weekend and public holidays).

² Days only (excludes weekend and public holidays). Standard Delivery refers to order cut-off times for standard lead-time products as defined in our Product and Services Guide. Next Day Delivery refers to order cut-off times for orders to be delivered the next Business Day.

³ Additional charges may apply.

⁴ Orders picked up outside of office hours must be confirmed prior to pick-up.